# Chapter 2: Lecture 1

## Linear Algebra, Course 124B, Fall, 2008

Prof. Peter Dodds

Department of Mathematics & Statistics
University of Vermont





# Outline

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations



# Basics:

- Instructor: Prof. Peter Dodds
- Lecture room and meeting times:
  111 Lafayette, Tuesday and Thursday, 2:00 pm to 3:15 pm
- Office: 203 Lord House, 16 Colchester Avenue
- E-mail: pdodds@uvm.edu
- Course website:
  `http://www.uvm.edu/~pdodds/teaching/courses/2008-08UVM-124/`
- Textbook: "Introduction to Linear Algebra" (3rd ed.) by Gilbert Strang; Wellesley-Cambridge Press.



# Admin:

## Paper products:

1. Outline
2. "The Fundamental Theorem of Linear Algebra" [?]
3. "Too Much Calculus" [?]

## Office hours:

- 9:00 am to 10:30 am
  Tuesday and Thursday
  Rm 203, Math Building

## Grading breakdown:

1. Assignments (40%)
   - Ten one-week assignments.
   - Lowest assignment score will be dropped.
   - The last assignment cannot be dropped!
   - Each assignment will have a random bonus point question which has nothing to do with linear algebra.
2. Midterm exams (35%)
   - Three 75 minutes tests distributed throughout the course, all of equal weighting.
3. Final exam (24%)
   - Three hours of pure happiness.
   - Tuesday, December 16th, 2008, 3:30 pm to 6:30 pm, in 111 Lafayette.




## Grading breakdown:

1. Homework (0%)—Problems assigned online from the textbook. Doing these exercises will be most beneficial and will increase happiness.
2. General attendance (1%)—it is extremely desirable that students attend class, and class presence will be taken into account if a grade is borderline. Contributing to examples of linear algebra in action for the class blog will help too.




## How grading works:

Questions are worth 3 points according to the following scale:

- 3 = correct or very nearly so.
- 2 = acceptable but needs some revisions.
- 1 = needs major revisions.
- 0 = way off.




## Schedule:

The course will mainly cover chapters 2 through 6 of the textbook. (You should know all about Chapter 1.)

| **Week # (dates)** | **Tuesday** | **Thursday** |
|---|---|---|
| 1 (9/2, 9/4) | Lecture | Lecture ➤ A1 |
| 2 (9/9, 9/11) | Lecture | Lecture ➤ A2 |
| 3 (9/16, 9/18) | Lecture | Lecture ➤ A3 |
| 4 (9/23, 9/25) | *Review* | *Test 1* |
| 5 (9/30, 10/2) | Lecture | Lecture ➤ A4 |
| 6 (10/7, 10/9) | Lecture | Lecture ➤ A5 |
| 7 (10/14, 10/16) | Lecture | Lecture ➤ A6 |
| 8 (10/21, 10/23) | *Review* | *Test 2* |
| 9 (10/28, 10/30) | Lecture | Lecture ➤ A7 |
| 10 (11/4, 11/6) | Lecture | Lecture ➤ A8 |
| 11 (11/11, 11/13) | Lecture | Lecture ➤ A9 |
| 12 (11/18, 11/20) | *Review* | *Test 3* |
| 13 (11/25, 11/27) | Thanksgiving | Thanksgiving |
| 14 (12/2, 12/4) | Lecture | Lecture ➤ A10 |
| 15 (12/9, 12/11) | Lecture | *Review* |

## Important dates:

1. Classes run from Tuesday, September 2nd to Thursday, December 11.
2. Add/Drop, Audit, Pass/No Pass deadline—Monday, September 15.
3. Last day to withdraw—Friday, October 31.
4. Reading and exam period—Friday, December 12th to Friday, December 19th.





## More stuff:

Do check your zoo account for updates regarding the course.

Academic assistance: Anyone who requires assistance in any way (as per the ACCESS program or due to athletic endeavors), please see or contact me as soon as possible.





## More stuff:

Being good people:

1. In class there will be no electronic gadgetry, no cell phones, no beeping, no text messaging, etc. You really just need your brain, some paper, and a writing implement here (okay, and Matlab or similar).
2. Second, I encourage you to email me questions, ideas, comments, etc., about the class but request that you please do so in a respectful fashion.
3. Finally, as in all UVM classes, Academic honesty will be expected and departures will be dealt with appropriately. See `http://www.uvm.edu/cses/` for guidelines.





## More stuff:

Late policy: Unless in the case of an emergency (a real one) or if an absence has been predeclared and a make-up version sorted out, assignments that are not turned in on time or tests that are not attended will be given 0%.

Computing: Students are encouraged to use Matlab or something similar to check their work.

Note: for assignment problems, written details of calculations will be required.

## Grading:

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| A+ | 97–100 | B+ | 87–89 | C+ | 77–79 | D+ | 67–69 |
| A | 93–96 | B | 83–86 | C | 73–76 | D | 63–66 |
| A- | 90–92 | B- | 80–82 | C- | 70–72 | D- | 60–62 |




## Why are we doing this?

### Linear Algebra is

a body of mathematics
that deals with discrete problems.

### Many things are discrete:

- Information (0's & 1's, letters, words)
- People (sociology)
- Networks (the Web, people again, food webs, ...)
- Sounds (musical notes)

### Even more:

If real data is continuous, we almost always discretize it (0's and 1's)




## Why are we doing this?

Linear Algebra is used in many fields to solve problems:

- Engineering
- Computer Science (Google's Pagerank)
- Physics
- Economics
- Biology
- Ecology
- ...

Linear Algebra is as important as calculus.




## Matrices as gadgets:

$A$ transforms $\vec{x}$ into $\vec{x}'$ through multiplication

$$\vec{x}' = A\vec{x}$$

### Can use matrices to:

- Grow vectors
- Shrink vectors
- Rotate vectors
- Flip vectors
- Do all these things to different directions

## Image approximation (80x60)

$$A = \sum_{i=1}^{3} \sigma_i \hat{u}_i \hat{v}_i^{\mathrm{T}}$$



## Three key problems of Linear Algebra

1. Given a matrix $A$ and a vector $\vec{b}$, find $\vec{x}$ such that
$$A\vec{x} = \vec{b}.$$
2. Eigenvalue problem: Given $A$, find $\lambda$ and $\vec{v}$ such that
$$A\vec{v} = \lambda\vec{v}.$$
3. Coupled linear differential equations:
$$\frac{\mathrm{d}}{\mathrm{d}t}y(t) = A\,y(t)$$

- Our focus will be largely on #1, partly on #2.



## Major course objective:

To deeply understand the equation $A\vec{x} = \vec{b}$, the Fundamental Theorem of Linear Algebra, and the following picture:




What is going on here? We have 26 lectures to find out...



## Our friend $A\vec{x} = \vec{b}$

Broadly speaking, $A\vec{x} = \vec{b}$ translates as follows:

- $\vec{b}$ represents reality (e.g., music, structure)
- $A$ contains building blocks (e.g., notes, shapes)
- $\vec{x}$ specifies how we combine our building blocks to represent $\vec{b}$.

How can we disentangle an orchestra's sound?

What about pictures, waves, signals, ...?

# Our friend $A\vec{x} = \vec{b}$

What does knowing $\vec{x}$ give us?

If we can represent reality as a superposition (or combination) of simple elements, we can do many things:

- Compress information
- See how we can alter information
- Find a system's simplest representation
- Find a system's most important elements
- See how to adjust a system in a principled defined way





# Three ways to understand $A\vec{x} = \vec{b}$:

- Way 1: The Row Picture
- Way 2: The Column Picture
- Way 3: The Matrix Picture

## Example:

- $$\begin{aligned} -x_1 + x_2 &= 1 \\ 2x_1 + x_2 &= 4 \end{aligned}$$
- Call this a 2 by 2 system of equations.
- 2 equations with 2 unknowns.
- Standard method of solving by adding and subtracting multiples of equations from each other = Row Picture





# Three ways to understand $A\vec{x} = \vec{b}$:

## Row Picture—what we are doing:

- (a) Finding intersection of two lines
- (b) Finding the values of $x_1$ and $x_2$ for which both equations are satisfied (true/happy)
- A splendid and deep connection: (a) Geometry $\rightleftharpoons$ (b) Algebra

## Three possible kinds of solution:

1. Lines intersect at one point —One, unique solution
2. Lines are parallel and disjoint —No solutions
3. Lines are the same —Infinitely many solutions





# Three ways to understand $A\vec{x} = \vec{b}$:

## The column picture:

See

$$\begin{aligned} -x_1 + x_2 &= 1 \\ 2x_1 + x_2 &= 4 \end{aligned}$$

as

$$x_1 \begin{bmatrix} -1 \\ 2 \end{bmatrix} + x_2 \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ 4 \end{bmatrix}.$$

General problem

$$x_1\vec{a}_1 + x_2\vec{a}_2 = \vec{b}$$

- Column vectors are 'building blocks'
- Key idea: try to 'reach' $\vec{b}$ by combining multiples of column vectors $\vec{a}_1$ and $\vec{a}_2$.

## Three ways to understand $A\vec{x} = \vec{b}$:

### We love the column picture:

- Intuitive.
- Generalizes easily to many dimensions.

### Three possible kinds of solution:

1. $\vec{a}_1 \not\parallel \vec{a}_2$: 1 solution
2. $\vec{a}_1 \parallel \vec{a}_2 \not\parallel \vec{b}$: No solutions
3. $\vec{a}_1 \parallel \vec{a}_2 \parallel \vec{b}$: infinitely many solutions

Assuming neither $\vec{a}_1$ or $\vec{a}_1$ are $\vec{0}$.



## Three ways to understand $A\vec{x} = \vec{b}$:

### Difficulties:

- Do we give up if $A\vec{x} = \vec{b}$ has no solution?
- No! We can still find the $\vec{x}$ that gets us as close to $\vec{b}$ as possible.
- Method of approximation—very important!
- We may not have the right building blocks but we can do our best.



## Three ways to understand $A\vec{x} = \vec{b}$:

### The Matrix Picture:

Now see

$$x_1 \begin{bmatrix} -1 \\ 2 \end{bmatrix} + x_2 \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ 4 \end{bmatrix}.$$

as

$$A\vec{x} = \vec{b} : \begin{bmatrix} -1 & 1 \\ 2 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 4 \end{bmatrix}$$

### $A$ is now an operator:

- $A$ transforms $\vec{x}$ into $\vec{b}$.
- In general, $A$ does two things to $\vec{x}$:
  1. Rotation
  2. Dilation (stretching/contraction)



## The Matrix Picture

### Key idea in linear algebra:

- Decomposition (or factorization) of matrices.
- Matrices can often be written as products or sums of simpler matrices
- $A = LU$, $A = QR$, $A = U\Sigma V^{\mathrm{T}}$, $A = \sum_i \lambda_i \vec{v}\vec{v}^{\mathrm{T}}$, ...

## The truth about mathematics

The Colbert Report on Math (February 7, 2006)



## References I

G. Strang.
The fundamental theorem of linear algebra.
*The American Mathematical Monthly*, 100(9):848–855, 1993. pdf (⊞)

G. Strang.
Too much calculus, 2002.
SIAM Linear Algebra Activity Group Newsletter.
pdf (⊞)