# Mechanisms for Generating Power-Law Size Distributions, Part 4

Last updated: 2025/10/08, 21:14:28 EDT

Principles of Complex Systems, Vols. 1, 2, 3D, 4 Fourever, V for Vendetta

Prof. Peter Sheridan Dodds

Computational Story Lab | Vermont Complex Systems Institute University of Vermont | Santa Fe Institute



# Power-Law Mechanisms, Pt. 4

Optimization

Nutshell

# Optimization

Outline

Minimal Cost Mandelbrot vs. Simon

Assumptions

Model

Analysis And the winner is ...?

#### Nutshell

#### References

# Power-Law Mechanisms, Pt. 4

Optimization

Nutshell

2 of 44

References

The PoCSverse

Optimization

Mandelbrot vs. Simor

Nutshell

References

The PoC Suerce

Mechanisms, Pt. 4 11 of 44


Mandelbrot vs. Simor

Reference

Power-Law

Power-Law Mechanisms, Pt. 4





Mandelbrot = father of fractals

Mandelbrot = almond bread

Bonus Mandelbrot set action: here ...

# Another approach:

#### Benoît Mandelbrot

Berived Zipf's law through optimization [8]

& Idea: Language is efficient

Communicate as much information as possible for as little

Need measures of information (H) and average cost (C) ...

 $\clubsuit$  Language evolves to maximize H/C, the amount of information per average cost.

& Equivalently: minimize C/H.

Recurring theme: what role does optimization play in complex systems?

### The PoCSverse Power-Law Mechanisms, Pt. 4

Optimization Minimal Cost

Nutshell

# The Quickening —Mandelbrot v. Simon:

#### There Can Be Only One: 🗹



Things there should be only one of: Theory, Highlander

(funding remains tight).

#### We were born to be Princes of the Universe



Mandelbrot vs. Simon:

Mandelbrot (1953): "An Informational Theory of the Statistical Structure of Languages" [8]

Simon (1955): "On a class of skew distribution functions" [14]

A note on a class of skew distribution functions: analysis and critique of a paper by H.A. Simon" [9]

Simon (1960): "Some further notes on a class of skew distribution functions" [15]

### I have no rival, No man can be my equal



## The PoC Suerse Power-Law Mechanisms, Pt. 4 Mandelbrot vs. Simon

Nutshell

(1960) reply was irrelevant." [10]

"Dr. Mandelbrot has proposed a new set of objections to my 1955 models of the Yule distribution. Like his earlier objections, these are invalid." [17]

# Dan T. said,

And even half a century after publication, those papers are locked up behind a paywall; academic publishing sucks. [(myl) Weird, isn't it? Simon's 1955 paper is available here, and his first

response to Mandelbrot is here, but I haven't been able to find accessible copies of the other episodes. Penn doesn't have an online subscription to Information & Control, and the physical copies of the bound journals are in remote storage. 25 years ago I made xerox copies of the exchange in the Bell Labs library, but lord knows which dusty box or folder those are in. I once took the trouble to get the relevant issues fetched for me at Penn, and made xeroxes, but I can't remember where I put those either. I would have liked to be able to find them today, in order to quote some of the extraordinary examples of formal academic invective in the exchange. As I recall, one of them accuses the other of an undergraduate error in calculus, and the other responds with a counter-accusation of a high-school level error in algebra. Or something like that.

You can get some of the flavor of the exchange from the abstracts of the last three contributions, which are available without paying \$31.50 a shot

# Mandelbrot vs. Simon:

Mandelbrot (1961): "Final note on a class of skew distribution functions: analysis and critique of a model due to H.A. Simon" [10]

🗞 Simon (1961): "Reply to 'final note' by Benoit Mandelbrot" [17]

Mandelbrot (1961): "Post scriptum to 'final note" [11]

Simon (1961): "Reply to Dr. Mandelbrot's post scriptum" [16]

I am immortal, I have inside me blood of kings

#### Mandelbrot:

"We shall restate in detail our 1959 objections to Simon's 1955 model for the Pareto-Yule-Zipf distribution. Our objections are valid quite irrespectively of the sign of p-1, so that most of Simon's

#### Simon:

The PoC Suerce Power-Law Mechanisms, Pt. 4 12 of 44

> Optimization Mandelbrot vs. Simo

Nutshell

Language Log blog post, 2010/08/05 🗹

Nutshell

Reference

The PoCSverse


Mandelbrot vs. Simo

Nutshell

Reference

Power-Law Mechanisms, Pt. 4

Power-Law Mechanisms, Pt. 4



#### Zipfarama via Optimization: Power-Law Mechanisms, Pt. 4

Optimization

Nutshell

References

Power-Law Mechanisms, Pt. 4

Ontimization

Assumptions

Nutshell

References

Optimization

# Mandelbrot's Assumptions:

- & Language contains n words:  $w_1, w_2, \dots, w_n$ .
- ith word appears with probability  $p_i$
- Nords appear randomly according to this distribution (obviously not true ...)
- Words = composition of letters is important
- Alphabet contains m letters
- Words are ordered by length (shortest first)

# Objection

Word Cost

Power-Law Mechanisms, Pt. 4

15 of 44

Optimization

References

Power-Law Mechanisms, Pt. 4

References

Power-Law

Mechanisms, Pt. 22 of 44

Real words don't use all letter sequences

### Objections to Objection

Maybe real words roughly follow this pattern (?)

Nord length was irrelevant for Simon's method

Words can be encoded this way

Zipfarama via Optimization:

Length of word (plus a space)

🚳 Na na na-na naaaaa ...

# Language Log blog post, 2010/08/05

# Zipfarama via Optimization:

### Binary alphabet plus a space symbol

i	1	2	3	4	5	6	7	8
word	1	10	11	100	101	110	111	1000
length	1	2	2	3	3	3	3	4
$1 + \log_2 i$	1	2	2.58	3	3.32	3.58	3.81	4

- $\mathfrak{S}$  Word length of  $2^k$ th word:  $= k + 1 = 1 + \log_2 2^k$
- $\bowtie$  Word length of *i*th word  $\simeq 1 + \log_2 i$
- For an alphabet with m letters, word length of *i*th word  $\simeq 1 + \log_{\infty} i$ .

# Zipfarama via Optimization:

#### Total Cost C

- $\mbox{\ensuremath{\&}}\mbox{\ensuremath{\ensuremath{\&}}\mbox{\ensuremath{\ensuremath{\&}}\mbox{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\&}}\mbox{\ensuremath{\ensuremat$
- & Cost of the *i*th word plus space:  $C_i \simeq 1 + \log_m(i+1)$
- & Subtract fixed cost:  $C_i' = C_i 1 \simeq \log_m(i+1)$
- Simplify base of logarithm:

$$C_i' \simeq \log_m(i+1) = \frac{\log_e(i+1)}{\log_e m} \propto \log_e(i+1)$$

Total Cost:

$$C \sim \sum_{i=1}^n p_i C_i' \propto \sum_{i=1}^n p_i \mathrm{log}_e(i+1)$$

# Zipfarama via Optimization:

### Information Measure

& Use Shannon's Entropy (or Uncertainty):

$$H = \sum_{i=1}^{n} p_i \frac{1}{\log_2 p_i}$$

- 🗞 (allegedly) von Neumann suggested 'entropy' ...
- Proportional to average number of bits needed to encode each 'word' based on frequency of occurrence
- $-\log_2 p_i = \log_2 1/p_i$  = minimum number of bits needed to distinguish event i from all others
- $\Re$  If  $p_i = 1/2$ , need only 1 bit  $(\log_2 1/p_i = 1)$
- $\Re$  If  $p_i = 1/64$ , need 6 bits (log<sub>2</sub>  $1/p_i = 6$ )

# Zipfarama via Optimization:

#### Information Measure

& Use a slightly simpler form:

$$H = -\sum_{i=1}^n p_i {\log_e p_i}/{\log_e 2} = -g\sum_{i=1}^n p_i {\log_e p_i}$$
 where  $g=1/{\log~2}$ 

#### The PoC Sverse Zipfarama via Optimization: Power-Law Mechanisms, Pt.

Minimize

$$F(p_1,p_2,\dots,p_n)=C/H$$

subject to constraint

$$\sum_{i=1}^{n} p_i = 1$$

Tension:

- (1) Shorter words are cheaper
- (2) Longer words are more informative (rarer)

# Zipfarama via Optimization:

### Time for Lagrange Multipliers:

Minimize

$$\Psi(p_1,p_2,\dots,p_n) =$$
 
$$F(p_1,p_2,\dots,p_n) + \lambda G(p_1,p_2,\dots,p_n)$$

where

$$F(p_1, p_2, \dots, p_n) = \frac{C}{H} = \frac{\sum_{i=1}^n p_i \mathrm{log}_e(i+1)}{-g \sum_{i=1}^n p_i \mathrm{log}_o p_i}$$

and the constraint function is

$$G(p_1, p_2, \dots, p_n) = \sum_{i=1}^{n} p_i - 1 \ (=0)$$

Insert assignment question

Power-Law Mechanisms, Pt. 4 24 of 44

Power-Law Mechanisms, Pt. 4

16 of 44

References

Power-Law Mechanisms, Pt. 4

Reference

# Zipfarama via Optimization:

## Some mild suffering leads to:




$$p_j = e^{-1-\lambda H^2/gC} (j+1)^{-H/gC} \propto (j+1)^{-H/gC}$$

- A power law appears [applause]:  $\alpha = H/gC$
- Next: sneakily deduce  $\lambda$  in terms of g, C, and H.
- 备 Find

More

$$p_i = (j+1)^{-H/gC}$$



# The PoCSverse Power-Law Mechanisms, Pt. 4

Power-Law Mechanisms, Pt. 4

25 of 44

Assumption Model

Analysis

Nutshell

Optimization

Optimization

Analysis

essentially a purely random manner." A Mandelbrot: "As to the 'fundamental linguistic units being the least possible differences between pairs of utterances' this

#### The PoC Suerse Power-Law Mechanisms, Pt. 4

Other mechanisms:

- Much argument about whether or not monkeys typing could produce Zipf's law ... (Miller, 1957) [12]
- Miller gets to slap Zipf rather rudely in an introduction to a 1965 reprint of Zipf's "Psycho-biology of Language" [13, 18]
- & Let us now slap Miller around by simply reading his words out (see next slides):



- Side note: Miller mentions "Genes of Language."
- Still fighting: "Random Texts Do Not Exhibit the Real Zipf's Law-Like Rank Distribution" [5] by Ferrer-i-Cancho and Elvevåg, 2010.

# Zipfarama via Optimization:

### Finding the exponent

Now use the normalization constraint:

$$1 = \sum_{j=1}^{n} p_j = \sum_{j=1}^{n} (j+1)^{-H/gC} = \sum_{j=1}^{n} (j+1)^{-c}$$

- where  $\zeta$  is the Riemann Zeta Function
- $\Leftrightarrow$  Gives  $\alpha \simeq 1.73$  (> 1, too high) or  $\gamma = 1 + \frac{1}{\alpha} \simeq 1.58$  (very
- $\Longrightarrow$  If cost function changes  $(j+1 \to j+a)$  then exponent is
- $\mathbb{A}$  Increase a, decrease  $\alpha$

greater than one.'

 $1 = \sum_{i=1}^{n} p_j = \sum_{i=1}^{n} (j+1)^{-H/gC} = \sum_{i=1}^{n} (j+1)^{-\alpha}$ 

- $As n \to \infty$ , we end up with  $\zeta(H/gC) = 2$
- tunable

From the discussion at the end of Mandelbrot's paper:

A. S. C. Ross: "M. Mandelbrot states that 'the actual

direction of evolution (sc. of language) is, in fact, towards

'direction of evolution' in language, and it is axiomatic that we

'direction of evolution' could be theoretically possible; thus I

is a logical consequence of the fact that two is the least integer

fuller and fuller utilization of places'. We are, in fact,

shall remain so. Many philologists would deny that a

myself take the view that a language develops in what is

completely without evidence as to the existence of any

Optimization

Power-Law Mechanisms, Pt. 4

26 of 44

All told:

Reasonable approach: Optimization is at work in evolutionary processes

Zipfarama via Optimization:

- But optimization can involve many incommensurate elephants: monetary cost, robustness, happiness, ...
- Mandelbrot's argument is not super convincing
- Exponent depends too much on a loose definition of cost

### More:

Power-Law Mechanisms, Pt. 4

The PoCSverse

References

1. Carlson and Doyle, 1999: Highly Optimized Tolerance (HOT)—Evolved/Engineered Robustness [2, 3]

# Reconciling Mandelbrot and Simon

Mixture of local optimization and randomness

Numerous efforts ...

- 2. Ferrer i Cancho and Solé, 2002: Zipf's Principle of Least Effort [6]
- 3. D'Souza et al., 2007: Scale-free networks [4]

#### INTRODUCTION

The Psycho-Biology of Language is not calculated to please every taste. Zipf was the kind of man who would take roses apart to count their petals; if it violates your sense of values to tabulate the different words in a Shakespearean sonnet, this is not a book for you. Zipf took a scientist's view of language - and for him that meant the statistical analysis of language as a biological, psychological, social process. If such analysis repels you, then leave your language alone and avoid George Kingsley Zipf like the plague. You will be much happier reading Mark Twain: "There are liars, damned liars, and statisticians." Or W. H. Auden: "Thou shalt not sit with statisticians nor commit a social science.'

However, for those who do not flinch to see beauty murdered in a good cause, Zipf's scientific exertions yielded some wonderfully unexpected results to boggle the mind and tease the imagination. Language is - among other things - a biological, psychological, social process; to apply statistics to it merely acknowledges its essential unpredictability, without which it would be useless. But who would have thought that in the very heart of all the freedom language allows us Zipf would find an invariant as solid and reliable as the law of gravitation?

#### The PoC Suerce Power-Law Mechanisms, Pt. 4 32 of 44

Put it this way. Suppose that we acquired a dozen mon-keys and chained them to typewriters until they had produced some very long and random sequence of characters. Suppose further that we defined a "word" in this monkeytext as any sequence of letters occurring between successive spaces. And suppose finally that we counted the occurrences of these "words" in just the way Zipf and others counted the occurrences of real words in meaningful texts. When we plot our results in the same manner, we will find exactly the same "Zipf curves" for the monkeys as for the human authors. Since we are not liknonkeys as for the furnan authors. Since we are not likely to argue that the poor monkeys were scarching for some equilibrium between uniformity and diversity in expressing their ideas, such explanations seem equally inappropriate for human authors. A mathematical rationalization for this result has been

provided by Benoit Mandelbrot. The crux of it is that if we assume that word-boundary markers (spaces) are scat-tered randomly through a text, then there will necessarily be more occurrences of short than long words. Add to this fact the further observation that the variety of different words available increases exponentially with their length and the phenomenon Zipf reported becomes inescapable: a few short words will be used an enormous number of times while a vast number of longer words will occur infrequently or not at all.

So Zipf was wrong. His facts were right enough, but not his explanations. In a broader sense he was right, however, nis explanations. In a broader sense he was right, however, for he called attention to a stochastic process that is frequently seen in the social sciences, and by accumulating statistical data that cried out for some better explanation he hallenged his colleagues and his successors to explore an important new type of probability distribution. Zipf behaves a more those was the sense of the probability distribution. longs among those rare but stimulating men whose failures are more profitable than most men's successes.

The PoC Sverse Power-Law Mechanisms, Pt. 4

Power-Law Mechanisms, Pt. 4

27 of 44

Nutshell

Reference

The PoCSverse

Mechanisms, Pt. 4

Power-Law

Analysis

Reference

33 of 44

Analysis

Nutshell

# So who's right?

Bornholdt and Ebel (PRE), 2001:

"World Wide Web scaling exponent from Simon's 1955 model" [1].

- Show Simon's model fares well.
- Recall  $\rho$  = probability new flavor appears.
- Alta Vista 🗹 crawls in approximately 6 month period in 1999 give  $\rho \simeq 0.10$
- & Leads to  $\gamma = 1 + \frac{1}{1-\rho} \simeq 2.1$  for in-link distribution.
- $\Leftrightarrow$  Cite direct measurement of  $\gamma$  at the time:  $2.1 \pm 0.1$  and 2.09in two studies.

#### So who's right? Power-Law Mechanisms, Pt. 4

Optimization

35 of 44

Reference

The PoCSverse

Nutshell

The PoC Suerse

Mechanisms, Pt.

Power-Law

References

Power-Law Mechanisms, Pt. 4

Recent evidence for Zipf's law ...




FIG. 1 (color online). (Color Online) Log-log plot of the FIG. I Cooler online). (Color Online) Log-log plot of the number of peckages in four Debian Linux Distributions with more than C in-directed links. The four Debian Linux Distributions were Woody (1907/2002) (enunge diamends), Distributions are Woody (1907/2002) (enunge diamends), circles), Lenny (15.12.2007) (biake<sup>4-5</sup>). The inset shows the maximum likelihood estimate (MLE) of the exponent μ together with two boundaries defining its 95% confidence interval opportunity of the period on the control of the point using in the MLE), as a function of the lower threshold, data that the distribution of the control of the control of the point using in the MLE), as a function of the lower threshold, that the distribution of the distribution of the lower threshold. take into account the discreteness of C.

Maillart et al., PRL, 2008:

"Empirical Tests of Zipf's Law Mechanism in Open Source Linux Distribution" [7]

Power-Law Mechanisms, Pt. 4 36 of 44 Optimization

References

# So who's right?

regression  $\Delta C = R \times C + C_0$  is significant at the 95% confidence level, with a small value  $C_0 = 0.3$  at the origin and R = 0.3

0.09. Right panel: same as left panel for the standard deviation o

FIG. 2. Left panel: Plots of  $\Delta C$  versus C from the Etch release (15.08.2007) to the latest Lenny version (05.05.2008) in double logarithmic scale. Only positive values are displayed. The linear

Red line added

Rough, approximately

Power-Law Mechanisms, Pt. 4

37 of 44

Nutshell

The PoCSverse

Mechanisms, Pt. 4 40 of 44

Power-Law

Nutshell

References

linear relationship between C number of in-links and  $\Delta C$ .<sup>1</sup>



More complicated mechanism: Packages are deleted, merge, get renamed.

<sup>1</sup>Breaks down for large C. These tick marks are a human rights violation.

# Nutshell:

### Talking points:

- Simonish random 'rich-get-richer' models agree in detail with empirical observations.
- But it completely fails in the limit it is supposed to work (more later).
- Power-lawfulness: Mandelbrot's optimality is still apparent.
- Maybe optimality arises for free in Random Competitive Replication rich-get-richer models.

## References I

[1] S. Bornholdt and H. Ebel. World Wide Web scaling exponent from Simon's 1955

[2] J. M. Carlson and J. Doyle.

designed systems.

[3] J. M. Carlson and J. Doyle. Complexity and robustness.

Phys. Rev. E, 64:035104(R), 2001. pdf

Highly optimized tolerance: A mechanism for power laws in

Phys. Rev. E, 60(2):1412-1427, 1999. pdf

Proc. Natl. Acad. Sci., 99:2538-2545, 2002. pdf

# References III

[7] T. Maillart, D. Sornette, S. Spaeth, and G. von Krogh. Empirical tests of Zipf's law mechanism in open source Linux

Phys. Rev. Lett., 101(21):218701, 2008. pdf

[8] B. B. Mandelbrot.

An informational theory of the statistical structure of

In W. Jackson, editor, Communication Theory, pages 486-502. Butterworth, Woburn, MA, 1953. pdf

[9] B. B. Mandelbrot.

A note on a class of skew distribution function. Analysis and critique of a paper by H. A. Simon. Information and Control, 2:90–99, 1959. pdf

## References IV

[10] B. B. Mandelbrot.

Final note on a class of skew distribution functions: analysis and critique of a model due to H. A. Simon. Information and Control, 4:198-216, 1961. pdf

[11] B. B. Mandelbrot. Post scriptum to 'final note'. Information and Control, 4:300–304, 1961. pdf

[12] G. A. Miller. Some effects of intermittent silence. American Journal of Psychology, 70:311–314, 1957. pdf

[13] G. A. Miller. Introduction to reprint of G. K. Zipf's "The Psycho-Biology of Language." MIT Press, Cambridge MA, 1965. pdf

# References II

The PoCSverse

Mechanisms, Pt. 4

Power-Law

Nutshell

References

The PoC Suers

Mechanisms, Pt. 4 42 of 44

Power-Law

References

# Emergence of tempered preferential attachment from

optimization.

[4] R. M. D'Souza, C. Borgs, J. T. Chayes, N. Berger, and R. D.

Proc. Natl. Acad. Sci., 104:6112-6117, 2007. pdf

[5] R. Ferrer-i-Cancho and B. Elvevåg. Random texts do not exhibit the real Zipf's law-like rank distribution.

PLoS ONE, 5:e9411, 03 2010.

R. Ferrer-i-Cancho and R. V. Solé. Zipf's law and random texts. Advances in Complex Systems, 5(1):1-6, 2002.

# References V

Kleinberg.

[14] H. A. Simon. On a class of skew distribution functions.

Biometrika, 42:425-440, 1955. pdf

[15] H. A. Simon.

Some further notes on a class of skew distribution functions. Information and Control, 3:80-88, 1960.

[16] H. A. Simon. Reply to Dr. Mandelbrot's post scriptum. Information and Control, 4:305-308, 1961.

[17] H. A. Simon. Reply to 'final note' by Benoît Mandelbrot. Information and Control, 4:217-223, 1961. The PoC Sverse Power-Law

Mechanisms, Pt. 4

Reference

# References VI

The PoCSverse Power-Law Mechanisms, Pt. 4 44 of 44

Optimization Optimization
Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is ...?

Nutshell

References

[18] G. K. Zipf.

The Psycho-Biology of Language. Houghton-Mifflin, New York, NY, 1935.

