

# Measures of centrality

Complex Networks, Course 303A, Spring, 2009

Prof. Peter Dodds

Department of Mathematics & Statistics  
University of Vermont



Licensed under the *Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License*.

Measures of centrality

Background

Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 1/28



## Outline

### Background

### Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

### References

Measures of centrality

Background

Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 2/28



## How big is my node?

- ▶ **Basic question:** how 'important' are specific nodes and edges in a network?
- ▶ An **important node** or **edge** might:
  1. **handle** a relatively large amount of the network's traffic (e.g., cars, information);
  2. **bridge** two or more distinct groups (e.g., liason, interpreter);
  3. be a **source** of important ideas, knowledge, or judgments (e.g., supreme court decisions, an employee who 'knows where everything is').
- ▶ So how do we quantify such a slippery concept as importance?
- ▶ We generate ad hoc, reasonable measures, and examine their utility...

Measures of centrality

Background

Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 3/28



## Centrality

- ▶ One possible reflection of importance is **centrality**.
- ▶ Presumption is that nodes or edges that are (in some sense) in the middle of a network are important for the network's function.
- ▶ Idea of centrality comes from social networks literature<sup>[7]</sup>.
- ▶ Many flavors of centrality...
  1. Many are topological and quasi-dynamical;
  2. Some are based on dynamics (e.g., traffic).
- ▶ We will define and examine a few...
- ▶ (Later: see centrality useful in identifying communities in networks.)

Measures of centrality

Background

Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 4/28



# Centrality

## Degree centrality

- ▶ Naively estimate importance by **node degree**.<sup>[7]</sup>
- ▶ **Doh:** assumes linearity  
(If node  $i$  has twice as many friends as node  $j$ , it's twice as important.)
- ▶ **Doh:** doesn't take in any non-local information.

Measures of centrality

Background

Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 6/28



# Closeness centrality

- ▶ **Idea:** Nodes are more central if they can reach other nodes 'easily.'
- ▶ Measure average shortest path from a node to all other nodes.
- ▶ Define **Closeness Centrality** for node  $i$  as

$$\frac{N - 1}{\sum_{j \neq i} (\text{distance from } i \text{ to } j)}.$$

- ▶ Range is 0 (no friends) to 1 (single hub).
- ▶ Unclear what the exact values of this measure tells us because of its ad-hocness.
- ▶ General problem with simple centrality measures: what do they exactly mean?
- ▶ Perhaps, at least, we obtain an ordering of nodes in terms of 'importance.'

Measures of centrality

Background

Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 8/28



# Betweenness centrality

- ▶ **Betweenness centrality** is based on shortest paths in a network.
- ▶ **Idea:** If the quickest way between any two nodes on a network disproportionately involves certain nodes, then they are 'important' in terms of global cohesion.
- ▶ For each node  $i$ , **count how many shortest paths pass through  $i$ .**
- ▶ In the case of ties, or divide counts between paths.
- ▶ Call frequency of shortest paths passing through node  $i$  the betweenness of  $i$ ,  $B_i$ .
- ▶ Note: Exclude shortest paths between  $i$  and other nodes.
- ▶ Note: works for weighted and unweighted networks.

Measures of centrality

Background

Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 11/28



- ▶ Consider a network with  $N$  nodes and  $m$  edges (possibly weighted).
- ▶ **Computational goal:** Find  $\binom{N}{2}$  shortest paths (田) between all pairs of nodes.
- ▶ Traditionally use Floyd-Warshall (田) algorithm.
- ▶ Computation time grows as  $O(N^3)$ .
- ▶ See also:
  1. Dijkstra's algorithm (田) for finding shortest path between two specific nodes,
  2. and Johnson's algorithm (田) which outperforms Floyd-Warshall for sparse networks:  $O(mN + N^2 \log N)$ .
- ▶ Newman (2001)<sup>[4, 5]</sup> and Brandes (2001)<sup>[1]</sup> independently derive much faster algorithms.
- ▶ Computation times grow as:
  1.  $O(mN)$  for unweighted graphs;
  2. and  $O(mN + N^2 \log N)$  for weighted graphs.

Measures of centrality

Background

Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 12/28



## Shortest path between node $i$ and all others:

- ▶ Consider unweighted networks.
- ▶ Use **breadth-first search**:
  1. Start at node  $i$ , giving it a distance  $d = 0$  from itself.
  2. Create a list of all of  $i$ 's neighbors and label them being at a distance  $d = 1$ .
  3. Go through list of most recently visited nodes and find all of their neighbors.
  4. Exclude any nodes already assigned a distance.
  5. Increment distance  $d$  by 1.
  6. Label newly reached nodes as being at distance  $d$ .
  7. Repeat steps 3 through 6 until all nodes are visited.
- ▶ Record which nodes link to which nodes moving out from  $i$  (former are 'predecessors' with respect to  $i$ 's shortest path structure).
- ▶ Runs in  $O(m)$  time and gives  $N$  shortest paths.
- ▶ Find all shortest paths in  $O(mN)$  time
- ▶ Much, much better than naive estimate of  $O(mN^2)$ .

## Newman's Betweenness algorithm: [4]

1. Set all nodes to have a value  $c_{ij} = 0, j = 1, \dots, N$  ( $c$  for count).
2. Select one node  $i$ .
3. Find **shortest paths** to all other  $N - 1$  nodes using breadth-first search.
4. Record # equal shortest paths reaching each node.
5. Move through nodes according to their distance from  $i$ , starting with the furthest.
6. Travel **back towards  $i$**  from each starting node  $j$ , along shortest path(s), adding 1 to every value of  $c_{i\ell}$  at each node  $\ell$  along the way.
7. Whenever more than one possibility exists, apportion **according to total number of short paths** coming through predecessors.
8. Exclude starting node  $j$  and  $i$  from increment.
9. Repeat steps 2–8 for every node  $i$  and obtain **betweenness** as  $B_j = \sum_{i=1}^N c_{ij}$ .

## Newman's Betweenness algorithm: [4]


- ▶ For a **pure tree network**,  $c_{ij}$  is the number of nodes beyond  $j$  from  $i$ 's vantage point.
- ▶ Same algorithm for computing drainage area in river networks (with 1 added across the board).
- ▶ For **edge betweenness**, use exact same algorithm but now
  1.  $j$  indexes edges,
  2. and we add one to each edge as we traverse it.
- ▶ For both algorithms, computation time grows as

$$O(mN).$$

- ▶ For sparse networks with relatively small average degree, we have a fairly digestible time growth of

$$O(N^2).$$

## Newman's Betweenness algorithm: [4]



## Important nodes have important friends:

- ▶ Define  $x_i$  as the 'importance' of node  $i$ .
- ▶ **Idea:**  $x_i$  depends (somehow) on  $x_j$  if  $j$  is a neighbor of  $i$ .
- ▶ **Recursive:** importance is transmitted through a network.
- ▶ Simplest possibility is a linear combination:

$$x_i \propto \sum_j a_{ji} x_j$$

- ▶ Assume further that constant of proportionality,  $c$ , is independent of  $i$ .
- ▶ Above gives  $\vec{x} = c\mathbf{A}^T\vec{x}$  or  $\boxed{\mathbf{A}^T\vec{x} = c^{-1}\vec{x} = \lambda\vec{x}}$ .
- ▶ Eigenvalue equation based on adjacency matrix...
- ▶ Note: Lots of despair over size of the largest eigenvalue.<sup>[7]</sup> Lose sight of original assumption's non-physicality.

## Important nodes have important friends:

- ▶ So... solve  $\mathbf{A}^T\vec{x} = \lambda\vec{x}$ .
- ▶ But which eigenvalue and eigenvector?
- ▶ **We, the people, would like:**
  1. A unique solution. ✓
  2.  $\lambda$  to be real. ✓
  3. Entries of  $\vec{x}$  to be real. ✓
  4. Entries of  $\vec{x}$  to be non-negative. ✓
  5.  $\lambda$  to actually mean something... (maybe too much)
  6. Values of  $x_i$  to mean something (what does an observation that  $x_3 = 5x_7$  mean?) (maybe only ordering is informative...) (maybe too much)
  7.  $\lambda$  to equal 1 would be nice... (maybe too much)
  8. Ordering of  $\vec{x}$  entries to be robust to reasonable modifications of linear assumption (maybe too much)
- ▶ We rummage around in bag of tricks and pull out the Perron-Frobenius theorem...

## Perron-Frobenius theorem: (田)

If an  $N \times N$  matrix  $A$  has non-negative entries then:

1.  $A$  has a real eigenvalue  $\lambda_1 \geq |\lambda_i|$  for  $i = 2, \dots, N$ .
2.  $\lambda_1$  corresponds to left and right 1-d eigenspaces for which we can choose a basis vector that has non-negative entries.
3. The dominant real eigenvalue  $\lambda_1$  is bounded by the minimum and maximum row sums of  $A$ :

$$\min_i \sum_{j=1}^N a_{ij} \leq \lambda_1 \leq \max_i \sum_{j=1}^N a_{ij}$$

4. All other eigenvectors have one or more negative entries.
5. The matrix  $A$  can make toast.
6. Note: Proof is relatively short for symmetric matrices that are strictly positive<sup>[6]</sup> and just non-negative<sup>[3]</sup>.

## Other Perron-Frobenius aspects:

- ▶ Assuming our network is irreducible (田), meaning there is only one component, is reasonable: just consider one component at a time if more than one exists.
- ▶ Irreducibility means largest eigenvalue's eigenvector has strictly non-negative entries.
- ▶ Analogous to notion of ergodicity: every state is reachable.
- ▶ (Another term: **Primitive** graphs and matrices.)

## Hubs and Authorities

- ▶ Generalize eigenvalue centrality to allow nodes to have two attributes:
  1. **Authority**: how much knowledge, information, etc., held by a node on a topic.
  2. **Hubness (or Hubosity)**: how well a node 'knows' where to find information on a given topic.
- ▶ Original work due to the legendary Jon Kleinberg. [2]
- ▶ Best hubs point to best authorities.
- ▶ **Recursive**: nodes can be both hubs and authorities.
- ▶ **More**: look for dense links between sets of good hubs pointing to sets of good authorities.
- ▶ Known as HITS algorithm (田) (Hyperlink-Induced Topics Search).

### Measures of centrality

#### Background

#### Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

#### References

Frame 23/28



## Hubs and Authorities

- ▶ Give each node two scores:
  1.  $x_i$  = **authority score** for node  $i$
  2.  $y_i$  = **hubtasticness score** for node  $i$
- ▶ As for eigenvector centrality, we connect the scores of neighboring nodes.
- ▶ New story I: a good authority is linked to by good hubs.
- ▶ Means  $x_i$  should **increase** as  $\sum_{j=1}^N a_{ji}y_j$  increases.
- ▶ **Note**: indices are  $ji$  meaning  $j$  has a directed link to  $i$ .
- ▶ New story II: good hubs point to good authorities.
- ▶ Means  $y_i$  should **increase** as  $\sum_{j=1}^N a_{ij}x_j$  increases.
- ▶ Linearity assumption:

$$\vec{x} \propto A^T \vec{y} \text{ and } \vec{y} \propto A \vec{x}$$

### Measures of centrality

#### Background

#### Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

#### References

Frame 24/28



## Hubs and Authorities

- ▶ So let's say we have

$$\vec{x} = c_1 A^T \vec{y} \text{ and } \vec{y} = c_2 A \vec{x}$$

where  $c_1$  and  $c_2$  must be positive.

- ▶ Above equations combine to give

$$\vec{x} = c_1 A^T c_2 A \vec{x} = \lambda A^T A \vec{x}.$$

where  $\lambda = c_1 c_2 > 0$ .

- ▶ **It's all good**: we have the heart of singular value decomposition before us...

### Measures of centrality

#### Background

#### Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

#### References

Frame 25/28



## We can do this:

- ▶  $A^T A$  is symmetric.
- ▶  $A^T A$  is semi-positive definite so its eigenvalues are all  $\geq 0$ .
- ▶  $A^T A$ 's eigenvalues are the square of  $A$ 's singular values.
- ▶  $A^T A$ 's eigenvectors are form a joyful orthogonal basis.
- ▶ Perron-Frobenius tells us that only the dominant eigenvalue's eigenvector can be chosen to have non-negative entries.
- ▶ So: linear assumption leads to a solvable system.
- ▶ What would be very good: find networks where we have independent measures of node 'importance' and see how importance is actually distributed.

### Measures of centrality

#### Background

#### Centrality measures




Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

#### References

Frame 26/28



## References I

-  [1] U. Brandes.  
A faster algorithm for betweenness centrality.  
*J. Math. Sociol.*, 25:163–177, 2001. [pdf](#) (田)
-  [2] J. M. Kleinberg.  
Authoritative sources in a hyperlinked environment.  
*Proc. 9th ACM-SIAM Symposium on Discrete Algorithms*, 1998. [pdf](#) (田)
-  [3] K. Y. Lin.  
An elementary proof of the perron-frobenius theorem for non-negative symmetric matrices.  
*Chinese Journal of Physics*, 15:283–285, 1977.  
[pdf](#) (田)

## Measures of centrality

Background

Centrality measures





Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 27/28



## References II

-  [4] M. E. J. Newman.  
Scientific collaboration networks. II. Shortest paths, weighted networks, and centrality.  
*Phys. Rev. E*, 64(1):016132, 2001.
-  [5] M. E. J. Newman and M. Girvan.  
Finding and evaluating community structure in networks.  
*Phys. Rev. E*, 69(2):026113, 2004. [pdf](#) (田)
-  [6] F. Ninio.  
A simple proof of the Perron-Frobenius theorem for positive symmetric matrices.  
*J. Phys. A.: Math. Gen.*, 9:1281–1282, 1976. [pdf](#) (田)
-  [7] S. Wasserman and K. Faust.  
*Social Network Analysis: Methods and Applications*.  
Cambridge University Press, Cambridge, UK, 1994.

## Measures of centrality

Background

Centrality measures

Degree centrality  
Closeness centrality  
Betweenness  
Eigenvalue centrality  
Hubs and Authorities

References

Frame 28/28

