



Scaling—a Plenitude of Power Laws

Principles of Complex Systems
CSYS/MATH 300, Fall, 2011


Prof. Peter Dodds

Department of Mathematics & Statistics | Center for Complex Systems |
Vermont Advanced Computing Center | University of Vermont



Licensed under the *Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License*.

Scaling-at-large
Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion
References



Outline

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References





Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

General observation:

Systems (complex or not) that cross many spatial and temporal scales often exhibit some form of **scaling**.

Outline—All about scaling:

- ▶ Definitions.
- ▶ Examples.
- ▶ How to measure your power-law relationship.
- ▶ Metabolism and river networks.
- ▶ Mechanisms giving rise to your power-laws.



Definitions

A **power law** relates two variables x and y as follows:

$$y = cx^\alpha$$

- ▶ α is the scaling exponent (or just exponent)
- ▶ (α can be any number in principle but we will find various restrictions.)
- ▶ c is the prefactor (which can be important!)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



Definitions

- ▶ The prefactor c must balance dimensions.
- ▶ e.g., length ℓ and volume V of common nails are related as:

$$\ell = cv^{1/4}$$

- ▶ Using $[\cdot]$ to indicate dimension, then

$$[c] = [l]/[V^{1/4}] = L/L^{3/4} = L^{1/4}.$$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References


- ▶ Power-law relationships are linear in log-log space:

$$y = cx^\alpha$$


$$\Rightarrow \log_b y = \alpha \log_b x + \log_b c$$

with slope equal to α , the scaling exponent.


- ▶ Much searching for straight lines on log-log or double-logarithmic plots.
- ▶ Good practice: Always, always, always use base 10.
- ▶ Talk only about orders of magnitude (powers of 10).



A beautiful, heart-warming example:



- ▶ G = volume of gray matter: ‘computing elements’
- ▶ W = volume of white matter: ‘wiring’
- ▶ $W \sim cG^{1.23}$



- ▶ from Zhang & Sejnowski, PNAS (2000) [44]

Why is $\alpha \simeq 1.23$?

Quantities (following Zhang and Sejnowski):

- ▶ G = Volume of gray matter (cortex/processors)
- ▶ W = Volume of white matter (wiring)
- ▶ T = Cortical thickness (wiring)
- ▶ S = Cortical surface area
- ▶ L = Average length of white matter fibers
- ▶ p = density of axons on white matter/cortex interface

A rough understanding:

- ▶ $G \sim ST$ (convolutions are okay)
- ▶ $W \sim \frac{1}{2} pSL$
- ▶ $G \sim L^3 \leftarrow$ this is a little sketchy...
- ▶ Eliminate S and L to find $W \propto G^{4/3}/T$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Why is $\alpha \simeq 1.23$?

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks


River networks

Conclusion


References

A rough understanding:

- ▶ We are here: $W \propto G^{4/3}/T$
- ▶ Observe weak scaling $T \propto G^{0.10 \pm 0.02}$.
- ▶ (Implies $S \propto G^{0.9} \rightarrow$ convolutions fill space.)
- ▶ $\Rightarrow W \propto G^{4/3}/T \propto G^{1.23 \pm 0.02}$




Trickiness:



Scaling-at-large

Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion
References



- With $V = G + W$, some power laws must be approximations.
- Measuring exponents is a hairy business...

Good scaling:

General rules of thumb:

- ▶ *High quality*: scaling persists over three or more orders of magnitude for each variable.
- ▶ *Medium quality*: scaling persists over three or more orders of magnitude for only one variable and at least one for the other.
- ▶ *Very dubious*: scaling ‘persists’ over less than an order of magnitude for both variables.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks


Conclusion

References



Unconvincing scaling:

Average walking speed as a function of city population:



Two problems:

1. use of natural log, and
2. minute variation in dependent variable.

- ▶ from Bettencourt et al. (2007)^[4]; otherwise very interesting—see later.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Definitions

Power laws are the signature of scale invariance:

Scale invariant ‘objects’
look the ‘same’
when they are appropriately
rescaled.

- ▶ Objects = geometric shapes, time series, functions, relationships, distributions,...
- ▶ ‘Same’ might be ‘statistically the same’
- ▶ To rescale means to change the units of measurement for the relevant variables

Scaling-at-large

Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion
References



Our friend $y = cx^\alpha$:

- ▶ If we rescale x as $x = rx'$ and y as $y = r^\alpha y'$,
- ▶ then


$$r^\alpha y' = c(rx')^\alpha$$

- ▶
- ▶ $\Rightarrow y' = cr^\alpha x'^\alpha r^{-\alpha}$
- ▶ $\Rightarrow y' = cx'^\alpha$

Scaling-at-large

- Allometry
- Examples
- A focus: Metabolism
- Measuring exponents
- History: River networks
- Earlier theories
- Geometric argument
- Blood networks
- River networks
- Conclusion

References



Scale invariance

Compare with $y = ce^{-\lambda x}$:

- ▶ If we rescale x as $x = rx'$, then

$$y = ce^{-\lambda rx'}$$

- ▶ Original form cannot be recovered.
- ▶ Scale matters for the exponential.

More on $y = ce^{-\lambda x}$:

- ▶ Say $x_0 = 1/\lambda$ is the characteristic scale.
- ▶ For $x \gg x_0$, y is small, while for $x \ll x_0$, y is large.
- ▶ More on this later with size distributions.


Scaling-at-large

- Allometry
- Examples
- A focus: Metabolism
- Measuring exponents
- History: River networks
- Earlier theories
- Geometric argument
- Blood networks
- River networks
- Conclusion
- References




Definitions:

Isometry:



- ▶ Dimensions scale linearly with each other.

Allometry:



Dimensions scale nonlinearly.


Allometry: (□)

- ▶ Refers to differential growth rates of the parts of a living organism's body part or process.
- ▶ First proposed by Huxley and Teissier, Nature, 1936
“Terminology of relative growth” [22, 38]

Scaling-at-large

- Allometry
- Examples
- A focus: Metabolism
- Measuring exponents
- History: River networks
- Earlier theories
- Geometric argument
- Blood networks
- River networks
- Conclusion

References



Definitions

Isometry versus Allometry:

- ▶ Iso-metry = ‘same measure’
- ▶ Allo-metry = ‘other measure’

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

Confusingly, we use allometric scaling to refer to both:

1. Nonlinear scaling of a dependent variable on an independent one (e.g., $y \propto x^{1/3}$)
2. The relative scaling of correlated measures (e.g., white and gray matter).




A wonderful treatise on scaling:

Scaling

ON SIZE AND LIFE

THOMAS A. McMAHON AND JOHN TYLER BONNER



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



The many scales of life:

The biggest living things (left). All the organisms are drawn to the same scale. 1, The largest flying bird (albatross); 2, the largest known animal (the blue whale), 3, the largest extinct land mammal (*Baluchitherium*) with a human figure shown for scale; 4, the tallest living land animal (giraffe); 5, *Tyrannosaurus*; 6, *Diplodocus*; 7, one of the largest flying reptiles (*Pteranodon*); 8, the largest extinct snake; 9, the length of the largest tapeworm found in man; 10, the largest living reptile (West African crocodile); 11, the largest extinct lizard; 12, the largest extinct bird (*Aepyornis*); 13, the largest jellyfish (*Cyanea*); 14, the largest living lizard (Komodo dragon); 15, sheep; 16, the largest bivalve mollusc (*Tridacna*); 17, the largest fish (whale shark); 18, horse; 19, the largest crustacean (Japanese spider crab); 20, the largest sea scorpion (*Eurypterus*); 21, large tarpon; 22, the largest lobster; 23, the largest mollusc (deep-water squid, *Architeuthis*); 24, ostrich; 25, the lower 105 feet of the largest organism (giant sequoia), with a 100-foot larch superposed.


p. 2, McMahon and Bonner^[28]



The many scales of life:

Medium-sized creatures (above). 1, Dog; 2, common herring; 3, the largest egg (*Aepyornis*); 4, song thrush with egg; 5, the smallest bird (hummingbird) with egg; 6, queen bee; 7, common cockroach; 8, the largest stick insect; 9, the largest polyp (*Branchiocerianthus*); 10, the smallest mammal (flying shrew); 11, the smallest vertebrate (a tropical frog); 12, the largest frog (goliath frog); 13, common grass frog; 14, house mouse; 15, the largest land snail (*Achatina*) with egg; 16, common snail; 17, the largest beetle (goliath beetle); 18, human hand; 19, the largest starfish (*Luidia*); 20, the largest free-moving protozoan (an extinct nummulite).

p. 3, McMahon and Bonner [28]





The many scales of life:


Small, "naked-eye" creatures (lower left).
1, One of the smallest fishes (*Trimmatom nanus*); 2, common brown hydra, expanded; 3, housefly; 4, medium-sized ant; 5, the smallest vertebrate (a tropical frog, the same as the one numbered 11 in the figure above); 6, flea (*Xenopsylla cheopis*); 7, the smallest land snail; 8, common water flea (*Daphnia*).

The smallest "naked-eye" creatures and some large microscopic animals and cells (below right). 1, *Vorticella*, a ciliate; 2, the largest ciliate protozoan (*Bursaria*); 3, the smallest many-celled animal (a rotifer); 4, smallest flying insect (*Elaphis*); 5, another ciliate (*Paramecium*); 6, cheese mite; 7, human sperm; 8, human ovum; 9, dysentery amoeba; 10, human liver cell; 11, the foreleg of the flea (numbered 6 in the figure to the left).


3, McMahon and Bonner [28]



Size range (in grams) and cell differentiation:



p. 3, McMahon
and Bonner [28]



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks


River networks

Conclusion

References



Non-uniform growth:



p. 32, McMahon and Bonner [28]

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks


Conclusion

References



Non-uniform growth—arm length versus height:

Good example of a break in scaling:



A **crossover** in scaling occurs around a height of 1 metre.

p. 32, McMahon and Bonner [28]

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks


River networks

Conclusion

References



Weightlifting: $M_{\text{worldrecord}} \propto M_{\text{lifter}}^{2/3}$



Idea: Power \sim cross-sectional area of isometric lifters.

p. 53, McMahon and Bonner [28]

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks



River networks

Conclusion

References



Titanotherere horns: $L_{\text{horn}} \sim L_{\text{skull}}^4$



p. 36, McMahon and Bonner [28]; a bit dubious.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks


Conclusion

References



The allometry of nails:

Observed: Diameter \propto Length $^{2/3}$ or $d \propto \ell^{2/3}$.



Since $\ell d^2 \propto$ Volume v :

- Diameter \propto Mass $^{3/8}$ or $d \propto v^{3/8}$.
- Length \propto Mass $^{1/4}$ or $\ell \propto v^{1/4}$.
- Nails lengthen faster than they broaden (c.f. trees).

p. 58–59, McMahon and Bonner [28]

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



The allometry of nails:

A buckling instability?:

- ▶ Physics/Engineering result (田): Columns buckle under a load which depends on d^4/ℓ^2 .
- ▶ To drive nails in, resistive force \propto nail circumference $= \pi d$.
- ▶ Match forces independent of nail size: $d^4/\ell^2 \propto d$.
- ▶ Leads to $d \propto \ell^{2/3}$.
- ▶ Argument made by Galileo^[14] in 1638 in “Discourses on Two New Sciences.” (田) Also, see [here](#). (田)
- ▶ Euler, 1757. (田)
- ▶ Also see McMahon, “Size and Shape in Biology,” Science, 1973. [26]

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion


References



Rowing: Speed \propto (number of rowers) $^{1/9}$

Shell dimensions and performances.

No. of oarsmen	Modifying description	Length, <i>l</i> (m)	Beam, <i>b</i> (m)	<i>l/b</i>	Boat mass per oarsman (kg)	Time for 2000 m (min)			
						I	II	III	IV
8	Heavyweight	18.28	0.610	30.0	14.7	5.87	5.92	5.82	5.73
8	Lightweight	18.28	0.598	30.6	14.7				
4	With coxswain	12.80	0.574	22.3	18.1				
4	Without coxswain	11.75	0.574	21.0	18.1	6.33	6.42	6.48	6.13
2	Double scull	9.76	0.381	25.6	13.6				
2	Pair-oared shell	9.76	0.356	27.4	13.6	6.87	6.92	6.95	6.77
1	Single scull	7.93	0.293	27.0	16.3	7.16	7.25	7.28	7.17



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



From further back:

- ▶ Zipf (more later)
- ▶ Survey by Naroll and von Bertalanffy [31]
“The principle of allometry in biology and the social sciences”
General Systems, Vol 1., 1956.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Scaling in Cities:

- ▶ “Growth, innovation, scaling, and the pace of life in cities”

Bettencourt et al., PNAS, 2007. [4]

- ▶ Quantified levels of
 - ▶ Infrastructure
 - ▶ Wealth
 - ▶ Crime levels
 - ▶ Disease
 - ▶ Energy consumption

as a function of city size N (population).

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



Scaling in Cities:

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References




Table 1. Scaling exponents for urban indicators vs. city size

Y	β	95% CI	Adj- R^2	Observations	Country-year
New patents	1.27	[1.25, 1.29]	0.72	331	U.S. 2001
Inventors	1.25	[1.22, 1.27]	0.76	331	U.S. 2001
Private R&D employment	1.34	[1.29, 1.39]	0.92	266	U.S. 2002
"Supercreative" employment	1.15	[1.11, 1.18]	0.89	287	U.S. 2003
R&D establishments	1.19	[1.14, 1.22]	0.77	287	U.S. 1997
R&D employment	1.26	[1.18, 1.43]	0.93	295	China 2002
Total wages	1.12	[1.09, 1.13]	0.96	361	U.S. 2002
Total bank deposits	1.08	[1.03, 1.11]	0.91	267	U.S. 1996
GDP	1.15	[1.06, 1.23]	0.96	295	China 2002
GDP	1.26	[1.09, 1.46]	0.64	196	EU 1999–2003
GDP	1.13	[1.03, 1.23]	0.94	37	Germany 2003
Total electrical consumption	1.07	[1.03, 1.11]	0.88	392	Germany 2002
New AIDS cases	1.23	[1.18, 1.29]	0.76	93	U.S. 2002–2003
Serious crimes	1.16	[1.11, 1.18]	0.89	287	U.S. 2003
Total housing	1.00	[0.99, 1.01]	0.99	316	U.S. 1990
Total employment	1.01	[0.99, 1.02]	0.98	331	U.S. 2001
Household electrical consumption	1.00	[0.94, 1.06]	0.88	377	Germany 2002
Household electrical consumption	1.05	[0.89, 1.22]	0.91	295	China 2002
Household water consumption	1.01	[0.89, 1.11]	0.96	295	China 2002
Gasoline stations	0.77	[0.74, 0.81]	0.93	318	U.S. 2001
Gasoline sales	0.79	[0.73, 0.80]	0.94	318	U.S. 2001
Length of electrical cables	0.87	[0.82, 0.92]	0.75	380	Germany 2002
Road surface	0.83	[0.74, 0.92]	0.87	29	Germany 2002

Data sources are shown in *SI Text*. CI, confidence interval; Adj- R^2 , adjusted R^2 ; GDP, gross domestic product.

Scaling in Cities:

Intriguing findings:

- ▶ Global supply costs scale sublinearly with N ($\beta < 1$).
 - ▶ Returns to scale for infrastructure.
- ▶ Total individual costs scale linearly with N ($\beta = 1$)
 - ▶ Individuals consume similar amounts independent of city size.
- ▶ Social quantities scale superlinearly with N ($\beta > 1$)
 - ▶ Creativity (# patents), wealth, disease, crime, ...

Density doesn't seem to matter...

- ▶ Surprising given that across the world, we observe two orders of magnitude variation in area covered by agglomerations (田) of fixed populations.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Ecology—Species-area law: (田)



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

Allegedly (data is messy):




$$N_{\text{species}} \propto A^{\beta}$$

- ▶ On islands: $\beta \approx 1/4$.
- ▶ On continuous land: $\beta \approx 1/8$.

A focus:

- ▶ How much energy do organisms need to live?
- ▶ And how does this scale with organismal size?



Animal power

Scaling

Fundamental biological and ecological constraint:

$$P = c M^\alpha$$

P = basal metabolic rate

M = organismal body mass



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



$$P = c M^\alpha$$

Scaling

Prefactor c depends on body plan and body temperature:

Birds	39–41 °C
Eutherian Mammals	36–38 °C
Marsupials	34–36 °C
Monotremes	30–31 °C

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



What one might expect:

$\alpha = 2/3$ because ...

- Dimensional analysis suggests an energy balance surface law:

$$P \propto S \propto V^{2/3} \propto M^{2/3}$$

- Lognormal fluctuations:
Gaussian fluctuations in $\log P$ around $\log cM^\alpha$.
- Stefan-Boltzmann law (田) for radiated energy:

$$\frac{dE}{dt} = \sigma\varepsilon ST^4 \propto S$$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



The prevailing belief of the church of quarterology

Scaling

$$\alpha = 3/4$$

$$P \propto M^{3/4}$$

Huh?

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



The prevailing belief of the church of quarterology

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

Most obvious concern:

$$\frac{3}{4} - \frac{2}{3} = \frac{1}{12}$$

- ▶ An exponent higher than 2/3 points suggests a fundamental inefficiency in biology.
- ▶ Organisms must somehow be running ‘hotter’ than they need to balance heat loss.



Related putative scalings:

Wait! There's more!:

- ▶ number of capillaries $\propto M^{3/4}$
- ▶ time to reproductive maturity $\propto M^{1/4}$
- ▶ heart rate $\propto M^{-1/4}$
- ▶ cross-sectional area of aorta $\propto M^{3/4}$
- ▶ population density $\propto M^{-3/4}$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



The great ‘law’ of heartbeats:

Assuming:

- ▶ Average lifespan $\propto M^\beta$
- ▶ Average heart rate $\propto M^{-\beta}$
- ▶ Irrelevant but perhaps $\beta = 1/4$.

Then:

- ▶ Average number of heart beats in a lifespan
 $\simeq (\text{Average lifespan}) \times (\text{Average heart rate})$
 $\propto M^{\beta - \beta}$
 $\propto M^0$
- ▶ Number of heartbeats per life time is independent of organism size!
- ▶ $\approx 1.5 \text{ billion....}$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



History

1840's: Sarrus and Rameaux [36] first suggested $\alpha = 2/3$.



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



History

Scaling

1883: Rubner^[34] found $\alpha \simeq 2/3$.



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



History

1930's: Brody, Benedict study mammals. [7]
Found $\alpha \simeq 0.73$ (standard).



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks


River networks

Conclusion

References



History



- ▶ 1932: Kleiber analyzed 13 mammals. [23]
- ▶ Found $\alpha = 0.76$ and suggested $\alpha = 3/4$.
- ▶ Scaling law of Metabolism became known as Kleiber's Law (田) (2011 Wikipedia entry is embarrassing).
- ▶ 1961 book: “The Fire of Life. An Introduction to Animal Energetics”. [24]

Scaling-at-large
Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion
References



History

1950/1960: Hemmingsen [19, 20]

Extension to unicellular organisms.

$\alpha = 3/4$ assumed true.



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



History

1964: Troon, Scotland: [5]

3rd symposium on energy metabolism.

$\alpha = 3/4$ made official ...

... 29 to zip.



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks


Conclusion

References



Today

- ▶ 3/4 is held by many to be the one true exponent.



In the Beat of a Heart: Life, Energy, and the Unity of Nature—by John Whitfield


- ▶ But—much controversy...
- ▶ See ‘Re-examination of the “3/4-law” of metabolism’
Dodds, Rothman, and Weitz^[12] and ensuing
madness...

Scaling-at-large

- Allometry
- Examples
- A focus: Metabolism
- Measuring exponents
- History: River networks
- Earlier theories
- Geometric argument
- Blood networks
- River networks
- Conclusion
- References



Some data on metabolic rates



- ▶ Heusner's data (1991) [21]
- ▶ 391 Mammals
- ▶ blue line: $2/3$
- ▶ red line: $3/4$.
- ▶ $(B = P)$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks


River networks

Conclusion

References



Some data on metabolic rates




- ▶ Bennett and Harvey's data (1987) [3]
- ▶ 398 birds
- ▶ blue line: $2/3$
- ▶ red line: $3/4$.
- ▶ $(B = P)$

- ▶ Passerine vs. non-passerine issue...

Scaling-at-large

Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion
References





Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion


References

Important:

- ▶ Ordinary Least Squares (OLS) Linear regression is only appropriate for analyzing a dataset $\{(x_i, y_i)\}$ when we know the x_i are measured without error.
- ▶ Here we assume that measurements of mass M have less error than measurements of metabolic rate B .
- ▶ Linear regression assumes Gaussian errors.



Measuring exponents

A large, stylized orange illustration of a river network winding through a landscape, serving as the background for the slide.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

More on regression:

If (a) we don't know what the errors of either variable are,
or (b) no variable can be considered independent,

then we need to use

Standardized Major Axis Linear Regression. [35, 33]

(aka Reduced Major Axis = RMA.)



Measuring exponents

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

For Standardized Major Axis Linear Regression:

$$\text{slope}_{\text{SMA}} = \frac{\text{standard deviation of } y \text{ data}}{\text{standard deviation of } x \text{ data}}$$

- ▶ Very simple!
- ▶ Scale invariant.



Measuring exponents

Relationship to ordinary least squares regression is simple:

$$\begin{aligned}\text{slope}_{\text{SMA}} &= r^{-1} \times \text{slope}_{\text{OLS } y \text{ on } x} \\ &= r \times \text{slope}_{\text{OLS } x \text{ on } y}\end{aligned}$$

where r = standard correlation coefficient:

$$r = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sqrt{\sum_{i=1}^n (x_i - \bar{x})^2} \sqrt{\sum_{i=1}^n (y_i - \bar{y})^2}}$$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Heusner's data, 1991 (391 Mammals)

range of M	N	$\hat{\alpha}$
$\leq 0.1 \text{ kg}$	167	0.678 ± 0.038
$\leq 1 \text{ kg}$	276	0.662 ± 0.032
$\leq 10 \text{ kg}$	357	0.668 ± 0.019
$\leq 25 \text{ kg}$	366	0.669 ± 0.018
$\leq 35 \text{ kg}$	371	0.675 ± 0.018
$\leq 350 \text{ kg}$	389	0.706 ± 0.016
$\leq 3670 \text{ kg}$	391	0.710 ± 0.021

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks


River networks

Conclusion

References



Bennett and Harvey, 1987 (398 birds)



M_{\max}	N	$\hat{\alpha}$
≤ 0.032	162	0.636 ± 0.103
≤ 0.1	236	0.602 ± 0.060
≤ 0.32	290	0.607 ± 0.039
≤ 1	334	0.652 ± 0.030
≤ 3.2	371	0.655 ± 0.023
≤ 10	391	0.664 ± 0.020
≤ 32	396	0.665 ± 0.019
≤ 100	398	0.664 ± 0.019

Hypothesis testing

Test to see if α' is consistent with our data $\{(M_i, B_i)\}$:

$$H_0 : \alpha = \alpha' \text{ and } H_1 : \alpha \neq \alpha'.$$

- ▶ Assume each B_i (now a random variable) is normally distributed about $\alpha' \log_{10} M_i + \log_{10} c$.
- ▶ Follows that the measured α for one realization obeys a t distribution with $N - 2$ degrees of freedom.
- ▶ Calculate a p -value: probability that the measured α is as least as different to our hypothesized α' as we observe.
- ▶ See, for example, DeGroot and Scherish, "Probability and Statistics." [9]

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



Revisiting the past—mammals

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks


River networks

Conclusion

References

Full mass range:

	N	$\hat{\alpha}$	$p_{2/3}$	$p_{3/4}$
Kleiber	13	0.738	$< 10^{-6}$	0.11
Brody	35	0.718	$< 10^{-4}$	$< 10^{-2}$
Heusner	391	0.710	$< 10^{-6}$	$< 10^{-5}$
Bennett and Harvey	398	0.664	0.69	$< 10^{-15}$



Revisiting the past—mammals

$M \leq 10 \text{ kg}$:

	N	$\hat{\alpha}$	$p_{2/3}$	$p_{3/4}$
Kleiber	5	0.667	0.99	0.088
Brody	26	0.709	$< 10^{-3}$	$< 10^{-3}$
Heusner	357	0.668	0.91	$< 10^{-15}$

$M \geq 10 \text{ kg}$:

	N	$\hat{\alpha}$	$p_{2/3}$	$p_{3/4}$
Kleiber	8	0.754	$< 10^{-4}$	0.66
Brody	9	0.760	$< 10^{-3}$	0.56
Heusner	34	0.877	$< 10^{-12}$	$< 10^{-7}$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks


River networks

Conclusion


References



Fluctuations—Things look normal...



- ▶ $P(B|M) = 1/M^{2/3} f(B/M^{2/3})$
- ▶ Use a Kolmogorov-Smirnov test.



Analysis of residuals

1. Presume an exponent of your choice: 2/3 or 3/4.
2. Fit the prefactor ($\log_{10} c$) and then examine the residuals:

$$r_i = \log_{10} B_i - (\alpha' \log_{10} M_i - \log_{10} c).$$

3. H_0 : residuals are uncorrelated
 H_1 : residuals are correlated.
4. Measure the correlations in the residuals and compute a p -value.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



Analysis of residuals

Scaling



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

We use the spiffing Spearman Rank-Order Correlation Coefficient (田)


Basic idea:

- ▶ Given $\{(x_i, y_i)\}$, rank the $\{x_i\}$ and $\{y_i\}$ separately from smallest to largest. Call these ranks R_i and S_i .
- ▶ Now calculate correlation coefficient for ranks, r_s :

▶

$$r_s = \frac{\sum_{i=1}^n (R_i - \bar{R})(S_i - \bar{S})}{\sqrt{\sum_{i=1}^n (R_i - \bar{R})^2} \sqrt{\sum_{i=1}^n (S_i - \bar{S})^2}}$$

- ▶ Perfect correlation: x_i 's and y_i 's both increase monotonically.



Analysis of residuals

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion


References

We assume all rank orderings are equally likely:

- ▶ r_s is distributed according to a Student's t -distribution (田) with $N - 2$ degrees of freedom.
- ▶ Excellent feature: Non-parametric—real distribution of x 's and y 's doesn't matter.
- ▶ Bonus: works for non-linear monotonic relationships as well.
- ▶ See Numerical Recipes in C/Fortran (田) which contains many good things. [32]



Analysis of residuals—mammals




- (a) $M < 3.2 \text{ kg}$,
- (b) $M < 10 \text{ kg}$,
- (c) $M < 32 \text{ kg}$,
- (d) all mammals.


Scaling-at-large

- Allometry
- Examples
- A focus: Metabolism
- Measuring exponents**
- History: River networks
- Earlier theories
- Geometric argument
- Blood networks
- River networks
- Conclusion

References




Analysis of residuals—birds




Scaling-at-large

- Allometry
- Examples
- A focus: Metabolism
- Measuring exponents**
- History: River networks
- Earlier theories
- Geometric argument
- Blood networks
- River networks
- Conclusion

References



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks


River networks

Conclusion

References

Other approaches to measuring exponents:

- ▶ Clauset, Shalizi, Newman: “Power-law distributions in empirical data”^[8]
SIAM Review, 2009.
- ▶ See Clauset’s page on measuring power law exponents (田) (code, other goodies).



Recap:

- ▶ So: The exponent $\alpha = 2/3$ works for all birds and mammals up to 10–30 kg
- ▶ For mammals $> 10\text{--}30$ kg, maybe we have a new scaling regime
- ▶ Possible connection?: Economos (1983)—limb length break in scaling around 20 kg [13]
- ▶ But see later: non-isometric growth leads to lower metabolic scaling. Oops.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



The widening gyre:

Now we're really confused (empirically):

- ▶ White and Seymour, 2005: unhappy with large herbivore measurements^[43]. Pro 2/3: Find $\alpha \simeq 0.686 \pm 0.014$.
- ▶ Glazier, BioScience (2006)^[17]: “The 3/4-Power Law Is Not Universal: Evolution of Isometric, Ontogenetic Metabolic Scaling in Pelagic Animals.”
- ▶ Glazier, Biol. Rev. (2005)^[16]: “Beyond the 3/4-power law”: variation in the intra- and interspecific scaling of metabolic rate in animals.”
- ▶ Savage et al., PLoS Biology (2008)^[37] “Sizing up allometric scaling theory” Pro 3/4: problems claimed to be finite-size scaling.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks


River networks

Conclusion

References



Basic basin quantities: a , l , L_{\parallel} , L_{\perp} :



- ▶ a = drainage basin area
- ▶ l = length of longest (main) stream
- ▶ $L = L_{\parallel} =$ longitudinal length of basin

Scaling-at-large

Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion

References



River networks

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

- ▶ 1957: J. T. Hack [18]

“Studies of Longitudinal Stream Profiles in Virginia and Maryland”

$$\ell \sim a^h$$


$$h \sim 0.6$$

- ▶ Anomalous scaling: we would expect $h = 1/2\dots$
- ▶ Subsequent studies: $0.5 \lesssim h \lesssim 0.6$
- ▶ Another quest to find universality/god...
- ▶ A catch: studies done on small scales.



Large-scale networks:

(1992) Montgomery and Dietrich^[29]:



- ▶ **Composite data set:** includes everything from unchanneled valleys up to world's largest rivers.
- ▶ Estimated fit:

$$L \simeq 1.78a^{0.49}$$

- ▶ Mixture of basin and main stream lengths.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks


River networks

Conclusion

References



World's largest rivers only:




- ▶ Data from Leopold (1994) [25, 11]
- ▶ Estimate of Hack exponent: $h = 0.50 \pm 0.06$

Scaling-at-large

Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion

References



Earlier theories

Building on the surface area idea...

- ▶ Blum (1977) [6] speculates on four-dimensional biology:

$$P \propto M^{(d-1)/d}$$

- ▶ $d = 3$ gives $\alpha = 2/3$
- ▶ $d = 4$ gives $\alpha = 3/4$
- ▶ So we need another dimension...
- ▶ Obviously, a bit silly... [39]

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



Earlier theories

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References


Building on the surface area idea:

- ▶ McMahon (70's, 80's): Elastic Similarity [26, 28]
- ▶ Idea is that organismal shapes scale allometrically with 1/4 powers (like trees...)
- ▶ Appears to be true for ungulate legs... [27]
- ▶ Metabolism and shape never properly connected.



Nutrient delivering networks:

- ▶ 1960's: Rashevsky considers blood networks and finds a $2/3$ scaling.
- ▶ 1997: West *et al.* [42] use a network story to find $3/4$ scaling.



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



Nutrient delivering networks:

West et al.'s assumptions:

1. hierarchical network
2. capillaries (delivery units) invariant
3. network impedance is minimized via evolution

Claims:

- ▶ $P \propto M^{3/4}$
- ▶ networks are fractal
- ▶ quarter powers everywhere

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Impedance measures:

Poiseuille flow (outer branches):

$$Z = \frac{8\mu}{\pi} \sum_{k=0}^N \frac{\ell_k}{r_k^4 N_k}$$

Pulsatile flow (main branches):

$$Z \propto \sum_{k=0}^N \frac{h_k^{1/2}}{r_k^{5/2} N_k}$$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Not so fast . . .



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

Actually, model shows:

- ▶ $P \propto M^{3/4}$ does not follow for pulsatile flow
- ▶ networks are not necessarily fractal.

Do find:

- ▶ Murray's cube law (1927) for outer branches:^[30]

$$r_0^3 = r_1^3 + r_2^3$$

- ▶ Impedance is distributed evenly.
- ▶ Can still assume networks are fractal.



Connecting network structure to α

1. Ratios of network parameters:

$$R_n = \frac{n_{k+1}}{n_k}, \quad R_\ell = \frac{\ell_{k+1}}{\ell_k}, \quad R_r = \frac{r_{k+1}}{r_k}$$

2. Number of capillaries $\propto P \propto M^\alpha$.

$$\Rightarrow \boxed{\alpha = -\frac{\ln R_n}{\ln R_r^2 R_\ell}}$$

(also problematic due to prefactor issues)

Soldiering on, assert:

- ▶ area-preservingness: $R_r = R_n^{-1/2}$
- ▶ space-fillingness: $R_\ell = R_n^{-1/3}$
- ▶

$$\Rightarrow \alpha = 3/4$$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Data from real networks

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Network	R_n	R_r^{-1}	R_ℓ^{-1}	$-\frac{\ln R_r}{\ln R_n}$	$-\frac{\ln R_\ell}{\ln R_n}$	α
West <i>et al.</i>	—	—	—	1/2	1/3	3/4
rat (PAT)	2.76	1.58	1.60	0.45	0.46	0.73
cat (PAT) (Turcotte <i>et al.</i> [41])	3.67	1.71	1.78	0.41	0.44	0.79
dog (PAT)	3.69	1.67	1.52	0.39	0.32	0.90
pig (LCX)	3.57	1.89	2.20	0.50	0.62	0.62
pig (RCA)	3.50	1.81	2.12	0.47	0.60	0.65
pig (LAD)	3.51	1.84	2.02	0.49	0.56	0.65
human (PAT)	3.03	1.60	1.49	0.42	0.36	0.83
human (PAT)	3.36	1.56	1.49	0.37	0.33	0.94

Really, quite confused:

Whole 2004 issue of Functional Ecology addresses the problem:

- ▶ J. Kozlowski, M. Konarzewski (2004). “Is West, Brown and Enquist’s model of allometric scaling mathematically correct and biologically relevant?” *Functional Ecology* 18: 283–9, 2004.
- ▶ J. H. Brown, G. B. West, and B. J. Enquist. “Yes, West, Brown and Enquist’s model of allometric scaling is both mathematically correct and biologically relevant.” *Functional Ecology* 19: 735–738, 2005.
- ▶ J. Kozlowski, M. Konarzewski (2005). “West, Brown and Enquist’s model of allometric scaling again: the same questions remain.” *Functional Ecology* 19: 739–743, 2005.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks


River networks

Conclusion

References



Simple supply networks



- ▶ Banavar et al., Nature, (1999) [1]
- ▶ Flow rate argument
- ▶ Ignore impedance
- ▶ Very general attempt to find most efficient transportation networks

Scaling-at-large

Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion
References



Simple supply networks

- ▶ Banavar *et al.* find ‘most efficient’ networks with

$$P \propto M^{d/(d+1)}$$

- ▶ ... but also find

$$V_{\text{network}} \propto M^{(d+1)/d}$$

- ▶ $d = 3$:

$$V_{\text{blood}} \propto M^{4/3}$$

- ▶ Consider a 3 g shrew with $V_{\text{blood}} = 0.1 V_{\text{body}}$
- ▶ ⇒ 3000 kg elephant with $V_{\text{blood}} = 10 V_{\text{body}}$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks


Conclusion

References



Simple supply networks

Such a pachyderm would be rather miserable:



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks


Conclusion

References



Geometric argument

- ▶ “Optimal Form of Branching Supply and Collection Networks.” Dodds, Phys. Rev. Lett., 2010. [10]
- ▶ Consider one source supplying many sinks in a *d*-dim. volume in a *D*-dim. ambient space.
- ▶ Assume sinks are invariant.
- ▶ Assume sink density $\rho = \rho(V)$.
- ▶ Assume some cap on flow speed of material.
- ▶ See network as a bundle of virtual vessels:



Scaling-at-large

Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion
References



Geometric argument

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion


References

- ▶ Q: how does the number of sustainable sinks N_{sinks} scale with volume V for the most efficient network design?
- ▶ Or: what is the highest α for $N_{\text{sinks}} \propto V^\alpha$?



Geometric argument

- ▶ Allometrically growing regions:



- ▶ Have d length scales which scale as

$$L_i \propto V^{\gamma_i} \text{ where } \gamma_1 + \gamma_2 + \dots + \gamma_d = 1.$$

- ▶ For isometric growth, $\gamma_i = 1/d$.
- ▶ For allometric growth, we must have at least two of the $\{\gamma_i\}$ being different

Scaling-at-large
Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion
References



Spherical cows and pancake cows:

- ▶ Question: How does the surface area S_{cow} of our two types of cows scale with cow volume V_{cow} ? Insert question from assignment 3 (田)
- ▶ Question: For general families of regions, how does surface area S scale with volume V ? Insert question from assignment 3 (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks


Conclusion

References



Geometric argument

- ▶ Best and worst configurations (Banavar et al.)



- ▶ Rather obviously:
 $\min V_{\text{net}} \propto \sum \text{distances from source to sinks.}$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



Minimal network volume:

Real supply networks are close to optimal:




Figure 1. (a) Commuter rail network in the Boston area. The arrow marks the assumed root of the network. (b) Star graph. (c) Minimum spanning tree. (d) The model of equation (3) applied to the same set of stations.

(2006)



Gastner and Newman^[15]: “Shape and efficiency in spatial distribution networks”

Scaling-at-large

Allometry
Examples
A focus: Metabolism
Measuring exponents
History: River networks
Earlier theories
Geometric argument
Blood networks
River networks
Conclusion
References

Minimal network volume:

Approximate network volume by integral over region:

$$\min V_{\text{net}} \propto \int_{\Omega_{d,D}(V)} \rho ||\vec{x}|| d\vec{x}$$

$$\rightarrow \rho V^{1+\gamma_{\max}} \int_{\Omega_{d,D}(c)} (c_1^2 u_1^2 + \dots + c_k^2 u_k^2)^{1/2} d\vec{u}$$

Insert question from assignment 3 (⊕)

$$\propto \rho V^{1+\gamma_{\max}}$$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories


Geometric argument

Blood networks

River networks

Conclusion

References



Geometric argument

- General result:

$$\min V_{\text{net}} \propto \rho V^{1+\gamma_{\max}}$$

- If scaling is **isometric**, we have $\gamma_{\max} = 1/d$:

$$\min V_{\text{net/iso}} \propto \rho V^{1+1/d} = \rho V^{(d+1)/d}$$

- If scaling is **allometric**, we have $\gamma_{\max} = \gamma_{\text{allo}} > 1/d$: and

$$\min V_{\text{net/allo}} \propto \rho V^{1+\gamma_{\text{allo}}}$$

- Isometrically growing volumes require less network volume than allometrically growing volumes:

$$\frac{\min V_{\text{net/iso}}}{\min V_{\text{net/allo}}} \rightarrow 0 \text{ as } V \rightarrow \infty$$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References





Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks


Conclusion

References

- ▶ Material costly \Rightarrow expect lower optimal bound of $V_{\text{net}} \propto \rho V^{(d+1)/d}$ to be followed closely.
- ▶ For cardiovascular networks, $d = D = 3$.
- ▶ Blood volume scales linearly with body volume [40],
 $V_{\text{net}} \propto V$.
- ▶ Sink density must \therefore decrease as volume increases:

$$\rho \propto V^{-1/d}.$$

- ▶ Density of suppliable sinks decreases with organism size.



Blood networks

Scaling

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

- ▶ Then P , the rate of overall energy use in Ω , can at most scale with volume as

$$P \propto \rho V \propto \rho M \propto M^{(d-1)/d}$$

- ▶ For $d = 3$ dimensional organisms, we have

$$P \propto M^{2/3}$$



Prefactor:

Stefan-Boltzmann law: (⊕)



$$\frac{dE}{dt} = \sigma ST^4$$

where S is surface and T is temperature.

- ▶ Very rough estimate of prefactor based on scaling of normal mammalian body temperature and surface area S :

$$B \simeq 10^5 M^{2/3} \text{erg/sec.}$$

- ▶ Measured for $M \leq 10$ kg:

$$B = 2.57 \times 10^5 M^{2/3} \text{erg/sec.}$$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



River networks



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

- ▶ View river networks as collection networks.
- ▶ Many sources and one sink.
- ▶ Assume ρ is constant over time:

$$V_{\text{net}} \propto \rho V^{(d+1)/d} = \text{constant} \times V^{3/2}$$

- ▶ Network volume grows faster than basin ‘volume’ (really area).
- ▶ It’s all okay:
Landscapes are $d=2$ surfaces living in $D=3$ dimensions.
- ▶ Streams can grow not just in width but in depth...



Hack's law

- ▶ Volume of water in river network can be calculated by adding up basin areas
- ▶ Flows sum in such a way that

$$V_{\text{net}} = \sum_{\text{all pixels}} a_{\text{pixel } i}$$

- ▶ Hack's law again:

$$\ell \sim a^h$$

- ▶ Can argue

$$V_{\text{net}} \propto V_{\text{basin}}^{1+h} = a_{\text{basin}}^{1+h}$$

where h is Hack's exponent.

- ▶ ∴ minimal volume calculations gives

$$h = 1/2$$

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks


Conclusion

References



Real data:

- ▶ Banavar et al.'s approach [1] is okay because ρ really is constant.
- ▶ The irony: shows optimal basins are isometric
- ▶ Optimal Hack's law: $\ell \sim a^h$ with $h = 1/2$
- ▶ (Zzzzz)




From Banavar et al. (1999) [1]


Scaling-at-large

- Allometry
- Examples
- A focus: Metabolism
- Measuring exponents
- History: River networks
- Earlier theories
- Geometric argument
- Blood networks
- River networks
- Conclusion

References



Even better—prefactors match up:



Scaling-at-large

- Allometry
- Examples
- A focus: Metabolism
- Measuring exponents
- History: River networks
- Earlier theories
- Geometric argument
- Blood networks
- River networks
- Conclusion

References



Yet more theoretical madness from the Quarterologists:

- ▶ Banavar et al., 2010, PNAS:
“A general basis for quarter-power scaling in animals.” [2]
- ▶ “It has been known for decades that the metabolic rate of animals scales with body mass with an exponent that is almost always < 1 , $> 2/3$, and often very close to $3/4$.”
- ▶ Cough, cough, cough, hack, wheeze, cough.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



Conclusion

- ▶ Supply network story consistent with dimensional analysis.
- ▶ Isometrically growing regions can be more efficiently supplied than allometrically growing ones.
- ▶ Ambient and region dimensions matter ($D = d$ versus $D > d$).
- ▶ Deviations from optimal scaling suggest inefficiency (e.g., gravity for organisms, geological boundaries).
- ▶ Actual details of branching networks not that important.
- ▶ Exact nature of self-similarity varies.

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion


References



References I

- [1] J. R. Banavar, A. Maritan, and A. Rinaldo.
Size and form in efficient transportation networks.
Nature, 399:130–132, 1999. [pdf](#) (✉)
- [2] J. R. Banavar, M. E. Moses, J. H. Brown, J. Damuth,
A. Rinaldo, R. M. Sibly, and A. Maritan.
A general basis for quarter-power scaling in animals.

Proc. Natl. Acad. Sci., 107:15816–15820, 2010.
[pdf](#) (✉)
- [3] P. Bennett and P. Harvey.
Active and resting metabolism in birds—allometry,
phylogeny and ecology.
J. Zool., 213:327–363, 1987. [pdf](#) (✉)



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References

References II

- [4] L. M. A. Bettencourt, J. Lobo, D. Helbing, Kühnert, and G. B. West.

Growth, innovation, scaling, and the pace of life in cities.

Proc. Natl. Acad. Sci., 104(17):7301–7306, 2007.
pdf (田)

- [5] K. L. Blaxter, editor.

Energy Metabolism; Proceedings of the 3rd symposium held at Troon, Scotland, May 1964.
Academic Press, New York, 1965.

- [6] J. J. Blum.

On the geometry of four-dimensions and the relationship between metabolism and body mass.

J. Theor. Biol., 64:599–601, 1977. pdf (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks


Conclusion

References



References III

- [7] S. Brody.
Bioenergetics and Growth.
Reinhold, New York, 1945.
reprint, . pdf (✉)
- [8] A. Clauset, C. R. Shalizi, and M. E. J. Newman.
Power-law distributions in empirical data.
SIAM Review, 51:661–703, 2009. pdf (✉)
- [9] M. H. DeGroot.
Probability and Statistics.
Addison-Wesley, Reading, Massachusetts, 1975.
- [10] P. S. Dodds.
Optimal form of branching supply and collection
networks.
Phys. Rev. Lett., 104(4):048702, 2010. pdf (✉)



Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



References IV

- [11] P. S. Dodds and D. H. Rothman.
Scaling, universality, and geomorphology.
Annu. Rev. Earth Planet. Sci., 28:571–610, 2000.
pdf (田)
- [12] P. S. Dodds, D. H. Rothman, and J. S. Weitz.
Re-examination of the “3/4-law” of metabolism.
Journal of Theoretical Biology, 209:9–27, 2001.
pdf (田)
- [13] A. E. Economos.
Elastic and/or geometric similarity in mammalian
design.
Journal of Theoretical Biology, 103:167–172, 1983.
pdf (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



References V

[14] G. Galilei.

Dialogues Concerning Two New Sciences.

Kessinger Publishing, 2010.

Translated by Henry Crew and Alfonso De Salvio.

[15] M. T. Gastner and M. E. J. Newman.

Shape and efficiency in spatial distribution networks.

J. Stat. Mech.: Theor. & Exp., 1:P01015, 2006.

pdf (田)

[16] D. S. Glazier.

Beyond the ‘3/4-power law’: variation in the intra-
and interspecific scaling of metabolic rate in animals.

Biol. Rev., 80:611–662, 2005. pdf (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



References VI

[17] D. S. Glazier.

The 3/4-power law is not universal: Evolution of isometric, ontogenetic metabolic scaling in pelagic animals.

BioScience, 56:325–332, 2006. pdf (田)

[18] J. T. Hack.

Studies of longitudinal stream profiles in Virginia and Maryland.

United States Geological Survey Professional Paper, 294-B:45–97, 1957. pdf (田)

[19] A. Hemmingsen.

The relation of standard (basal) energy metabolism to total fresh weight of living organisms.

Rep. Steno Mem. Hosp., 4:1–58, 1950. pdf (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



References VII

[20] A. Hemmingsen.

Energy metabolism as related to body size and respiratory surfaces, and its evolution.

Rep. Steno Mem. Hosp., 9:1–110, 1960. [pdf](#) (田)

[21] A. A. Heusner.

Size and power in mammals.

Journal of Experimental Biology, 160:25–54, 1991.
[pdf](#) (田)

[22] J. S. Huxley and G. Teissier.

Terminology of relative growth.

Nature, 137:780–781, 1936. [pdf](#) (田)

[23] M. Kleiber.

Body size and metabolism.

Hilgardia, 6:315–353, 1932. [pdf](#) (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



References VIII

- [24] M. Kleiber.
The Fire of Life. An Introduction to Animal Energetics.
Wiley, New York, 1961.
- [25] L. B. Leopold.
A View of the River.
Harvard University Press, Cambridge, MA, 1994.
- [26] T. McMahon.
Size and shape in biology.
Science, 179:1201–1204, 1973. pdf (田)
- [27] T. A. McMahon.
Allometry and biomechanics: Limb bones in adult ungulates.
The American Naturalist, 109:547–563, 1975.
pdf (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks


Conclusion

References



References IX

- [28] T. A. McMahon and J. T. Bonner.
On Size and Life.
Scientific American Library, New York, 1983.
- [29] D. R. Montgomery and W. E. Dietrich.
Channel initiation and the problem of landscape scale.
Science, 255:826–30, 1992. [pdf](#) (田)
- [30] C. D. Murray.
A relationship between circumference and weight in trees and its bearing on branching angles.
J. Gen. Physiol., 10:725–729, 1927. [pdf](#) (田)
- [31] R. S. Narroll and L. von Bertalanffy.
The principle of allometry in biology and the social sciences.
General Systems, 1:76–89, 1956.



References X

- [32] W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery.
Numerical Recipes in C.
Cambridge University Press, second edition, 1992.
- [33] J. M. V. Rayner.
Linear relations in biomechanics: the statistics of scaling functions.
J. Zool. Lond. (A), 206:415–439, 1985. [pdf](#) (田)
- [34] M. Rubner.
Ueber den einfluss der körpergrösse auf stoffund kraftwechsel.
Z. Biol., 19:535–562, 1883. [pdf](#) (田)
- [35] P. A. Samuelson.
A note on alternative regressions.
Econometrica, 10:80–83, 1942. [pdf](#) (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



References XI

- [36] Sarrus and Rameaux.

Rapport sur une mémoire adressé à l'Académie de Médecine.

Bull. Acad. R. Méd. (Paris), 3:1094–1100, 1838–39.

- [37] V. M. Savage, E. J. Deeds, and W. Fontana.

Sizing up allometric scaling theory.

PLoS Computational Biology, 4:e1000171, 2008.

pdf (田)

- [38] A. Shingleton.

Allometry: The study of biological scaling.

Nature Education Knowledge, 1:2, 2010.

- [39] J. Speakman.

On Blum's four-dimensional geometric explanation for the 0.75 exponent in metabolic allometry.

J. Theor. Biol., 144(1):139–141, 1990. pdf (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks

Conclusion

References



References XII

[40] W. R. Stahl.

Scaling of respiratory variables in mammals.
Journal of Applied Physiology, 22:453–460, 1967.

[41] D. L. Turcotte, J. D. Pelletier, and W. I. Newman.

Networks with side branching in biology.
Journal of Theoretical Biology, 193:577–592, 1998.
pdf (田)

[42] G. B. West, J. H. Brown, and B. J. Enquist.

A general model for the origin of allometric scaling
laws in biology.
Science, 276:122–126, 1997. pdf (田)

[43] C. R. White and R. S. Seymour.

Allometric scaling of mammalian metabolism.
J. Exp. Biol., 208:1611–1619, 2005. pdf (田)

Scaling-at-large

Allometry

Examples

A focus: Metabolism

Measuring exponents

History: River networks

Earlier theories

Geometric argument

Blood networks

River networks


Conclusion

References



References XIII

Scaling



[44] K. Zhang and T. J. Sejnowski.

A universal scaling law between gray matter and white matter of cerebral cortex.

Proceedings of the National Academy of Sciences,
97:5621–5626, 2000. pdf (✉)

