

Biological Contagion

Principles of Complex Systems | @pocsvox
CSYS/MATH 300, Fall, 2015 | #FallPoCS2015

Prof. Peter Dodds | @peterdodds

Dept. of Mathematics & Statistics | Vermont Complex Systems Center
Vermont Advanced Computing Core | University of Vermont



Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



These slides are brought to you by:

PoCS | @pocsvox

Biological
Contagion

Sealie & Lambie Productions



Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Outline

PoCS | @pocsvox

Biological
Contagion

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models

Model output

Nutshell

Other kinds of prediction

Next

References

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models



Model output

Nutshell

Other kinds of prediction

Next

References



► An awful recording: Wikipedia's list of epidemics from 430 BC on.



WIKIPEDIA
The Free Encyclopedia

Create account Not logged in Talk Contributions Log in

Article [Talk](#)

Read [Edit](#) [View history](#)

List of epidemics

From Wikipedia, the free encyclopedia

This article is a **list of epidemics** of **infectious disease**. Widespread and chronic complaints such as **heart disease** and **allergy** are not included if they are not thought to be infectious.

This list is incomplete; you can help by expanding it.

Death toll (estimate)	Location	Date	Comment	Disease	Reference
ca. 75,000 - 100,000	Greece	429–426 BC	Known as Plague of Athens , because it was primarily in Athens.	unknown, similar to typhoid	
ca. 30% of population	Europe, Western Asia, Northern Africa	165–180	Known as Antonine Plague , due to the name of the Roman emperor in power at the time.	unknown, symptoms similar to smallpox	
	Europe	250-266 AD	Know as the Plague of Cyprian named after St. Cyprian Bishop of Carthage.	unknown, possibly smallpox	
ca. 40% of population	Europe	541–542	Known as Plague of Justinian , due to the name of the Byzantine emperor in power at the time.	Bubonic plague	[1]
30% to 70% of population	Europe	1346–1350	Known as "Black Death" or Second plague pandemic , first return of the plague to Europe after the Justinianic plague of the 6th century.	plague	[2]
5-15 million (80% of population)	Mexico	1545-1548	Cocoliztli	viral hemorrhagic fever	[3][4]
2 - 2.5 million (50% of population)	Mexico	1576	Cocoliztli	viral hemorrhagic fever	[5][6]
	Seneca nation	1592–1596		measles	[6]



Plague pestil with the stung of death, 1607–35, Deutsches Historisches Museum Berlin




An artistic portrayal of a plague ship which was epidemic in the 19th century

Introduction

Simple disease spreading models

- Background
- Prediction
- More models
- Toy metapopulation models
- Model output
- Nutshell
- Other kinds of prediction
- Next

References



IntroductionSimple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models



Model output

Nutshell

Other kinds of prediction

Next

References



A confusion of contagions:

- ▶ Is Harry Potter some kind of virus?
- ▶ What about the Da Vinci Code?
- ▶ Did Sudoku spread like a disease?
- ▶ Language? The alphabet? [9]
- ▶ Religion?
- ▶ Democracy...?

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Naturomorphisms

- ▶ “The feeling was contagious.”
- ▶ “The news spread like wildfire.”
- ▶ “Freedom is the most contagious virus known to man.”
—Hubert H. Humphrey, Johnson’s vice president
- ▶ “Nothing is so contagious as enthusiasm.”
—Samuel Taylor Coleridge

Optimism according to Ambrose Bierce:

The doctrine that everything is beautiful, including what is ugly, everything good, especially the bad, and everything right that is wrong. ... **It is hereditary, but fortunately not contagious.**

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next


References



Social contagion

Eric Hoffer, 1902–1983

There is a grandeur in the uniformity of the mass. When a fashion, a dance, a song, a slogan or a joke sweeps like **wildfire** from one end of the continent to the other, and a hundred million people roar with **laughter**, sway their bodies in unison, **hum one song** or **break forth in anger and denunciation**, there is the overpowering feeling that in this country we have come nearer the brotherhood of man than ever before.

► Hoffer  was an interesting fellow...

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



The spread of fanaticism

Hoffer's most famous work: "**The True Believer:**
Thoughts On The Nature Of Mass Movements"
(1951)^[11]

Aphorisms-aplenty:

- ▶ "We can be absolutely certain only about things we do not understand."
- ▶ "Mass movements can rise and spread without belief in a God, but never without belief in a devil."
- ▶ "Where freedom is real, equality is the passion of the masses. Where equality is real, freedom is the passion of a small minority."

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output


Nutshell

Other kinds of prediction

Next

References





despair.com

“When people are free to do as they please, they usually imitate each other.”

—Eric Hoffer
“The Passionate State of Mind” [12]

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next


References



The collective...

PoCS | @pocsvox

Biological
Contagion



despair.com

“Never Underestimate the Power of Stupid People in Large Groups.”

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



Examples of non-disease spreading:

PoCS | @pocsvox

Biological
Contagion

Interesting infections:

- ▶ Spreading of certain buildings in the US:

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output


Nutshell

Other kinds of prediction

Next

References

- ▶ [2008 Viral get-out-the-vote video.](#)



Marbleization of the US:

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



The most terrifying contagious outbreak?


PoCS | @pocsvox

Biological
Contagion

Google books Ngram Viewer

Graph these comma-separated phrases: case-insensitive

between and from the corpus with smoothing of [Search lots of books](#)




(click on line/label for focus)


Introduction

Simple disease spreading models

- Background
- Prediction
- More models
- Toy metapopulation models
- Model output
- Nutshell
- Other kinds of prediction
- Next

References





Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models



Model output

Nutshell

Other kinds of prediction

Next

References



Definitions


- ▶ (1) The spreading of a quality or quantity between individuals in a population.
- ▶ (2) A disease itself:
the plague, a blight, the dreaded lurgi, ...
- ▶ from Latin: *con* = 'together with' + *tangere* 'to touch.'
- ▶ Contagion has unpleasant overtones...
- ▶ Just **Spreading** might be a more neutral word
- ▶ But contagion is kind of exciting...

Introduction

Simple disease spreading models

- Background
- Prediction
- More models
- Toy metapopulation
models
- Model output
- Nutshell
- Other kinds of prediction
- Next

References



Two main classes of contagion


1. **Infectious diseases:**
tuberculosis, HIV, ebola, SARS, influenza, zombification, ...
2. **Social contagion:**
fashion, word usage, rumors, uprisings, religion, stories about zombies, ...

Introduction

Simple disease spreading models

- Background
- Prediction
- More models
- Toy metapopulation models
- Model output
- Nutshell
- Other kinds of prediction
- Next

References



Archival footage from the Black Plague

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



IntroductionSimple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output


Nutshell

Other kinds of prediction

Next

References

An awful recording: Wikipedia's list of epidemics ↗
from 430 BC on.



Community—S2E6: Epidemiology

IntroductionSimple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Introduction

Simple disease
spreading models**Background**

Prediction

More models

Toy metapopulation
models



Model output

Nutshell

Other kinds of prediction

Next

References



The standard SIR model^[17]

- ▶ = basic model of disease contagion
- ▶ Three states:
 1. S = Susceptible
 2. I = Infective/Infectious
 3. R = Recovered or Removed or Refractory
- ▶ $S(t) + I(t) + R(t) = 1$
- ▶ Presumes random interactions (mass-action principle)
- ▶ Interactions are independent (no memory)
- ▶ Discrete and continuous time versions

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell


Other kinds of prediction

Next

References



Discrete time automata example:



Transition Probabilities:

β for being infected given contact with infected

r for recovery

ρ for loss of immunity

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



Original models attributed to

- ▶ 1920's: Reed and Frost
- ▶ 1920's/1930's: Kermack and McKendrick [13, 15, 14]
- ▶ Coupled differential equations with a mass-action principle

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Differential equations for continuous model

$$\frac{d}{dt}S = -\beta IS + \rho R$$

$$\frac{d}{dt}I = \beta IS - rI$$

$$\frac{d}{dt}R = rI - \rho R$$

β , r , and ρ are now **rates**.

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Reproduction Number R_0

Reproduction Number R_0 ↗

- ▶ R_0 = expected number of infected individuals resulting from a single initial infective
- ▶ Epidemic threshold: If $R_0 > 1$, 'epidemic' occurs.
- ▶ Exponential take off: R_0^n where n is the number of generations.
- ▶ Fantastically awful notation convention: R_0 and the R in SIR .

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Reproduction Number R_0

Discrete version:

- ▶ Set up: One Infective in a randomly mixing population of Susceptibles
- ▶ At time $t = 0$, single infective random bumps into a Susceptible
- ▶ Probability of transmission = β
- ▶ At time $t = 1$, single Infective remains infected with probability $1 - r$
- ▶ At time $t = k$, single Infective remains infected with probability $(1 - r)^k$

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



Reproduction Number R_0

Discrete version:

- ▶ Expected number infected by original infective:

$$R_0 = \beta + (1 - r)\beta + (1 - r)^2\beta + (1 - r)^3\beta + \dots$$

$$= \beta(1 + (1 - r) + (1 - r)^2 + (1 - r)^3 + \dots)$$

$$= \beta \frac{1}{1 - (1 - r)} = \beta/r$$

For $S(0) \approx 1$ initial susceptibles

$(1 - S(0)) = R(0)$ = fraction initially immune):

$$R_0 = S(0)\beta/r$$

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



Independent Interaction models

For the continuous version

- ▶ Second equation:

$$\frac{d}{dt}I = \beta SI - rI$$

$$\frac{d}{dt}I = (\beta S - r)I$$

- ▶ Number of infectives grows initially if

$$\beta S(0) - r > 0 \Rightarrow \beta S(0) > r \Rightarrow \beta S(0)/r > 1$$

where $S(0) \simeq 1$.

- ▶ Same story as for discrete model.

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction


Next

References



Independent Interaction models

Example of epidemic threshold:



- ▶ Continuous phase transition.
- ▶ Fine idea from a simple model.

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Many variants of the SIR model:

- ▶ **SIS**: susceptible-infective-susceptible
- ▶ **SIRS**: susceptible-infective-recovered-susceptible
- ▶ compartment models (age or gender partitions)
- ▶ more categories such as 'exposed' (**SEIRS**)
- ▶ recruitment (migration, birth)

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Watch someone else pretend to save the world:

PoCS | @pocsvox


Biological Contagion



MARION COTILLARD MATT DAMON LAURENCE FISHBURNE JUDE LAW GWYNETH PALTROW KATE WINSLET

NOTHING SPREADS LIKE FEAR

CONTAGION



Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



Save the world yourself: 



PoCS | @pocsvox

Biological
Contagion

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output


Nutshell

Other kinds of prediction

Next


References



► And you can be the virus. 

► Also contagious?: Cooperative games ...

Lesson 4: Quarantine



Vaccines take time to 'kick in' so they're ineffective if an infection has already begun to spread.

Start >

VAX!

Networks

Epidemics

Vaccines

Quarantine

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction


Next

References



Pandemic severity index (PSI)


► Classification during/post pandemic:



Assumes 30% illness rate
and unmitigated pandemic
without interventions

CDC

U.S. Gov.

- Category based.
- 1-5 scale.
- Modeled on the Saffir-Simpson hurricane scale .

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output

Nutshell

Other kinds of prediction

Next

References



For novel diseases:

1. Can we predict the size of an epidemic?
2. How important is the reproduction number R_0 ?

R_0 approximately same for all of the following:

- ▶ 1918-19 "Spanish Flu" ~ 75,000,000 world-wide, 500,000 deaths in US.
- ▶ 1957-58 "Asian Flu" ~ 2,000,000 world-wide, 70,000 deaths in US.
- ▶ 1968-69 "Hong Kong Flu" ~ 1,000,000 world-wide, 34,000 deaths in US.
- ▶ 2003 "SARS Epidemic" ~ 800 deaths world-wide.

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output

Nutshell

Other kinds of prediction

Next

References



Size distributions are important elsewhere:

- ▶ earthquakes (Gutenberg-Richter law)
- ▶ city sizes, forest fires, war fatalities
- ▶ wealth distributions
- ▶ 'popularity' (books, music, websites, ideas)
- ▶ **Epidemics?**

Power laws distributions are common but not obligatory...

Really, what about epidemics?

- ▶ Simply hasn't attracted much attention.
- ▶ Data not as clean as for other phenomena.

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell


Other kinds of prediction

Next

References



Caseload recorded monthly for range of diseases in Iceland, 1888-1990



- ▶ Treat outbreaks separated in time as 'novel' diseases.

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models

Model output

Nutshell

Other kinds of prediction


Next

References



Really not so good at all in Iceland

Epidemic size distributions $N(S)$ for
Measles, Rubella, and Whooping Cough.



Spike near $S = 0$, relatively flat otherwise.

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output

Nutshell

Other kinds of prediction

Next


References



Measles & Pertussis

PoCS | @pocsvox

Biological
Contagion



Insert plots:

Complementary cumulative frequency distributions:

$$N(\Psi' > \Psi) \propto \Psi^{-\gamma+1}$$

Limited scaling with a possible break.

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output

Nutshell

Other kinds of prediction

Next

References



Measured values of γ :

- ▶ measles: 1.40 (low Ψ) and 1.13 (high Ψ)
- ▶ pertussis: 1.39 (low Ψ) and 1.16 (high Ψ)

- ▶ Expect $2 \leq \gamma < 3$ (finite mean, infinite variance)
- ▶ When $\gamma < 1$, can't normalize
- ▶ Distribution is quite flat.

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output

Nutshell

Other kinds of prediction

Next


References



Resurgence—example of SARS

PoCS | @pocsvox

Biological
Contagion



- ▶ Epidemic slows... then an infective moves to a new context.
- ▶ Epidemic discovers new 'pools' of susceptibles: **Resurgence.**
- ▶ **Importance of rare, stochastic events.**

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output

Nutshell

Other kinds of prediction

Next

References



Community—S2E6: Epidemiology

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output

Nutshell

Other kinds of prediction

Next

References



The challenge

So... can a simple model produce

1. **broad epidemic distributions**
and
2. **resurgence ?**

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell


Other kinds of prediction

Next

References



Size distributions



Simple models typically produce **bimodal** or **unimodal** size distributions.

- ▶ This **includes** network models: random, small-world, scale-free, ...
- ▶ Exceptions:
 1. Forest fire models
 2. Sophisticated metapopulation models

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



Burning through the population

PoCS | @pocsvox

Biological
Contagion

Forest fire models: ^[18]

- ▶ Rhodes & Anderson, 1996
- ▶ The physicist's approach:
"if it works for magnets, it'll work for people..."

A bit of a stretch:

1. Epidemics \equiv forest fires spreading on 3-d and 5-d lattices.
2. Claim Iceland and Faroe Islands exhibit power law distributions for outbreaks.
3. Original forest fire model not completely understood.

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output

Nutshell


Other kinds of prediction

Next

References



Size distributions



From Rhodes and Anderson, 1996.

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models

Model output

Nutshell

Other kinds of prediction


Next

References



LIBERAL ARTS MAJORS MAY BE ANNOYING SOMETIMES, BUT THEIRS ASSUMING MORE COMPLEX THAN A PHYSICS FIRST ENGINEERING A NEW SUBJECT

Sophisticated metapopulation models:

- ▶ Multiscale models suggested earlier by others but not formalized (Bailey ^[1], Cliff and Haggett ^[5], Ferguson et al.)
- ▶ Community based mixing (two scales)—Longini. ^[16]
- ▶ Eubank et al.'s EpiSims/TRANSIMS —city simulations. ^[8]
- ▶ Spreading through countries—Airlines: Germann et al., Colizza et al. ^[6]

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References




GLEAMviz
The Global Epidemic and Mobility Model


NEWS TEAM PUBLICATIONS PRESS

VISION CHALLENGES APPROACH MODEL SIMULATOR CASE STUDY

A MULTIDISCIPLINARY APPROACH
TO EPIDEMIC ANALYSIS

$$D_t^c = \sum_{k=1}^{K-1} D_{t-1}^c (k-1) P(k, k') (1 - R_c^{-k'}) \left(1 - \sum_{k=1}^{K-1} D_t^c / P_k \right)$$

- ▶ GLEAM :
Global
pandemic
simulations by
Vespignani et
al.



Community—S2E6: Epidemiology

Introduction

Simple disease
spreading models

Background

Prediction

More modelsToy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



- ▶ Vital work but perhaps hard to generalize from...
- ▶ \Rightarrow Create a simple model involving multiscale travel
- ▶ Very big question: **What is N ?**
- ▶ Should we model SARS in Hong Kong as spreading in a neighborhood, in Hong Kong, Asia, or the world?
- ▶ For simple models, we need to know the final size beforehand...

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction


Next

References



Improving simple models

Contexts and Identities—Bipartite networks



- ▶ boards of directors
- ▶ movies
- ▶ transportation modes (subway)

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



Improving simple models

Idea for social networks: incorporate identity

Identity is formed from attributes such as:

- ▶ Geographic location
- ▶ Type of employment
- ▶ Age
- ▶ Recreational activities

Groups are crucial...

- ▶ formed by people with at least one similar attribute
- ▶ Attributes \Leftrightarrow Contexts \Leftrightarrow Interactions \Leftrightarrow Networks. [22]

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell


Other kinds of prediction

Next

References



Infer interactions/network from identities



Distance makes sense in identity/context space.

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell


Other kinds of prediction

Next

References



Generalized context space



(Blau & Schwartz ^[3], Simmel ^[19], Breiger ^[4])

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



A toy agent-based model:



“Multiscale, resurgent epidemics in a hierarchical metapopulation model” ↗

Watts et al.,
Proc. Natl. Acad. Sci., **102**, 11157–11162,
2005. [23]

Geography: allow people to move between contexts

- ▶ Locally: standard SIR model with random mixing
- ▶ discrete time simulation
- ▶ β = infection probability
- ▶ γ = recovery probability
- ▶ P = probability of travel
- ▶ **Movement distance:** $\Pr(d) \propto \exp(-d/\xi)$
- ▶ ξ = typical travel distance

Introduction

Simple disease
spreading models

Background

Prediction

More models

**Toy metapopulation
models**


Model output

Nutshell

Other kinds of prediction


Next

References



A toy agent-based model

Schematic:



Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



- ▶ Define P_0 = Expected number of infected individuals **leaving** initially infected context.
- ▶ Need $P_0 > 1$ for disease to spread (independent of R_0).
- ▶ Limit epidemic size by **restricting frequency of travel and/or range**

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell


Other kinds of prediction

Next

References



Varying ξ :



- Transition in expected final size based on typical movement distance (**sensible**)

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction


Next

References



Model output

Varying P_0 :



- ▶ Transition in expected final size based on typical number of infectives leaving first group (also sensible)
- ▶ Travel advisories: ξ has larger effect than P_0 .

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell



Other kinds of prediction

Next

References



Example model output: size distributions



- ▶ Flat distributions are possible for certain ξ and P .
- ▶ Different R_0 's may produce similar distributions
- ▶ Same epidemic sizes may arise from different R_0 's

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References




Model output—resurgence

PoCS | @pocsvox

Biological
Contagion

Standard model:



Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction



Next

References



Model output—resurgence

Standard model with transport:




Introduction

Simple disease spreading models

- Background
- Prediction
- More models
- Toy metapopulation models
- Model output**
- Nutshell
- Other kinds of prediction
- Next

References



The upshot

Simple multiscale population structure

+

stochasticity

leads to

resurgence

+

broad epidemic size distributions

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



- ▶ For the hierarchical movement model, epidemic size is highly unpredictable
- ▶ Model is more complicated than SIR but still simple.
- ▶ We haven't even included normal social responses such as travel bans and self-quarantine.
- ▶ The reproduction number R_0 is not terribly useful.
- ▶ R_0 , however measured, is not informative about
 1. how likely the observed epidemic size was,
 2. and how likely future epidemics will be.
- ▶ Problem: R_0 summarises **one** epidemic after the fact and enfolds movement, the price of bananas, everything.

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



Conclusions

- ▶ Disease's spread is highly sensitive to population structure.
- ▶ Rare events may matter enormously: e.g., an infected individual taking an international flight.
- ▶ More support for controlling population movement:
e.g., travel advisories, quarantine

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



What to do:

- ▶ Need to separate movement from disease
- ▶ R_0 needs a friend or two.
- ▶ Need $R_0 > 1$ and $P_0 > 1$ and ξ sufficiently large for disease to have a chance of spreading
- ▶ And in general: keep building up the kitchen sink models.

More wondering:

- ▶ Exactly how important are rare events in disease spreading?
- ▶ Again, what is N ?

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models



Model output

Nutshell

Other kinds of prediction

Next

References



Krugman, 1998: "Why most economists' predictions are wrong."



"The growth of the Internet will slow drastically, as the flaw in "Metcalfe's law"—which states that the number of potential connections in a network is proportional to the square of the number of participants—becomes apparent: most people have nothing to say to each other! By 2005 or so, it will become clear that the Internet's impact on the economy has been no greater than the fax machine's."¹

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



¹<http://www.redherring.com/mag/issue55/economics.html>

Alan Greenspan (September 18, 2007):

"I've been dealing with these big mathematical models of forecasting the economy ...

If I could figure out a way to determine whether or not people are more fearful or changing to more euphoric,

I don't need any of this other stuff.

I could forecast the economy better than any way I know."



<http://wikipedia.org>

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



Economics, Schmeconomics

Greenspan continues:

"The trouble is that we can't figure that out. I've been in the forecasting business for 50 years. I'm no better than I ever was, and nobody else is. Forecasting 50 years ago was as good or as bad as it is today. And the reason is that human nature hasn't changed. We can't improve ourselves."

Jon Stewart:

"You just bummed the @*!# out of me."



wildbluffmedia.com

- ▶ From [the Daily Show](#) (September 18, 2007)
- ▶ The full interview is [here](#).

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Predicting social catastrophe isn't easy...

"Greenspan Concedes Error on Regulation"

- ▶ ...humbled Mr. Greenspan admitted that he had put too much faith in the self-correcting power of free markets ...
- ▶ "Those of us who have looked to the self-interest of lending institutions to protect shareholders' equity, myself included, are in a state of shocked disbelief"
- ▶ Rep. Henry A. Waxman: "Do you feel that your ideology pushed you to make decisions that you wish you had not made?"
- ▶ Mr. Greenspan conceded: "Yes, I've found a flaw. I don't know how significant or permanent it is. But I've been very distressed by that fact."

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell

Other kinds of prediction

Next

References



James K. Galbraith:

NYT But there are at least 15,000 professional economists in this country, and you're saying only two or three of them foresaw the mortgage crisis? [JKG] Ten or 12 would be closer than two or three.

NYT What does that say about the field of economics, which claims to be a science? [JKG] It's an enormous blot on the reputation of the profession. There are thousands of economists. Most of them teach. And most of them teach a theoretical framework that has been shown to be fundamentally useless.

From the [New York Times, 11/02/2008](#)

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References



Other attempts to use SIR and co. elsewhere:

- ▶ Adoption of ideas/beliefs (Goffman & Newell, 1964)^[10]
- ▶ Spread of rumors (Daley & Kendall, 1965)^[7]
- ▶ Diffusion of innovations (Bass, 1969)^[2]
- ▶ Spread of fanatical behavior (Castillo-Chávez & Song, 2003)
- ▶ Spread of Feynmann diagrams (Bettencourt et al., 2006)

Social contagion:

- ▶ SIR may apply sometimes ...
- ▶ But we need new fundamental models.
- ▶ Next up: Thresholds.

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell

Other kinds of prediction

Next

References




We really should know social contagion is different but ...



“It’s contagious: Rethinking a metaphor dialogically” ↗

Warren and Power,
Culture & Psychology, **21**, 359–379,
2015. [21]

- ▶ “Facebook will lose 80% of users by 2017, say Princeton researchers” ↗ (Guardian, 2014)



“Epidemiological modeling of online social network dynamics” ↗

Spechler and Cannarella,
Culture & Psychology, **21**, 359–379,
2014. [20]

Introduction

Simple disease spreading models

Background

Prediction

More models

Toy metapopulation models


Model output

Nutshell


Other kinds of prediction

Next

References



The Facebook Data Science team's response




► Mike Develin, Lada Adamic, and Sean Taylor.

Introduction

Simple disease spreading models

- Background
- Prediction
- More models
- Toy metapopulation models
- Model output
- Nutshell
- Other kinds of prediction
- Next**

References



References I


- [1] N. T. J. Bailey.
The Mathematical Theory of Infectious Diseases and Its Applications.
Griffin, London, Second edition, 1975.
- [2] F. Bass.
A new product growth model for consumer durables.
Manage. Sci., 15:215–227, 1969. pdf ↗
- [3] P. M. Blau and J. E. Schwartz.
Crosscutting Social Circles.
Academic Press, Orlando, FL, 1984.
- [4] R. L. Breiger.
The duality of persons and groups.
Social Forces, 53(2):181–190, 1974. pdf ↗


Introduction


Simple disease spreading models

- Background
- Prediction
- More models
- Toy metapopulation models
- Model output
- Nutshell
- Other kinds of prediction
- Next


References



- [5] A. D. Cliff, P. Haggett, J. K. Ord, and G. R. Versey. Spatial diffusion: an historical geography of epidemics in an island community. Cambridge University Press, Cambridge, UK, 1981.
- [6] V. Colizza, A. Barrat, M. Barthelmey, A.-J. Valleron, and A. Vespignani. Modeling the worldwide spread of pandemic influenza: Baseline case and containment interventions. PLoS Med., 4:e13, 2007. pdf 
- [7] D. J. Daley and D. G. Kendall. Stochastic rumours. J. Inst. Math. Appl., 1:42–55, 1965.

[Introduction](#)[Simple disease spreading models](#)[Background](#)[Prediction](#)[More models](#)[Toy metapopulation models](#)[Model output](#)[Nutshell](#)[Other kinds of prediction](#)[Next](#)[References](#)

- [8] S. Eubank, H. Guclu, V. S. A. Kumar, M. V. Marathe, A. Srinivasan, Z. Toroczka, and N. Wang. Modelling disease outbreaks in realistic urban social networks. [Nature](#), 429:180–184, 2004. [pdf](#) ↗
- [9] J. Gleick. [The Information: A History, A Theory, A Flood](#). Pantheon, 2011.
- [10] W. Goffman and V. A. Newill. Generalization of epidemic theory: An application to the transmission of ideas. [Nature](#), 204:225–228, 1964. [pdf](#) ↗

[Introduction](#)[Simple disease spreading models](#)[Background](#)[Prediction](#)[More models](#)[Toy metapopulation models](#)[Model output](#)[Nutshell](#)[Other kinds of prediction](#)[Next](#)[References](#)


- [11] E. Hoffer.
The True Believer: On The Nature Of Mass Movements.
Harper and Row, New York, 1951.
- [12] E. Hoffer.
The Passionate State of Mind: And Other Aphorisms.
Buccaneer Books, 1954.
- [13] W. O. Kermack and A. G. McKendrick.
A contribution to the mathematical theory of epidemics.
Proc. R. Soc. Lond. A, 115:700-721, 1927. pdf ↗

Introduction

Simple disease spreading models

[Background](#)[Prediction](#)[More models](#)[Toy metapopulation models](#)[Model output](#)[Nutshell](#)[Other kinds of prediction](#)[Next](#)

References




- [14] W. O. Kermack and A. G. McKendrick.
A contribution to the mathematical theory of epidemics. III. Further studies of the problem of endemicity.

[Proc. R. Soc. Lond. A, 141\(843\):94–122, 1927.](#)

[pdf](#) 

- [15] W. O. Kermack and A. G. McKendrick.
Contributions to the mathematical theory of epidemics. II. The problem of endemicity.

[Proc. R. Soc. Lond. A, 138\(834\):55–83, 1927.](#) [pdf](#) 

- [16] I. M. Longini.
A mathematical model for predicting the geographic spread of new infectious agents.

[Math. Biosci., 90:367–383, 1988.](#)

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models


Model output

Nutshell


Other kinds of prediction

Next

References



- [17] J. D. Murray.
Mathematical Biology.
Springer, New York, Third edition, 2002.
- [18] C. J. Rhodes and R. M. Anderson.
Power laws governing epidemics in isolated
populations.
Nature, 381:600–602, 1996. [pdf](#) ↗
- [19] G. Simmel.
The number of members as determining the
sociological form of the group. I.
American Journal of Sociology, 8:1–46, 1902.

[Introduction](#)[Simple disease
spreading models](#)[Background](#)[Prediction](#)[More models](#)[Toy metapopulation
models](#)[Model output](#)[Nutshell](#)[Other kinds of prediction](#)[Next](#)[References](#)

- [20] J. A. Spechler and J. Cannarella.
Epidemiological modeling of online social
network dynamics.
Available online at
<http://arxiv.org/abs/1401.4208>, 2014. pdf ↗
- [21] Z. J. Warren and S. A. Power.
It's contagious: Rethinking a metaphor
dialogically.
[Culture & Psychology](#), 21:359–379, 2015. pdf ↗
- [22] D. J. Watts, P. S. Dodds, and M. E. J. Newman.
Identity and search in social networks.
[Science](#), 296:1302–1305, 2002. pdf ↗

Introduction

Simple disease
spreading models

Background

Prediction

More models


Toy metapopulation
models

Model output

Nutshell

Other kinds of prediction

Next

References

Introduction

Simple disease
spreading models

Background

Prediction

More models

Toy metapopulation
models

Model output

Nutshell

Other kinds of prediction

Next

References

[23] D. J. Watts, R. Muhamad, D. Medina, and P. S. Dodds.

Multiscale, resurgent epidemics in a hierarchical metapopulation model.

[Proc. Natl. Acad. Sci., 102\(32\):11157–11162, 2005.](#)

[pdf](#) 

