

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Mechanisms for Generating Power-Law Size Distributions, Part 2

Principles of Complex Systems | @pocsvox
CSYS/MATH 300, Fall, 2015 | #FallPoCS2015

Prof. Peter Dodds | @peterdodds

Dept. of Mathematics & Statistics | Vermont Complex Systems Center
Vermont Advanced Computing Core | University of Vermont



These slides are brought to you by:

PoCS | @pocsvox
Power-Law
Mechanisms, Pt. 2

Sealie & Lambie Productions



Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?


Nutshell

Extra

References



The deal:



Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Aggregation:

- ▶ Random walks represent **additive aggregation**
- ▶ Mechanism: Random addition and subtraction
- ▶ Compare across realizations, no competition.
- ▶ Next: **Random Additive/Copying Processes** involving Competition.
- ▶ **Widespread:** Words, Cities, the Web, Wealth, Productivity (Lotka), Popularity (Books, People, ...)
- ▶ Competing mechanisms (trickiness)

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Pre-Zipf's law observations of Zipf's law

- ▶ 1910s: Word frequency examined re Stenography (or shorthand or brachygraphy or tachygraphy), Jean-Baptiste Estoup [10].
- ▶ 1910s: Felix Auerbach pointed out the Zipfitude of city sizes in "Das Gesetz der Bevölkerungskonzentration" ("The Law of Population Concentration") [1].
- ▶ 1924: **G. Udny Yule** [27]:
Species per Genus
- ▶ 1926: **Lotka** [14]:
Scientific papers per author (Lotka's law)

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Theoretical Work of Yore:

PoCS | @pocsvox

Power-Law
Mechanisms, Pt. 2

- ▶ 1953: **Mandelbrot**^[16]:
Optimality argument for Zipf's law; focus on language.
- ▶ 1955: **Herbert Simon**^[23, 29]:
Zipf's law for word frequency, city size, income, publications, and species per genus.
- ▶ 1965/1976: **Derek de Solla Price**^[7, 8]:
Network of Scientific Citations.
- ▶ 1999: **Barabasi and Albert**^[2]:
The World Wide Web, networks-at-large.

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References





Herbert Simon ↗ (1916–2001):

- ▶ Political scientist (and much more)
- ▶ Involved in Cognitive Psychology, Computer Science, Public Administration, Economics, Management, Sociology
- ▶ Coined 'bounded rationality' and 'satisficing'
- ▶ Nearly 1000 publications (see Google Scholar ↗)
- ▶ An early leader in Artificial Intelligence, Information Processing, Decision-Making, Problem-Solving, Attention Economics, Organization Theory, Complex Systems, And Computer Simulation Of Scientific Discovery.
- ▶ 1978 Nobel Laureate in Economics (his Nobel bio is here ↗).

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication (RCR):

1. Start with 1 elephant (or element) of a particular flavor at $t = 1$
2. At time $t = 2, 3, 4, \dots$, add a new elephant in one of two ways:
 - ▶ With probability ρ , create a new elephant with a new flavor
= Mutation/Innovation
 - ▶ With probability $1 - \rho$, randomly choose from all existing elephants, and make a copy.
= Replication/Imitation
 - ▶ Elephants of the same flavor form a group

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication:

Example: Words appearing in a language

- ▶ Consider words as they appear sequentially.
- ▶ With probability ρ , the next word has not previously appeared
= Mutation/Innovation
- ▶ With probability $1 - \rho$, randomly choose one word from all words that have come before, and reuse this word
= Replication/Imitation

Note: This is a terrible way to write a novel.

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?


Nutshell

Extra

References



For example:



- 21 words used
 - next word is new with prob ρ
 - next word is a copy with prob $1-\rho$
- | prob: | next word: |
|----------|------------|
| $6/21$ | ook |
| $4/21$ | the |
| $3/21$ | and |
| $2/21$ | penguin |
| \vdots | |
| $1/21$ | library |

Rich-Get-Richer Mechanism

Simon's Model

- Analysis
- Words
- Catchphrases

Optimization

- Minimal Cost
- Mandelbrot vs. Simon
- Assumptions
- Model
- Analysis
- And the winner is...?

Nutshell

Extra



References



Some observations:

- ▶ Fundamental **Rich-get-Richer** story;
- ▶ Competition for replication between individual elephants is random;
- ▶ Competition for growth between groups of matching elephants is not random;
- ▶ Selection on groups is biased by size;
- ▶ Random selection sounds **easy**;
- ▶ Possible that no great knowledge of system needed (but more later ...).

Your free set of tofu knives:

- ▶ Related to Pólya's Urn Model , a special case of problems involving urns and colored balls .
- ▶ Sampling with super-duper replacement and sneaky sneaking in of new colors.



Random Competitive Replication:

Some observations:

- ▶ Steady growth of system: +1 elephant per unit time.
- ▶ Steady growth of distinct flavors at **rate ρ**
- ▶ We can incorporate
 1. Elephant elimination
 2. Elephants moving between groups
 3. Variable innovation rate ρ
 4. Different selection based on group size
(But mechanism for selection is not as simple...)

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis


And the winner is...?


Nutshell

Extra

References






“The Self-Organizing Economy” 
by Paul Krugman (1996). ^[13]

Ch. 3: An Urban Mystery, p. 46

“...Simon showed—in a completely impenetrable exposition!—that the exponent of the power law distribution should be ...”^{1, 2}

¹Krugman’s book was handed to the Deliverator by a certain Álvaro Cartea  many years ago at the Santa Fe Institute Summer School.

²Let’s use π for probability because π ’s not special, right guys?

Rich-Get-Richer
Mechanism

Simon’s Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication:

Definitions:

- ▶ k_i = size of a group i
- ▶ $N_{k,t}$ = # groups containing k elephants at time t .

Basic question: How does $N_{k,t}$ evolve with time?

First: $\sum_k kN_{k,t} = t = \text{number of elephants at time } t$

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication:

PoCS | @pocsvox
Power-Law
Mechanisms, Pt. 2

$P_k(t)$ = Probability of choosing an elephant that belongs to a group of size k :

- ▶ $N_{k,t}$ size k groups
- ▶ $\Rightarrow kN_{k,t}$ elephants in size k groups
- ▶ t elephants overall

$$P_k(t) = \frac{kN_{k,t}}{t}.$$

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication:

$N_{k,t}$, the number of groups with k elephants, changes at time t if

1. An elephant belonging to a group with k elephants is **replicated**:

$$N_{k,t+1} = N_{k,t} - 1$$

Happens with probability $(1 - \rho)kN_{k,t}/t$

2. An elephant belonging to a group with $k - 1$ elephants is **replicated**:

$$N_{k,t+1} = N_{k,t} + 1$$

Happens with probability $(1 - \rho)(k - 1)N_{k-1,t}/t$

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication:

Special case for $N_{1,t}$:

1. The new elephant is a new flavor:

$$N_{1,t+1} = N_{1,t} + 1$$

Happens with probability ρ

2. A unique elephant is replicated:

$$N_{1,t+1} = N_{1,t} - 1$$

Happens with probability $(1 - \rho)N_1/t$

Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication:

Putting everything together:

For $k > 1$:

$$\langle N_{k,t+1} - N_{k,t} \rangle = (1-\rho) \left((+1)(k-1) \frac{N_{k-1,t}}{t} + (-1)k \frac{N_{k,t}}{t} \right)$$

For $k = 1$:

$$\langle N_{1,t+1} - N_{1,t} \rangle = (+1)\rho + (-1)(1-\rho)1 \cdot \frac{N_{1,t}}{t}$$

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication:

Assume distribution stabilizes: $N_{k,t} = n_k t$
(Reasonable for t large)

- ▶ Drop expectations
 - ▶ Numbers of elephants now fractional
 - ▶ Okay over large time scales
-
- ▶ For later: the fraction of groups that have size k is n_k/ρ since

$$\frac{N_{k,t}}{\rho t} = \frac{n_k t}{\rho t} = \frac{n_k}{\rho}.$$

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication:

Stochastic difference equation:

$$\langle N_{k,t+1} - N_{k,t} \rangle = (1 - \rho) \left((k-1) \frac{N_{k-1,t}}{t} - k \frac{N_{k,t}}{t} \right)$$

becomes

$$n_k(t+1) - n_k t = (1 - \rho) \left((k-1) \frac{n_{k-1} t}{t} - k \frac{n_k t}{t} \right)$$

$$n_k(\cancel{t} + 1 - \cancel{t}) = (1 - \rho) \left((k-1) \frac{n_{k-1}\cancel{t}}{\cancel{t}} - k \frac{n_k\cancel{t}}{\cancel{t}} \right)$$

$$\Rightarrow n_k = (1 - \rho) ((k-1)n_{k-1} - kn_k)$$

$$\Rightarrow n_k (1 + (1 - \rho)k) = (1 - \rho)(k-1)n_{k-1}$$

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Random Competitive Replication:


We have a simple recursion:

$$\frac{n_k}{n_{k-1}} = \frac{(k-1)(1-\rho)}{1+(1-\rho)k}$$

- ▶ Interested in k large (the tail of the distribution)
- ▶ Can be solved exactly.

Insert question from assignment 4 

- ▶ For just the tail: Expand as a series of powers of $1/k$

Insert question from assignment 4 

We (okay, you) find

$$n_k \propto k^{-\frac{(2-\rho)}{(1-\rho)}} = k^{-\gamma}$$

$$\gamma = \frac{(2-\rho)}{(1-\rho)} = 1 + \frac{1}{(1-\rho)}$$

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



- ▶ Micro-to-Macro story with ρ and γ measurable.

$$\gamma = \frac{(2 - \rho)}{(1 - \rho)} = 1 + \frac{1}{(1 - \rho)}$$

- ▶ Observe $2 < \gamma < \infty$ for $0 < \rho < 1$.
- ▶ For $\rho \simeq 0$ (low innovation rate):

$$\gamma \simeq 2$$

- ▶ 'Wild' power-law size distribution of group sizes, bordering on 'infinite' mean.
- ▶ For $\rho \simeq 1$ (high innovation rate):

$$\gamma \simeq \infty$$

- ▶ All elephants have different flavors.
- ▶ Upshot: Tunable mechanism producing a family of universality classes.



- ▶ Recall Zipf's law: $s_r \sim r^{-\alpha}$
(s_r = size of the r th largest group of elephants)
- ▶ We found $\alpha = 1/(\gamma - 1)$ so:

$$\alpha = \frac{1}{\gamma - 1} = \frac{1}{\cancel{\gamma} + \frac{1}{(1-\rho)} - \cancel{\gamma}} = 1 - \rho.$$

- ▶ $\gamma = 2$ corresponds to $\alpha = 1$
- ▶ We (roughly) see Zipfian exponent ^[29] of $\alpha = 1$ for many real systems: city sizes, word distributions, ...
- ▶ Corresponds to $\rho \rightarrow 0$, low innovation.
- ▶ Krugman doesn't like it) ^[13] but it's all good.
- ▶ Still, **other quite different** mechanisms are possible...
- ▶ Must look at the details to see if mechanism makes sense... **more later.**



What about small k ?:

We had one other equation:



$$\langle N_{1,t+1} - N_{1,t} \rangle = \rho - (1 - \rho)1 \cdot \frac{N_{1,t}}{t}$$

▶ As before, set $N_{1,t} = n_1 t$ and drop expectations



$$n_1(t+1) - n_1 t = \rho - (1 - \rho)1 \cdot \frac{n_1 t}{t}$$



$$n_1 = \rho - (1 - \rho)n_1$$

▶ Rearrange:

$$n_1 + (1 - \rho)n_1 = \rho$$



$$n_1 = \frac{\rho}{2 - \rho}$$

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



So...
$$N_{1,t} = n_1 t = \frac{\rho t}{2 - \rho}$$

- ▶ Recall number of distinct elephants = ρt .
- ▶ Fraction of distinct elephants that are unique (belong to groups of size 1):

$$\frac{1}{\rho t} N_{1,t} = \frac{1}{\rho t} \frac{\rho t}{2 - \rho} = \frac{1}{2 - \rho}$$

(also = fraction of groups of size 1)

- ▶ For ρ small, fraction of unique elephants $\sim 1/2$
- ▶ Roughly observed for real distributions
- ▶ ρ increases, fraction increases
- ▶ Can show fraction of groups with two elephants $\sim 1/6$
- ▶ Model works well for large and small k #awesome

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis


And the winner is...?

Nutshell

Extra

References





Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Words:

From Simon ^[23]:

Estimate $\rho_{\text{est}} = \# \text{ unique words} / \# \text{ all words}$

For Joyce's **Ulysses**: $\rho_{\text{est}} \simeq 0.115$

N_1 (real)	N_1 (est)	N_2 (real)	N_2 (est)
16,432	15,850	4,776	4,870

Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Evolution of catch phrases:

- ▶ Yule's paper (1924)^[27]:
"A mathematical theory of evolution, based on the conclusions of Dr J. C. Willis, F.R.S."
- ▶ Simon's paper (1955)^[23]:
"On a class of skew distribution functions" (snore)

From Simon's introduction:

It is the purpose of this paper to analyse a class of distribution functions that appear in a wide range of empirical data—particularly data describing sociological, biological and economic phenomena.

Its appearance is so frequent, and the phenomena so diverse, that one is led to conjecture that if these phenomena have any property in common it can only be a similarity in the structure of the underlying probability mechanisms.



Evolution of catch phrases:

PoCS | @pocsvox
Power-Law
Mechanisms, Pt. 2

Derek de Solla Price:

- ▶ First to study network evolution with these kinds of models.
- ▶ Citation network of scientific papers
- ▶ Price's term: **Cumulative Advantage**
- ▶ Idea: papers receive new citations with probability proportional to their existing # of citations
- ▶ Directed network
- ▶ Two (surmountable) problems:
 1. New papers have no citations
 2. Selection mechanism is more complicated

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Evolution of catch phrases:

Robert K. Merton: the Matthew Effect ↗

- ▶ Studied careers of scientists and found credit flowed disproportionately to the already famous

From the Gospel of Matthew:

“For to every one that hath shall be given...

(Wait! There's more....)

but from him that hath not, that also which he seemeth to have shall be taken away.

And cast the worthless servant into the outer darkness; there men will weep and gnash their teeth.”

- ▶ (Hath = suggested unit of purchasing power.)
- ▶ Matilda effect: ↗ women's scientific achievements are often overlooked

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Evolution of catch phrases:

PoCS | @pocsvox
Power-Law
Mechanisms, Pt. 2

Merton was a catchphrase machine:

1. Self-fulfilling prophecy
2. Role model
3. Unintended (or unanticipated) consequences
4. Focused interview → focus group

And just to be clear...

Merton's son, Robert C. Merton, won the Nobel Prize for Economics in 1997.

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Evolution of catch phrases:

- ▶ Barabasi and Albert^[2]—thinking about the Web
- ▶ Independent reinvention of a version of Simon and Price's theory for networks
- ▶ Another term: **"Preferential Attachment"**
- ▶ Considered undirected networks (not realistic but avoids 0 citation problem)
- ▶ Still have selection problem based on size (non-random)
- ▶ Solution: Randomly connect to a node (**easy**) ...
- ▶ ...and then randomly connect to the node's friends (**also easy**)
- ▶ **"Scale-free networks"** = food on the table for physicists

Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra




References



The deal:

PoCS | @pocsvox

Power-Law
Mechanisms, Pt. 2



Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?


Nutshell


Extra

References



Benoît Mandelbrot



- ▶ Mandelbrot = father of fractals
- ▶ Mandelbrot = almond bread
- ▶ Bonus Mandelbrot set action: [here](#) .

Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Benoît Mandelbrot

- ▶ Derived Zipf's law through optimization^[16]
- ▶ **Idea:** Language is efficient
- ▶ Communicate as much information as possible for as little cost
- ▶ Need measures of information (H) and average cost (C)...
- ▶ Language evolves to maximize H/C , the amount of information per average cost.
- ▶ Equivalently: minimize C/H .
- ▶ **Recurring theme:** what role does optimization play in complex systems?

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



The Quickening ↗—Mandelbrot v. Simon:

There Can Be Only One: ↗



- ▶ Things there should be only one of:
Theory, Highlander Films.
- ▶ Feel free to play Queen's It's a Kind of Magic ↗ in your head (funding remains tight).

PoCS | @pocsvox
Power-Law
Mechanisms, Pt. 2

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



Now let us enjoy the Trailer for Highlander:

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References





Mandelbrot vs. Simon:

- ▶ Mandelbrot (1953): "An Informational Theory of the Statistical Structure of Languages" [16]
- ▶ Simon (1955): "On a class of skew distribution functions" [23]
- ▶ Mandelbrot (1959): "A note on a class of skew distribution functions: analysis and critique of a paper by H.A. Simon" [17]
- ▶ Simon (1960): "Some further notes on a class of skew distribution functions" [24]

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



I have no rival, No man can be my equal



Mandelbrot vs. Simon:

- ▶ Mandelbrot (1961): "Final note on a class of skew distribution functions: analysis and critique of a model due to H.A. Simon" [19]
- ▶ Simon (1961): "Reply to 'final note' by Benoit Mandelbrot" [26]
- ▶ Mandelbrot (1961): "Post scriptum to 'final note'" [19]
- ▶ Simon (1961): "Reply to Dr. Mandelbrot's post scriptum" [25]

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



I am immortal, I have inside me blood of kings

Mandelbrot:

"We shall restate in detail our 1959 objections to Simon's 1955 model for the Pareto-Yule-Zipf distribution. Our objections are valid quite irrespectively of the sign of $p-1$, so that most of Simon's (1960) reply was irrelevant." [18]

Simon:

"Dr. Mandelbrot has proposed a new set of objections to my 1955 models of the Yule distribution. Like his earlier objections, these are invalid." [26]

PoCS | @pocsvox

Power-Law
Mechanisms, Pt. 2

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Tho theories enter, one theory leaves

Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Mandelbrot's Assumptions:

- ▶ Language contains n words: w_1, w_2, \dots, w_n .
- ▶ i th word appears with probability p_i
- ▶ Words appear randomly according to this distribution (obviously not true...)
- ▶ Words = composition of letters is important
- ▶ Alphabet contains m letters
- ▶ Words are ordered by length (shortest first)

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon

Assumptions

Model
Analysis
And the winner is...?

Nutshell

Extra

References



Zipfarama via Optimization:

Word Cost

- ▶ Length of word (plus a space)
- ▶ Word length was irrelevant for Simon's method

Objection

- ▶ Real words don't use all letter sequences

Objections to Objection

- ▶ Maybe real words roughly follow this pattern (?)
- ▶ Words can be encoded this way
- ▶ Na na na-na naaaaa...

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon

Assumptions

Model
Analysis
And the winner is...?

Nutshell

Extra

References



Zipfarama via Optimization:

Binary alphabet plus a space symbol

i	1	2	3	4	5	6	7	8
word	1	10	11	100	101	110	111	1000
length	1	2	2	3	3	3	3	4
$1 + \log_2 i$	1	2	2.58	3	3.32	3.58	3.81	4

- ▶ Word length of 2^k th word: $= k + 1 = 1 + \log_2 2^k$
- ▶ Word length of i th word $\simeq 1 + \log_2 i$
- ▶ For an alphabet with m letters,
word length of i th word $\simeq 1 + \log_m i$.

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon

Assumptions

Model
Analysis
And the winner is...?

Nutshell

Extra

References



Zipfarama via Optimization:

Total Cost C

- ▶ Cost of the i th word: $C_i \simeq 1 + \log_m i$
- ▶ Cost of the i th word plus space:
 $C_i \simeq 1 + \log_m (i + 1)$
- ▶ Subtract fixed cost: $C'_i = C_i - 1 \simeq \log_m (i + 1)$
- ▶ Simplify base of logarithm:

$$C'_i \simeq \log_m (i + 1) = \frac{\log_e (i + 1)}{\log_e m} \propto \ln(i + 1)$$

- ▶ Total Cost:

$$C \sim \sum_{i=1}^n p_i C'_i \propto \sum_{i=1}^n p_i \ln(i + 1)$$

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



Information Measure

- ▶ Use Shannon's Entropy (or Uncertainty):

$$H = - \sum_{i=1}^n p_i \log_2 p_i$$

- ▶ (allegedly) von Neumann suggested 'entropy'...
- ▶ Proportional to average number of bits needed to encode each 'word' based on frequency of occurrence
- ▶ $-\log_2 p_i = \log_2 1/p_i =$ minimum number of bits needed to distinguish event i from all others
- ▶ If $p_i = 1/2$, need only 1 bit ($\log_2 1/p_i = 1$)
- ▶ If $p_i = 1/64$, need 6 bits ($\log_2 1/p_i = 6$)

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Information Measure

- Use a slightly simpler form:

$$H = - \sum_{i=1}^n p_i \log_e p_i / \log_e 2 = -g \sum_{i=1}^n p_i \ln p_i$$

where $g = 1/\ln 2$

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



Zipfarama via Optimization:

► Minimize

$$F(p_1, p_2, \dots, p_n) = C/H$$

subject to constraint

$$\sum_{i=1}^n p_i = 1$$

► Tension:

- (1) Shorter words are **cheaper**
- (2) Longer words are **more informative** (rarer)

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions

Model

Analysis
And the winner is...?

Nutshell

Extra

References



Zipfarama via Optimization:

Time for Lagrange Multipliers:

► Minimize

$$\Psi(p_1, p_2, \dots, p_n) = \\ F(p_1, p_2, \dots, p_n) + \lambda G(p_1, p_2, \dots, p_n)$$

where

$$F(p_1, p_2, \dots, p_n) = \frac{C}{H} = \frac{\sum_{i=1}^n p_i \ln(i+1)}{-g \sum_{i=1}^n p_i \ln p_i}$$

and the constraint function is

$$G(p_1, p_2, \dots, p_n) = \sum_{i=1}^n p_i - 1 (= 0)$$

Insert question from assignment 3 

Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Zipfarama via Optimization:

Some mild suffering leads to:



$$p_j = e^{-1-\lambda H^2/gC} (j+1)^{-H/gC} \propto (j+1)^{-H/gC}$$

- ▶ A power law appears [applause]: $\alpha = H/gC$
- ▶ Next: sneakily deduce λ in terms of g , C , and H .
- ▶ Find

$$p_j = (j+1)^{-H/gC}$$

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



Finding the exponent

- ▶ Now use the normalization constraint:

$$1 = \sum_{j=1}^n p_j = \sum_{j=1}^n (j+1)^{-H/gC} = \sum_{j=1}^n (j+1)^{-\alpha}$$

- ▶ As $n \rightarrow \infty$, we end up with $\zeta(H/gC) = 2$ where ζ is the Riemann Zeta Function
- ▶ Gives $\alpha \simeq 1.73$ (> 1 , too high) or $\gamma = 1 + \frac{1}{\alpha} \simeq 1.58$ (very wild)
- ▶ If cost function **changes** ($j+1 \rightarrow j+a$) then exponent is tunable
- ▶ Increase a , decrease α

Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Zipfarama via Optimization:

All told:

- ▶ Reasonable approach: Optimization is at work in evolutionary processes
- ▶ But optimization can involve many incommensurate elephants: monetary cost, robustness, happiness,...
- ▶ Mandelbrot's argument is not super convincing
- ▶ Exponent depends too much on a loose definition of cost

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization


Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References





Rich-Get-Richer Mechanism

- Simon's Model
- Analysis
- Words
- Catchphrases

Optimization

- Minimal Cost
- Mandelbrot vs. Simon
- Assumptions
- Model
- Analysis
- And the winner is...?

Nutshell

Extra

References



From the discussion at the end of Mandelbrot's paper:

- ▶ A. S. C. Ross: "M. Mandelbrot states that 'the actual direction of evolution (sc. of language) is, in fact, towards fuller and fuller utilization of places'. We are, in fact, completely without evidence as to the existence of any 'direction of evolution' in language, and it is axiomatic that we shall remain so. Many philologists would deny that a 'direction of evolution' could be theoretically possible; thus I myself take the view that a language develops in what is essentially a purely random manner."
- ▶ Mandelbrot: "As to the 'fundamental linguistic units being the least possible differences between pairs of utterances' this is a logical consequence of the fact that two is the least integer greater than one."

Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Reconciling Mandelbrot and Simon

- ▶ Mixture of local optimization and randomness
 - ▶ Numerous efforts...
1. Carlson and Doyle, 1999:
Highly Optimized Tolerance
(HOT)—Evolved/Engineered Robustness [5, 6]
 2. Ferrer i Cancho and Solé, 2002:
Zipf's Principle of Least Effort [12]
 3. D'Souza et al., 2007:
Scale-free networks [9]

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Other mechanisms:

- ▶ Much argument about whether or not monkeys typing could produce Zipf's law... (Miller, 1957) [20]
- ▶ Miller gets to slap Zipf rather rudely in an introduction to a 1965 reprint of Zipf's "Psycho-biology of Language" [21, 28]
- ▶ Let us now slap Miller around by simply reading his words out (see next slides):



- ▶ Side note: Miller mentions "Genes of Language."
- ▶ Still fighting: "Random Texts Do Not Exhibit the Real Zipf's Law-Like Rank Distribution" [11] by Ferrer-i-Cancho and Elvevåg, 2010.

Rich-Get-Richer
MechanismSimon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



What Shannon said about meaning in his 1948 paper "A mathematical theory of communication": [22]

The fundamental problem of communication is that of reproducing at one point either exactly or approximately a message selected at another point. Frequently the messages have *meaning*; that is they refer to or are correlated according to some system with certain physical or conceptual entities. These semantic aspects of communication are irrelevant to the engineering problem. The significant aspect is that the actual message is one *selected from a set* of possible messages. The system must be designed to operate for each possible selection, not just the one which will actually be chosen since this is unknown at the time of design.

PoCS | @pocsvox
Power-Law
Mechanisms, Pt. 2

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



INTRODUCTION

The Psycho-Biology of Language is not calculated to please every taste. Zipf was the kind of man who would take roses apart to count their petals; if it violates your sense of values to tabulate the different words in a Shakespearean sonnet, this is not a book for you. Zipf took a scientist's view of language — and for him that meant the statistical analysis of language as a biological, psychological, social process. If such analysis repels you, then leave your language alone and avoid George Kingsley Zipf like the plague. You will be much happier reading Mark Twain: "There are liars, damned liars, and statisticians." Or W. H. Auden: "Thou shalt not sit with statisticians nor commit a social science."

However, for those who do not flinch to see beauty murdered in a good cause, Zipf's scientific exertions yielded some wonderfully unexpected results to boggle the mind and tease the imagination. Language *is* — among other things — a biological, psychological, social process; to apply statistics to it merely acknowledges its essential unpredictability, without which it would be useless. But who would have thought that in the very heart of all the freedom language allows us Zipf would find an invariant as solid and reliable as the law of gravitation?

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



Put it this way. Suppose that we acquired a dozen monkeys and chained them to typewriters until they had produced some very long and random sequence of characters. Suppose further that we defined a “word” in this monkey-text as any sequence of letters occurring between successive spaces. And suppose finally that we counted the occurrences of these “words” in just the way Zipf and others counted the occurrences of real words in meaningful texts. When we plot our results in the same manner, we will find exactly the same “Zipf curves” for the monkeys as for the human authors. Since we are not likely to argue that the poor monkeys were searching for some equilibrium between uniformity and diversity in expressing their ideas, such explanations seem equally inappropriate for human authors.

A mathematical rationalization for this result has been provided by Benoit Mandelbrot. The crux of it is that if we assume that word-boundary markers (spaces) are scattered randomly through a text, then there will necessarily be more occurrences of short than long words. Add to this fact the further observation that the variety of different words available increases exponentially with their length and the phenomenon Zipf reported becomes inescapable: a few short words will be used an enormous number of times while a vast number of longer words will occur infrequently or not at all.

So Zipf was wrong. His facts were right enough, but not his explanations. In a broader sense he was right, however, for he called attention to a stochastic process that is frequently seen in the social sciences, and by accumulating statistical data that cried out for some better explanation he challenged his colleagues and his successors to explore an important new type of probability distribution. Zipf belongs among those rare but stimulating men whose failures are more profitable than most men’s successes.

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra


References



So who's right?

Bornholdt and Ebel (PRE), 2001:

“World Wide Web scaling exponent from Simon’s 1955 model” [4].

- ▶ Show Simon’s model fares well.
- ▶ Recall ρ = probability new flavor appears.
- ▶ Alta Vista  crawls in approximately 6 month period in 1999 give $\rho \simeq 0.10$
- ▶ Leads to $\gamma = 1 + \frac{1}{1-\rho} \simeq 2.1$ for in-link distribution.
- ▶ Cite direct measurement of γ at the time: 2.1 ± 0.1 and 2.09 in two studies.

Rich-Get-Richer
Mechanism

Simon’s Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



So who's right?

Recent evidence for Zipf's law...




FIG. 1 (color online). (Color Online) Log-log plot of the number of packages in four Debian Linux Distributions with more than C in-directed links. The four Debian Linux Distributions are Woody (19.07.2002) (orange diamonds), Sarge (06.06.2005) (green crosses), Etch (15.08.2007) (blue circles), Lenny (15.12.2007) (black+'s). The inset shows the maximum likelihood estimate (MLE) of the exponent μ together with two boundaries defining its 95% confidence interval (approximately given by $1 \pm 2/\sqrt{n}$, where n is the number of data points using in the MLE), as a function of the lower threshold. The MLE has been modified from the standard Hill estimator to take into account the discreteness of C .

Maillard et al., PRL, 2008:
"Empirical Tests of Zipf's Law Mechanism in Open
Source Linux Distribution"^[15]

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis

And the winner is...?

Nutshell

Extra

References



So who's right?




FIG. 1 (color online). (Color Online) Log-log plot of the number of packages in four Debian Linux Distributions with more than C in-directed links. The four Debian Linux Distributions are Woody (19.07.2002) (orange diamonds), Sarge (06.06.2005) (green crosses), Etch (15.08.2007) (blue circles), Lenny (15.12.2007) (black+'s). The inset shows the maximum likelihood estimate (MLE) of the exponent μ together with two boundaries defining its 95% confidence interval (approximately given by $1 \pm 2/\sqrt{n}$, where n is the number of data points using in the MLE), as a function of the lower threshold. The MLE has been modified from the standard Hill estimator to take into account the discreteness of C .

Maillart et al., PRL, 2008:
"Empirical Tests of Zipf's Law Mechanism in Open
Source Linux Distribution" [15]

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



So who's right?




FIG. 2. Left panel: Plots of ΔC versus C from the Etch release (15.08.2007) to the latest Lenny version (05.05.2008) in double logarithmic scale. Only positive values are displayed. The linear regression $\Delta C = R \times C + C_0$ is significant at the 95% confidence level, with a small value $C_0 = 0.3$ at the origin and $R = 0.09$. Right panel: same as left panel for the standard deviation of ΔC .

- Rough, approximately linear relationship between C number of in-links and ΔC .

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



So who's right?

Nutshell:

- ▶ Simonish random 'rich-get-richer' models agree in detail with empirical observations.
- ▶ **Power-lawfulness**: Mandelbrot's optimality is still apparent.
- ▶ Optimality arises for free in **Random Competitive Replication** models.

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



Neural reboot (NR):

PoCS | @pocsvox

Power-Law
Mechanisms, Pt. 2

Walking with a baby robin:

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



Others are also not happy:

Krugman and Simon

- ▶ “The Self-Organizing Economy” (Paul Krugman, 1996)^[13]
- ▶ Krugman touts Zipf’s law for cities, Simon’s model
- ▶ “Déjà vu, Mr. Krugman” (Berry, 1999)
- ▶ Substantial work done by Urban Geographers

Rich-Get-Richer Mechanism

Simon’s Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



Who needs a hug?

From Berry^[3]

- ▶ Déjà vu, Mr. Krugman. Been there, done that. The Simon-Ijiri model was introduced to geographers in 1958 as an explanation of city size distributions, the first of many such contributions dealing with the steady states of random growth processes, ...
- ▶ But then, I suppose, even if Krugman had known about these studies, they would have been discounted because they were not written by professional economists or published in one of the top five journals in economics!

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



Who needs a hug?

From Berry^[3]

- ▶ ... [Krugman] needs to exercise some humility, for his world view is circumscribed by folkways that militate against recognition and acknowledgment of scholarship beyond his disciplinary frontier.
- ▶ **Urban geographers, thank heavens, are not so afflicted.**

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



- [1] F. Auerbach.
Das gesetz der bevölkerungskonzentration.
[Petermanns Geogr. Mitteilungen, 59:73–76, 1913.](#)
- [2] A.-L. Barabási and R. Albert.
Emergence of scaling in random networks.
[Science, 286:509–511, 1999.](#) pdf ↗
- [3] B. J. L. Berry.
Déjà vu, Mr. Krugman.
[Urban Geography, 20:1–2, 1999.](#) pdf ↗
- [4] S. Bornholdt and H. Ebel.
World Wide Web scaling exponent from Simon's
1955 model.
[Phys. Rev. E, 64:035104\(R\), 2001.](#) pdf ↗

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis




And the winner is...?

Nutshell

Extra

References

References II

- [5] J. M. Carlson and J. Doyle.
Highly optimized tolerance: A mechanism for
power laws in designed systems.
[Phys. Rev. E, 60\(2\):1412–1427, 1999. pdf](#) 
- [6] J. M. Carlson and J. Doyle.
Complexity and robustness.
[Proc. Natl. Acad. Sci., 99:2538–2545, 2002. pdf](#) 
- [7] D. J. de Solla Price.
Networks of scientific papers.
[Science, 149:510–515, 1965. pdf](#) 
- [8] D. J. de Solla Price.
A general theory of bibliometric and other
cumulative advantage processes.
[J. Amer. Soc. Inform. Sci., 27:292–306, 1976.](#)

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization


Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



- [9] R. M. D'Souza, C. Borgs, J. T. Chayes, N. Berger, and R. D. Kleinberg.
Emergence of tempered preferential attachment from optimization.
[Proc. Natl. Acad. Sci., 104:6112–6117, 2007. pdf](#) 
- [10] J.-B. Estoup.
Gammes sténographiques: méthode et exercices pour l'acquisition de la vitesse.
Institut Sténographique, 1916.
- [11] R. Ferrer-i Cancho and B. Elvevåg.
Random texts do not exhibit the real Zipf's law-like rank distribution.
[PLoS ONE, 5:e9411, 03 2010.](#)

Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

And the winner is...?

Nutshell

Extra

References



- [12] R. Ferrer-i Cancho and R. V. Solé.
Zipf's law and random texts.
[Advances in Complex Systems, 5\(1\):1-6, 2002.](#)
- [13] P. Krugman.
[The Self-Organizing Economy.](#)
Blackwell Publishers, Cambridge, Massachusetts,
1996.
- [14] A. J. Lotka.
The frequency distribution of scientific
productivity.
[Journal of the Washington Academy of Science,](#)
16:317-323, 1926.

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?



Nutshell

Extra

References



References V

- [15] T. Maillart, D. Sornette, S. Spaeth, and G. von Krogh.
Empirical tests of Zipf's law mechanism in open source Linux distribution.
[Phys. Rev. Lett., 101\(21\):218701, 2008. pdf](#) 
- [16] B. B. Mandelbrot.
An informational theory of the statistical structure of languages.
In W. Jackson, editor, [Communication Theory](#), pages 486–502. Butterworth, Woburn, MA, 1953.
[pdf](#) 
- [17] B. B. Mandelbrot.
A note on a class of skew distribution function.
Analysis and critique of a paper by H. A. Simon.
[Information and Control, 2:90–99, 1959.](#)

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization


Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



- [18] B. B. Mandelbrot.
Final note on a class of skew distribution
functions: analysis and critique of a model due to
H. A. Simon.
[Information and Control, 4:198–216, 1961.](#)
- [19] B. B. Mandelbrot.
Post scriptum to 'final note'.
[Information and Control, 4:300–304, 1961.](#)
- [20] G. A. Miller.
Some effects of intermittent silence.
[American Journal of Psychology, 70:311–314,
1957.](#) 

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?




Nutshell

Extra

References



References VII

- [21] G. A. Miller.
Introduction to reprint of G. K. Zipf's "The
Psycho-Biology of Language." MIT Press,
Cambridge MA, 1965. [pdf](#) 
- [22] C. E. Shannon.
A mathematical theory of communication.
[The Bell System Tech. J., 27:379-423,623-656,](#)
1948. [pdf](#) 
- [23] H. A. Simon.
On a class of skew distribution functions.
[Biometrika, 42:425-440, 1955.](#) [pdf](#) 
- [24] H. A. Simon.
Some further notes on a class of skew
distribution functions.
[Information and Control, 3:80-88, 1960.](#)

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



References VIII

- [25] H. A. Simon.
Reply to Dr. Mandelbrot's post scriptum.
[Information and Control, 4:305-308, 1961.](#)
- [26] H. A. Simon.
Reply to 'final note' by Benoît Mandelbrot.
[Information and Control, 4:217-223, 1961.](#)
- [27] G. U. Yule.
A mathematical theory of evolution, based on the
conclusions of Dr J. C. Willis, F.R.S.
[Phil. Trans. B, 213:21-, 1924.](#)
- [28] G. K. Zipf.
[The Psycho-Biology of Language.](#)
Houghton-Mifflin, New York, NY, 1935.

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References



- [29] G. K. Zipf.
Human Behaviour and the Principle of
Least-Effort.
Addison-Wesley, Cambridge, MA, 1949.

Rich-Get-Richer Mechanism

Simon's Model
Analysis
Words
Catchphrases

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...?

Nutshell

Extra

References

