

Chaotic Contagion: The Idealized Hipster Effect

Last updated: 2018/03/23, 20:59:06

Complex Networks | @networksvox
CSYS/MATH 303, Spring, 2018

Prof. Peter Dodds | @peterdodds

Dept. of Mathematics & Statistics | Vermont Complex Systems Center
Vermont Advanced Computing Core | University of Vermont



These slides are brought to you by:

COcoNuTS

Sealie & Lambie
Productions

Chaotic
Contagion
Chaos
Invariant densities
References




These slides are also brought to you by:



COcoNuTS

Special Guest Executive Producer

Chaotic
Contagion
Chaos
Invariant densities

References



 On Instagram at [pratchett_the_cat](https://www.instagram.com/pratchett_the_cat) 



Outline

COcoNuTS

Chaotic
Contagion

Chaos
Invariant densities

References


Chaotic Contagion

Chaos

Invariant densities


References






Chaotic Contagion on Networks:



"Limited Imitation Contagion on random networks: Chaos, universality, and unpredictability" 

Dodds, Harris, and Danforth,
Phys. Rev. Lett., **110**, 158701, 2013. [1]



"Dynamical influence processes on networks: General theory and applications to social contagion" 

Harris, Danforth, and Dodds,
Phys. Rev. E, **88**, 022816, 2013. [2]

A. Mandel, conference at Urbana-Champaign,
2007:

"If I was a younger man, I would have stolen this from you."

Chaotic
Contagion

Chaos

Invariant densities

References



What if individual response functions are not monotonic?


Consider a simple deterministic version:


Node i has an 'activation threshold'

$$\phi_{i,1}$$

...and a 'de-activation threshold' $\phi_{i,2}$


Nodes like to imitate but only up to a limit—they don't want to be like everyone else.





Definition of the tent map:





$$F(x) = \begin{cases} rx & \text{for } 0 \leq x \leq \frac{1}{2}, \\ r(1-x) & \text{for } \frac{1}{2} \leq x \leq 1. \end{cases}$$

 The usual business: look at how F iteratively maps the unit interval $[0, 1]$.



The tent map

Effect of increasing r from 1 to 2.



Orbit diagram:

Chaotic behavior increases as map slope r is increased.

Chaotic
Contagion


Chaos
Invariant densities

References



Chaotic behavior

Take $r = 2$ case:



Chaotic
Contagion




Chaos
Invariant densities

References

- What happens if nodes have limited information?
- As before, allow interactions to take place on a sparse random network.
- Vary average degree $z = \langle k \rangle$, a measure of information



Two population examples:

Chaotic
ContagionChaos
Invariant densities

References

- Randomly select $(\phi_{i,1}, \phi_{i,2})$ from gray regions shown in plots B and C.
- Insets show composite response function averaged over population.
- We'll consider plot C's example: [the tent map](#).



Invariant densities—stochastic response functions


COcoNuTS

Chaotic
Contagion


Chaos

Invariant densities

References



activation time series




activation density



Invariant densities—stochastic response functions

Chaotic
Contagion
Chaos
Invariant densities
References




Invariant densities—deterministic response functions for one specific network with $\langle k \rangle = 18$





Chaotic
Contagion
Chaos

Invariant densities

References



Invariant densities—stochastic response functions



Trying out higher values of $\langle k \rangle$...









Invariant densities—deterministic response functions

Chaotic
Contagion

Chaos

Invariant densities

References



Trying out higher values of $\langle k \rangle$...





Connectivity leads to chaos:

Chaotic
Contagion


Chaos

Invariant densities




References



Stochastic response functions:



Bifurcation diagram: Asynchronous updating



Bifurcation diagram: Asynchronous updating

COcoNuTS




FIG. 3. Bifurcation diagram for the dense map $\Phi(\phi; \alpha)$, Eqn. (18). This was generated by iterating the map at 1000 α values between 0 and 1. The iteration was carried out with 3 random initial conditions for 10000 time steps each, discarding the first 1000. The ϕ -axis contains 1000 bins and the invariant density, shown by the grayscale value, is normalized by the maximum for each α . With $\alpha < 2/3$, all trajectories go to the fixed point at $\phi = 2/3$.


Chaotic
Contagion
Chaos
Invariant densities
References



<https://www.youtube.com/watch?v=7JHrZyyq870?rel=0>


How the bifurcation diagram changes with increasing average degree $\langle k \rangle$ as a function of the synchronicity parameter α for the stochastic response (tent map) case.



https://www.youtube.com/watch?v=_zwK6polBvc?rel=0 


How the bifurcation diagram changes with increasing α , the synchronicity parameter as a function of average degree $\langle k \rangle$ for the stochastic response (tent map) case.



<https://www.youtube.com/watch?v=3bo4fzp4Snw?rel=0> 

LIC dynamics on a fixed graph with a shared stochastic (tent map) response function. Average degree = 6, update synchronicity parameter $\alpha = 1$. The macroscopic behavior is period-1, plus noisy fluctuations.




https://www.youtube.com/watch?v=7UCula_ktmw?rel=0 
LIC dynamics on a fixed graph with a shared stochastic (tent map) response function. Average degree = 11, update synchronicity parameter $\alpha = 1$. The macroscopic behavior is period-2, plus noisy fluctuations.




<https://www.youtube.com/watch?v=oWkT8Zj1Ccw?rel=0> ↗
LIC dynamics on a fixed graph with a shared stochastic (tent map) response function. $\langle k \rangle = 30$, update synchronicity parameter $\alpha = 1$. The macroscopic behavior is chaotic.



<https://www.youtube.com/watch?v=AfhUlklOiOU?rel=0> 

LIC dynamics on a fixed graph with fixed, deterministic response functions. Average degree = 30, update synchronicity parameter $\alpha = 1$. Shown are nodes which continue changing (703/1000) after the transient chaotic behavior has "collapsed."





<https://www.youtube.com/watch?v=ZwY0hTstj2M?rel=0> 








LIC dynamics on a fixed graph with fixed, deterministic response functions. Average degree = 30, update synchronicity parameter $\alpha = 1$. The dynamics exhibit transient chaotic behavior before collapsing to a fixed point.



<https://www.youtube.com/watch?v=YDhjmFyBSn4?rel=0> ↗
LIC dynamics on a fixed graph with fixed, deterministic
response functions. Average degree = 17, update
synchronicity parameter $\alpha = 1$. The dynamics exhibit
transient chaotic behavior before collapsing to a period-4
orbit.







- [1] P. S. Dodds, K. D. Harris, and C. M. Danforth.
Limited Imitation Contagion on random networks:
Chaos, universality, and unpredictability.
[Phys. Rev. Lett., 110:158701, 2013. pdf](#) 
- [2] K. D. Harris, C. M. Danforth, and P. S. Dodds.
Dynamical influence processes on networks:
General theory and applications to social
contagion.
[Phys. Rev. E, 88:022816, 2013. pdf](#) 

