Linguistic Pollyanna Principle: The positivity bias of language

Last updated: 2021/10/26, 22:19:41 EDT

Principles of Complex Systems, Vols. 1 & 2 CSYS/MATH 300 and 303, 2021-2022 | @pocsvox

Prof. Peter Sheridan Dodds | @peterdodds

Computational Story Lab | Vermont Complex Systems Center Vermont Advanced Computing Core | University of Vermont





















Pollyanna Principle

English is happy

10 languages

Extras

Text parsing Corpus generation



These slides are brought to you by:



The PoCSverse Pollyanna Principle

2 of 56 Pollyanna

Principle English is happy

10 languages

Extras

Corpora Text parsing Corpus generation



These slides are also brought to you by:

Special Guest Executive Producer



On Instagram at pratchett_the_cat

The PoCSverse Pollyanna Principle 3 of 56

Pollyanna Principle

English is happy

10 languages

Extras
Corpora
Text parsing
Corpus generation



Outline

Pollyanna Principle

English is happy

10 languages

Extras

Corpora Text parsing Corpus generation

References

The PoCSverse Pollyanna Principle 4 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Text parsing
Corpus generation





"Human language reveals a universal positivity bias"

Dodds et al., Proc. Natl. Acad. Sci., **112**, 2389–2394, 2015. [2] The PoCSverse Pollyanna Principle 5 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Text parsing
Corpus generation



Who are we?

Stories we tell about how we should/could/must behave vary enormously.

Jainism to Rand's Objectivism.

Basic observations:

Language is our great social technology.

And we convey stories through language.

The PoCSverse Pollyanna Principle 6 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Corpora
Text parsing
Corpus generation



Who are we?

Stories we tell about how we should/could/must behave vary enormously.

Jainism to Rand's Objectivism.

Basic observations:

& Language is our great social technology.

And we convey stories through language.

Basic question:

What's the distribution of emotional content of the atoms of language? The PoCSverse Pollyanna Principle 6 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Text parsing

Corpus generation



Who are we?

- Stories we tell about how we should/could/must behave vary enormously.
- 🙈 Jainism to Rand's Objectivism.

Basic observations:

- Language is our great social technology.
- And we convey stories through language.

Basic question:

What's the distribution of emotional content of the atoms of language?

Data we've generated:

- English plus nine other languages.
- & Key: incorporate word usage frequency (= size).

The PoCSverse Pollyanna Principle 6 of 56

Pollyanna Principle

English is happy


10 languages

Extras

Text parsing

Corpus generation







Social organism story manifested in language. The PoCSverse Pollyanna Principle 7 of 56

Pollyanna Principle


English is happy

10 languages

Extras

Text parsing Corpus generation





- Social organism story manifested in language.
- Pollyanna Hypothesis: Interactions are predominantly positive

The PoCSverse Pollyanna Principle 7 of 56

Pollyanna Principle


English is happy

10 languages

Extras

Corpora
Text parsing
Corpus generation





- Social organism story manifested in language.
- Pollyanna Hypothesis: Interactions are predominantly positive

The PoCSverse Pollyanna Principle 7 of 56

Pollyanna Principle

English is happy

10 languages

Extras


Text parsing Corpus generation

References



Positive anchor of concepts: Unhappy but not unsad.





- Social organism story manifested in language.
 - Pollyanna Hypothesis: Interactions are predominantly positive

The PoCSverse Pollyanna Principle 7 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Text parsing

Corpus generation

References




Positive anchor of concepts: Unhappy but not unsad.



Many ways for things to go wrong: "All happy families are alike; each unhappy family is unhappy in its own way."





- Social organism story manifested in language.
- Pollyanna Hypothesis: Interactions are predominantly positive

The PoCSverse Pollyanna Principle 7 of 56

Pollyanna

English is happy

10 languages

Extras

Text parsing Corpus generation

References



Positive anchor of concepts: Unhappy but not unsad.




Many ways for things to go wrong: "All happy families are alike; each unhappy family is unhappy in its own way."



Guns, Germs, and Steel [1] invokes the Anna Karenina Principle 2





- Social organism story manifested in language.
 - Pollyanna Hypothesis: Interactions are predominantly positive

The PoCSverse Pollyanna Principle 7 of 56

Pollyanna

English is happy

10 languages

Extras

Text parsing Corpus generation

References



Positive anchor of concepts: Unhappy but not unsad.



Many ways for things to go wrong: "All happy families are alike; each unhappy family is unhappy in its own way."




Guns, Germs, and Steel [1] invokes the Anna Karenina Principle 2



But: must account for frequency of word usage ...

Jellyfish plots:



The PoCSverse Pollyanna Principle

8 of 56

Pollyanna Principle


English is happy

10 languages

Extras

Corpora Text parsing Corpus generation





The PoCSverse Pollyanna Principle

9 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Text parsing

Corpus generation





Dodds/Tivnan/Danforth et al.,
Proc. Natl. Acad. Sci. 2015,
"Human language reveals a universal positivity bias." [2]
Global press including National Geographic
Top 100 altmetric article, 2015



Good buzz according to Altmetric ...(report is no longer findable):

The PoCSverse Pollyanna Principle 11 of 56

Pollyanna Principle

English is happy

10 languages

Extras Corpora

Text parsing Corpus generation

References

As of May 7, 2015:

- Altmetric Score: 772.
- Ranked 3rd out of 933 articles published in PNAS surrounding 12 weeks.
- Ranked 24nd out of 34,050 articles in PNAS all time. (Mean score 13.5.)
- Ranked 60th out of all 109,841 tracked articles published in surrounding 12 weeks.
- Ranked 459th out of 3,724,005 tracked articles all time.

This doesn't mean it's a good article ...

Good buzz according to Altmetric ...(report is no longer findable):

The PoCSverse Pollyanna Principle 11 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Text parsing
Corpus generation


References

As of May 7, 2015:

- Altmetric Score: 772.
- Ranked 3rd out of 933 articles published in PNAS surrounding 12 weeks.
- Ranked 24nd out of 34,050 articles in PNAS all time. (Mean score 13.5.)
- Ranked 60th out of all 109,841 tracked articles published in surrounding 12 weeks.
- Ranked 459th out of 3,724,005 tracked articles all time.

This doesn't mean it's a good article ... but it is.





The PoCSverse Pollyanna Principle 12 of 56


Pollyanna Principle

English is happy

10 languages

Extras
Corpora
Text parsing
Corpus generation





The PoCSverse Pollyanna Principle 13 of 56

Pollyanna Principle


English is happy

10 languages

Extras Corpora

Text parsing Corpus generation





The PoCSverse Pollyanna Principle 14 of 56

Pollyanna Principle

English is happy


10 languages

Extras

Corpora Text parsing

Corpus generation





The PoCSverse Pollyanna Principle 15 of 56

Pollyanna Principle

English is happy


10 languages

Extras

Corpora Text parsing

Corpus generation
References





The PoCSverse Pollyanna Principle 16 of 56

Pollyanna Principle

English is happy


10 languages

Extras

Corpora Text parsing

Corpus generation
References





The PoCSverse Pollyanna Principle 17 of 56

Pollyanna Principle

English is happy


10 languages

Extras

Corpora Text parsing

Corpus generation





The PoCSverse Pollyanna Principle 18 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Corpora Text parsing

Corpus generation
References



	Spanish	Portuguese	English	Indonesian	French	German	Arabic	Russian	Korean	Chinese
Spanish	have 6				$N = 3330$ $\Delta = +0.39$ $r = 0.86$ $N = 2930$ $\Delta = +0.29$					
Portuguese	r-0.80		r-0.87	r-0.82	r-0.84	r-0.81	r-0.84	r=0.84	r−0.70	r-0.76
English	N = 39% ∆ -0.28 ⊢=0.87	r=0.87			N=3526 Δ=+0.12 r=0.86	1	0.96		-000	r=0.81
Indonesian	r=0.82	N-2189 Δ-0.23	r=0.88		N−2130 ∆−+0.04 r=0.79-	N=1963 ∆=+0.03	Λ-1361 Δ-10.12	N-1246 A-+0.12	N−800 Δ=+0.13	N−1404 ∆−+0.32
French			N − 3525 Δ=-0.12 r=0.86						0.00	
German	N-2686 Δ=0.39	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	100	100	1.00			100	N-708 Δ=+0.15	
Arabic	r=0.03	T-0.04	r=0.06	1-000	v 0.04 N=1275 ∆=0.09	r=0.76			r 0.73 N=619 Δ-+0.03 r-0.79	
Russian	N=0.72		v=0.97		ν=1480 Δ = 0.15 γ=0.84	a=0.90	r=0.83		γ=nr9 Δ +0.04 r=0.80	
Ko-ean	r=0.79	ru0 79-	r=0.82	r=0.79	N=rrz ∆-0.12 x=0.79-	r=0.73	N=619 Δ=+0.03 r=0.70-	Δ→0.04 r=0.80		N=991 Δ=+0.18
Chinese	N 1009 Δ=-0.73 r=0.79		N - 2523 Δ=-0.35	N-1404 Δ=-0.32	N-1001 Δ=-0.32 r=0.76					

The PoCSverse Pollyanna Principle 19 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Corpora Text parsing Corpus generation



No one understands anything:

A revealing letter and our reply:



"Language-dependent relationship between word happiness and frequency" ②

Garcia, Garas, and Schweitzer, Proc. Natl. Acad. Sci., , , 2015. [7]



"Reply to Garcia et al.: Common mistakes in measuring frequency dependent word characteristics" 🗹

Dodds et al.,

Proc. Natl. Acad. Sci., , , 2015. [4]

Full version here: http://arxiv.org/abs/1406.3855

Abstract:

The concerns expressed by Garcia *et al.* [7] are misplaced due to a range of misconceptions about word usage frequency, word rank, and expert-constructed word lists such as LIWC [11]. We provide a complete response in our paper's online appendices [3].

The PoCSverse Pollyanna Principle 20 of 56

Pollyanna Principle

English is happy

10 languages

Extras
Corpora
Text parsing
Corpus generation



LIWC function words are not neutral:

 \Leftrightarrow "greatest" (h_{avg} =7.26),

& "best" (h_{avg} =7.26),

& "unique" (h_{avg} =6.98),

 \Leftrightarrow "negative" (h_{avg} =2.42),

 \clubsuit "worst" (h_{avg} =2.10).

Common scientific sense for text analysis:

Always look at the words.

The PoCSverse Pollyanna Principle 21 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Text parsing Corpus generation



More LIWC function words:

	High	h_{avg}	Neutral	h_{avg}	Low	h_{avg}
bi	llion	7.56	been	5.04	wouldnt	3.86
mi	llion	7.38	other	5.04	not	3.86
со	uple	7.30	into	5.04	shouldn't	3.84
mill	ions	7.26	theyre	5.04	none	3.84
grea	atest	7.26	it	5.02	haven't	3.82
	rest	7.18	some	5.02	wouldn't	3.78
	best	7.18	where	5.02	fewer	3.72
equ	ality	7.08	themselves	5.02	lacking	3.71
un	ique	6.98	im	5.02	won't	3.70
pl	enty	6.98	quarterly	5.02	wasnt	3.70
	truly	6.86	ive	5.02	dont	3.70
hope	fully	6.84	because	5.00	don't	3.70
	first	6.82	whereas	5.00	down	3.66
	plus	6.76	id	5.00	nobody	3.64
	well	6.68	til	5.00	doesn't	3.62
gre	ater	6.68	the	4.98	couldnt	3.58
h	ighly	6.60	to	4.98	without	3.54
	me	6.58	by	4.98	no	3.48
	done	6.54	or	4.98	cant	3.48
•	extra	6.52	part	4.98	zero	3.44
inf	inite	6.44	rather	4.98	against	3.40
sir	mply	6.42	its	4.96	never	3.34
eq	ually	6.40	when	4.96	cannot	3.32
	teen	6.39	perhaps	4.96	lack	3.16
	we	6.38	yall	4.96	negative	2.42
9	soon	6.34	of	4.94	worst	2.10

The PoCSverse Pollyanna Principle 22 of 56

Pollyanna Principle

English is happy


10 languages

Extras Corpora

Text parsing Corpus generation



The jellyfish knows:



Scatterplot of h_{avg} as a function of word usage frequency for the English Google Books word list generated by Garcia et al.. Uncontrolled subsampling of lower frequency words yields a lexicon that is not statistically representative of any natural language corpus. The lower curve provides a coarse estimate of cumulative lexicon coverage as a function of usage frequency f using Zipf's law $f_r \sim f_1 r^{-1}$ inverted as $r \sim f_1/f_r$. The rapid drop off begins at around rank 5000, the involved lexicon size for Google Books in labMT [3, 6]. **B.** and Scatterplot of h_{avg} as a function of rank r for the 5000 words for Google Books contributing to labMT, the basis of our jellyfish plots [3]. **C.** Same data as **B** plotted against f. Linear

regression fits for the first two scatterplots are $h_{\text{avg}} \simeq 0.089 \log_{10} f + 4.85$ and

 $h_{
m avg} \simeq -3.04 \times 10^{-5} \, r + 5.62$ (as reported in $^{\left[3\right]}$). Note difference in signs, and the far weaker trend for the statistically appropriate regression against rank in B. Pearson correlation coefficients: ± 0.105 , ± 0.042 , and ± 0.043 with p-values $\pm 0.15 \times 10^{-26}$, $\pm 0.03 \times 10^{-3}$, and 2.57×10^{-3} . Spearman correlation coefficients: +0.201, -0.013, and -0.013 with p-values 6.37×10^{-92} , 0.350, and 0.350.

Nutshell:

- Linguistic positivity bias holds for 10 major languages.
- Spread across 24 corpora: books, news, social media, movie titles, ...
- Languages and evaluating groups spread around the world.
- Diverse in language origins.
- Language appears to reflect social, cooperative tendency of people.
- Negative emotion is more variable—must be specific, Tolstoyfully.

The PoCSverse Pollyanna Principle 24 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Text parsing

Corpus generation



Corpus:	# Words	Reference(s)
English: Twitter	5000	[?, 6]
English: Google Books Project	5000	[10]
English: The New York Times	5000	[12]
English: Music lyrics	5000	[5]
Portuguese: Google Web Crawl	7133	[?]
Portuguese: Twitter	7119	[?]
Spanish: Google Web Crawl	7189	[?]
Spanish: Twitter	6415	[?]
Spanish: Google Books Project	6379	[10]
French: Google Web Crawl	7056	[?]
French: Twitter	6569	[?]
French: Google Books Project	6192	[10]
Arabic: Movie and TV subtitles	9999	MITRE
Indonesian: Twitter	7044	[?]
Indonesian: Movie subtitles	6726	MITRE [?]
Russian: Twitter	6575	The property of the state of th
Russian: Google Books Project	5980	[10]
Russian: Movie and TV subtitles	6186	[?]
German: Google Web Crawl	6902	[?]
German: Twitter	6459	[?]
German: Google Books Project	6097	[10]
Korean: Twitter	6728	[?]
Korean: Movie subtitles	5389	MITRE
Chinese: Google Books Project	10000	[10]

Language	Participants' location(s)	# of participants	Average words scored
English	US, India	384	1302
German	Germany	196	2551
Indonesian	Indonesia	146	3425
Russian	Russia	125	4000
Arabic	Egypt	185	2703
French	France	179	2793
Spanish	Mexico	236	2119
Portuguese	Brazil	208	2404
Simplified Chinese	China	128	3906
Korean	Korea, US	109	4587

Number and main country/countries of location for participants evaluating the 10,000 common words for each of the 10 languages we studied. Also recorded is the average number of words evaluated by each participant (rounded to the nearest integer). We note that each word received 50 evaluations from distinct individuals. The English word list was evaluated via Mechanical Turk for our initial study $^{\left[9\right]}$. The nine languages evaluated through Appen-Butler Hill yielded a higher participation rate likely due to better pay and the organization's quality of service.

Outline

Pollyanna Principle

English is happy

10 languages

Extras Corpora

Text parsing Corpus generation

References

The PoCSverse Pollyanna Principle 27 of 56

Pollyanna Principle

English is happy

10 languages

Extras
Corpora
Text parsing
Corpus generation



We used the services of Appen Butler Hill (http://www.appen.com) for all word evaluations excluding English, for which we had earlier employed Mechanical Turk (https://www.mturk.com/ [9]).

English instructions were translated to all other languages and given to participants along with survey questions, and an example of the English instruction page is below. Non-english language experiments were conducted through a custom interactive website built by Appen Butler Hill, and all participants were required to pass a stringent aural proficiency test in their own language.

The PoCSverse Pollyanna Principle 28 of 56

Pollyanna Principle

English is happy

10 languages

Extras Corpora Text parsing

Text parsing Corpus generation



Measuring the Happiness of Words

Our overall aim is to assess how people feel about individual words. With this particular survey, we are focusing on the dual emotions of sadness and happiness. You are to rate 100 individual words on a 9 point unhappy-happy scale.

Please consider each word carefully. If we determine that your ratings are randomly or otherwise inappropriately selected, or that any questions are left unanswered, we may not approve your work. These words were chosen based on their common usage. As a result, a small portion of words may be offensive to some people, written in a different language, or nonsensical.

Before completing the word ratings, we ask that you answer a few short demographic questions. We expect the entire survey to require 10 minutes of your time. Thank you for participating!

Example:

















Read the word and click on the face that best corresponds to your emotional response.

Demographic Ouestions

- 1. What is your gender? (Male/Female)
- 2. What is your age? (Free text)
- 3. Which of the following best describes your highest achieved education level? Some High School, High School Graduate, Some college, no degree, Associates degree, Bachelors degree, Graduate degree (Masters, Doctorate, etc.)
- 4. What is the total income of your household?
- 5. Where are you from originally?
- 6. Where do you live currently?
- 7. Is ______ your first language? (Yes/No) If it is not, please specify what your first language is.
- 8. Do you have any comments or suggestions? (Free text)

The PoCSverse Pollyanna Principle 29 of 56

Pollyanna Principle

English is happy

10 languages

Extras Corpora

Corpus generation



Outline

Polyanna Principle

English is happy

10 language

Extras

Corpora

Text parsing

Corpus generation

References

The PoCSverse Pollyanna Principle 30 of 56

Pollyanna Principle

English is happy

10 languages

Extras Corpora

Text parsing Corpus generation



Of our 24 corpora, we received 17 already parsed by the source: the Google Books Project (6 corpora), the Google Web Crawl (8 corpora), and Movie and TV subtitles (3 corpora). For the other 7 corpora (Twitter, New York Times, and Music Lyrics), we extracted words by standard white space separation (more on Twitter below). We acknowledge the many complications with inflections and variable orthography. We have found merit in not collapsing related words, which would require a more sophisticated treatment going beyond the present paper's bounds. Moreover, we have observed that allowing, say, different conjugation of verbs to stand in our corpora is valuable as human evaluations of such have proved to be distinguishable (e.g., present versus past tense [6]).

The PoCSverse Pollyanna Principle 31 of 56

Pollyanna Principle

English is happy

10 languages

Extras
Corpora
Text parsing
Corpus generation



Twitter was easily the most variable and unruly of our text sources and required additional treatment. We first checked if a string contains at least one valid utf8 letter, discarding if not. Next we filtered out strings containing invisible control characters, as these symbols can be problematic. We ignored all strings that start with < and end with > (generally html code). We ignored strings with a leading @ or &, or either preceded with standard punctuation (e.g., Twitter ID's), but kept hashtags. We also removed all strings starting with www. or http: or end in .com (all websites). We stripped the remaining strings of standard punctuation, and we replaced all double quotes (") by single quotes ('). Finally, we converted all Latin alphabet letters to lowercase.

The PoCSverse Pollyanna Principle 32 of 56

Pollyanna Principle

English is happy

10 languages

Corpora
Text parsing

Corpus generation
References



Tokenization example:

	SERVICE PROGRAM POLE		
Term	count		
love	10		
LoVE	5	Term	count
love!	2	love	19
#love	3	→ #love	3
.love	2	love87	1
@love	1		
love87	1		

The term '@love' is discarded, and all other terms map to either 'love' or 'love87'.

The PoCSverse Pollyanna Principle 33 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Text parsing Corpus generation



Outline

Pollyanna Principle

English is happy

10 language

Extras

Corpora
Text parsing

Corpus generation

References

The PoCSverse Pollyanna Principle 34 of 56

Pollyanna Principle

English is happy

10 languages

Extras
Corpora
Text parsing
Corpus generation



There is no single, principled way to merge corpora to create an ordered list of words for a given language. For example, it is impossible to weight the most commonly used words in the New York Times against those of Twitter. Nevertheless, we are obliged to choose some method for doing so to facilitate comparisons across languages and for the purposes of building adaptable linguistic instruments. For each language where we had more than one corpus, we created a single quasi-ranked word list by finding the smallest integer r such that the union of all words with rank < r in at least one corpus formed a set of at least 10,000 words.

The PoCSverse Pollyanna Principle 35 of 56

Pollyanna Principle

English is happy

10 languages

Extras
Corpora
Text parsing
Corpus generation



		Spanish	Portuguese	English	Indonesian	French	German	Arabic
	Spanish	1.00, 0.00	1.01, 0.03	1.06, -0.07	1.22, -0.88	1.11, -0.24	1.22, -0.84	1.13, -0.22
	Portuguese	0.99, -0.03	1.00, 0.00	1.04, -0.03	1.22, -0.97	1.11, -0.33	1.21, -0.86	1.09, -0.08
	English	0.94, 0.06	0.96, 0.03	1.00, 0.00	1.13, -0.66	1.06, -0.23	1.16, -0.75	1.05, -0.10
10	Indonesian	0.82, 0.72	0.82, 0.80	0.88, 0.58	1.00, 0.00	0.92, 0.48	0.99, 0.06	0.89, 0.71
K	French	0.90, 0.22	0.90, 0.30	0.94, 0.22	1.09, -0.52	1.00, 0.00	1.08, -0.44	0.99, 0.12
	German	0.82, 0.69	0.83, 0.71	0.86, 0.65	1.01, -0.06	0.92, 0.41	1.00, 0.00	0.91, 0.61
#	Arabic	0.88, 0.19	0.92, 0.08	0.95, 0.10	1.12, -0.80	1.01, -0.12	1.10, -0.68	1.00, 0.00
	Russian	0.76, 0.88	0.80, 0.75	0.83, 0.75	0.98, -0.04	0.89, 0.45	0.93, 0.24	0.89, 0.56
	Korean	0.62, 1.70	0.62, 1.81	0.66, 1.67	0.77, 1.17	0.73, 1.37	0.78, 1.12	0.71, 1.53
	Chinese	0.63, 1.46	0.63, 1.51	0.68, 1.43	0.75, 1.07	0.71, 1.26	0.76, 1.03	0.70, 1.41
			Shark Service Co.					


Reduced Major Axis (RMA) regression fits for row language as a linear function of the column language: $h_{\rm avg}^{\rm (row)}(w) = m\,h_{\rm avg}^{\rm (column)}(w) + c$ where w indicates a translation-stable word. Each entry in the table contains the coefficient pair m and c. We use RMA regression, also known as Standardized Major Axis linear regression, because of its accommodation of errors in both variables.

	Spanish	Portuguese	English	Indonesian	French	German	Arabic	Russian
Spanish	1.00	0.89	0.87	0.82	0.86	0.82	0.83	0.73
Portuguese	0.89	1.00	0.87	0.82	0.84	0.81	0.84	0.84
English	0.87	0.87	1.00	0.88	0.86	0.82	0.86	0.87
Indonesian	0.82	0.82	0.88	1.00	0.79	0.77	0.83	0.85
French	0.86	0.84	0.86	0.79	1.00	0.84	0.77	0.84
German	0.82	0.81	0.82	0.77	0.84	1.00	0.76	0.80
Arabic	0.83	0.84	0.86	0.83	0.77	0.76	1.00	0.83
Russian	0.73	0.84	0.87	0.85	0.84	0.80	0.83	1.00
Korean	0.79	0.79	0.82	0.79	0.79	0.73	0.79	0.80
Chinese	0.79	0.76	0.81	0.77	0.76	0.74	0.80	0.82
						2011 1021		

Pearson correlation coefficients for translation-stable words for all language pairs. All p-values are $<10^{-118}.$

	Spanish	Portuguese	English	Indonesian	French	German	Arabic	Russian
Spanish	1.00	0.85	0.83	0.77	0.81	0.77	0.75	0.74
Portuguese	0.85	1.00	0.83	0.77	0.78	0.77	0.77	0.81
English	0.83	0.83	1.00	0.82	0.80	0.78	0.78	0.81
Indonesian	0.77	0.77	0.82	1.00	0.72	0.72	0.76	0.77
French	0.81	0.78	0.80	0.72	1.00	0.80	0.67	0.79
German	0.77	0.77	0.78	0.72	0.80	1.00	0.69	0.76
Arabic	0.75	0.77	0.78	0.76	0.67	0.69	1.00	0.74
Russian	0.74	0.81	0.81	0.77	0.79	0.76	0.74	1.00
Korean	0.74	0.75	0.75	0.71	0.71	0.64	0.69	0.70
Chinese	0.68	0.66	0.70	0.71	0.64	0.62	0.68	0.66

Spearman correlation coefficients for translation-stable words. All $\it p$ -values are $< 10^{-82}$.



Histograms of the change in average happiness for translation-stable words between each language pair. The largest deviations correspond to strong changes in a word's perceived primary meaning (e.g., 'lying' and 'acostado'). The inset quantities are N, the number of translation-stable words, and Δ is the average difference in translation-stable word happiness between the row language and column language.

The PoCSverse Pollyanna Principle 39 of 56

Pollyanna Principle

English is happy

10 languages

Extras
Corpora
Text parsing
Corpus generation




Language: Corpus	$ ho_{p}$	<i>p</i> -value	$ ho_{s}$	<i>p</i> -value	α	β
Spanish: Google Web Crawl	-0.114	3.38×10^{-22}	-0.090	1.85×10^{-14}	-5.55×10 ⁻⁵	6.10
Spanish: Google Books	-0.040	1.51×10^{-3}	-0.016	1.90×10^{-1}	-2.28×10 ⁻⁵	5.90
Spanish: Twitter	-0.048	1.14×10^{-4}	-0.032	1.10×10^{-2}	-3.10×10 ⁻⁵	5.94
Portuguese: Google Web Crawl	-0.085	6.33×10^{-13}	-0.060	3.23×10^{-7}	-3.98×10 ⁻⁵	5.96
Portuguese: Twitter	-0.041	5.98×10^{-4}	-0.030	1.15×10^{-2}	-2.40×10 ⁻⁵	5.73
English: Google Books	-0.042	3.03×10^{-3}	-0.013	3.50×10^{-1}	-3.04×10 ⁻⁵	5.62
English: New York Times	-0.056	6.93×10^{-5}	-0.044	1.99×10^{-3}	-4.17×10 ⁻⁵	5.61
German: Google Web Crawl	-0.096	1.11×10^{-15}	-0.082	6.75×10^{-12}	-3.67×10 ⁻⁵	5.65
French: Google Web Crawl	-0.105	9.20×10^{-19}	-0.080	1.99×10^{-11}	-4.50×10 ⁻⁵	5.68
English: Twitter	-0.097	6.56×10^{-12}	-0.103	2.37×10^{-13}	-7.78×10 ⁻⁵	5.67
Indonesian: Movie subtitles	-0.039	1.48×10^{-3}	-0.063	2.45×10^{-7}	-2.04×10 ⁻⁵	5.45
German: Twitter	-0.054	1.47×10^{-5}	-0.036	4.02×10^{-3}	-2.51×10 ⁻⁵	5.58
Russian: Twitter	-0.052	2.38×10^{-5}	-0.028	2.42×10^{-2}	-2.55×10 ⁻⁵	5.52
French: Google Books	-0.043	6.80×10^{-4}	-0.030	1.71×10^{-2}	-2.31×10 ⁻⁵	5.49
German: Google Books	-0.003	8.12×10^{-1}	+0.014	2.74×10^{-1}	-1.38×10 ⁻⁶	5.45
French: Twitter	-0.049	6.08×10^{-5}	-0.023	6.31×10^{-2}	-2.54×10 ⁻⁵	5.54
Russian: Movie and TV subtitles	-0.029	2.36×10^{-2}	-0.033	9.17×10^{-3}	-1.57×10 ⁻⁵	5.43
Arabic: Movie and TV subtitles	-0.045	7.10×10^{-6}	-0.029	4.19×10^{-3}	-1.66×10 ⁻⁵	5.44
Indonesian: Twitter	-0.051	2.14×10^{-5}	-0.018	1.24×10^{-1}	-2.50×10 ⁻⁵	5.46
Korean: Twitter	-0.032	8.29×10^{-3}	-0.016	1.91×10^{-1}	-1.24×10 ⁻⁵	5.38
Russian: Google Books	+0.030	2.09×10^{-2}	+0.070	5.08×10^{-8}	+1.20×10 ⁻⁵	5.35
English: Music Lyrics	-0.073	2.53×10^{-7}	-0.081	1.05×10^{-8}	-6.12×10 ⁻⁵	5.45
Korean: Movie subtitles	-0.187	8.22×10^{-44}	-0.180	2.01×10^{-40}	-9.66×10 ⁻⁵	5.41
Chinese: Google Books	-0.067	1.48×10 ⁻¹¹	-0.050	5.01×10^{-7}	-1.72×10 ⁻⁵	5.21

Pearson correlation coefficients and p-values, Spearman correlation coefficients and p-values, and linear fit coefficients, for average word happiness $h_{\rm avg}$ as a function of word usage frequency rank r. We use the fit is $h_{\rm avg} = \alpha r + \beta$ for the most common 5000 words in each corpora, determining α and β via ordinary least squares, and order languages by the median of their average word happiness scores (descending). We note that stemming of words may affect these estimates.

Language: Corpus	$ ho_{p}$	p-value	$ ho_{s}$	p-value	α	β
Portuguese: Twitter	+0.090	2.55×10^{-14}	+0.095	1.28×10^{-15}	1.19×10^{-5}	1.29
Spanish: Twitter	+0.097	8.45×10^{-15}	+0.104	5.92×10^{-17}	1.47×10^{-5}	1.26
English: Music Lyrics	+0.129	4.87×10^{-20}	+0.134	1.63×10 ⁻²¹	2.76×10^{-5}	1.33
English: Twitter	+0.007	6.26×10^{-1}	+0.012	4.11×10^{-1}	1.47×10^{-6}	1.35
English: New York Times	+0.050	4.56×10^{-4}	+0.044	1.91×10^{-3}	9.34×10^{-6}	1.32
Arabic: Movie and TV subtitles	+0.101	7.13×10^{-24}	+0.101	3.41×10^{-24}	9.41×10^{-6}	1.01
English: Google Books	+0.180	1.68×10^{-37}	+0.176	4.96×10^{-36}	3.36×10^{-5}	1.27
Spanish: Google Books	+0.066	1.23×10^{-7}	+0.062	6.53×10^{-7}	9.17×10^{-6}	1.26
Indonesian: Movie subtitles	+0.026	3.43×10^{-2}	+0.027	2.81×10^{-2}	2.87×10^{-6}	1.12
Russian: Movie and TV subtitles	+0.083	7.60×10^{-11}	+0.075	3.28×10^{-9}	1.06×10^{-5}	0.89
French: Twitter	+0.072	4.77×10^{-9}	+0.076	8.94×10^{-10}	1.07×10^{-5}	1.05
Indonesian: Twitter	+0.072	1.17×10^{-9}	+0.072	1.73×10^{-9}	8.16×10^{-6}	1.12
French: Google Books	+0.090	1.02×10^{-12}	+0.085	1.67×10^{-11}	1.25×10^{-5}	1.02
Russian: Twitter	+0.055	6.83×10^{-6}	+0.053	1.67×10^{-5}	7.39×10^{-6}	0.91
Spanish: Google Web Crawl	+0.119	4.45×10^{-24}	+0.106	2.60×10^{-19}	1.45×10^{-5}	1.23
Portuguese: Google Web Crawl	+0.093	4.06×10^{-15}	+0.083	2.91×10^{-12}	1.07×10^{-5}	1.26
German: Twitter	+0.051	4.45×10^{-5}	+0.050	5.15×10^{-5}	7.39×10^{-6}	1.15
French: Google Web Crawl	+0.104	2.12×10^{-18}	+0.088	9.64×10^{-14}	1.27×10^{-5}	1.01
Korean: Movie subtitles	+0.171	1.39×10^{-36}	+0.185	8.85×10^{-43}	2.58×10^{-5}	0.88
German: Google Books	+0.157	6.06×10^{-35}	+0.162	4.96×10^{-37}	2.17×10^{-5}	1.03
Korean: Twitter	+0.056	4.07×10^{-6}	+0.062	4.25×10^{-7}	6.98×10^{-6}	0.93
German: Google Web Crawl	+0.099	2.05×10^{-16}	+0.085	1.18×10^{-12}	1.20×10^{-5}	1.07
Chinese: Google Books	+0.099	3.07×10^{-23}	+0.097	3.81×10^{-22}	8.70×10^{-6}	1.16
Russian: Google Books	+0.187	5.15×10^{-48}	+0.177	2.24×10^{-43}	2.28×10^{-5}	0.81

Pearson correlation coefficients and p-values, Spearman correlation coefficients and p-values, and linear fit coefficients for standard deviation of word happiness $h_{\rm std}$ as a function of word usage frequency rank r. We consider the fit is $h_{\rm std}=\alpha r+\beta$ for the most common 5000 words in each corpora, determining α and β via ordinary least squares, and order corpora according to their emotional variance (descending).



The PoCSverse Pollyanna Principle 42 of 56

Pollyanna Principle


English is happy


10 languages


Extras


Text parsing Corpus generation























References I

- [1] J. M. Diamond.

 <u>Guns, Germs, and Steel.</u>

 W. W. Norton & Company, 1997.
- [2] P. S. Dodds, E. M. Clark, S. Desu, M. R. Frank, A. J. Reagan, J. R. Williams, L. Mitchell, K. D. Harris, I. M. Kloumann, J. P. Bagrow, K. Megerdoomian, M. T. McMahon, B. F. Tivnan, and C. M. Danforth. Human language reveals a universal positivity bias.

Proc. Natl. Acad. Sci., 112(8):2389–2394, 2015. Available online at http://www.pnas.org/content/112/8/2389. pdf

The PoCSverse Pollyanna Principle 51 of 56 Pollyanna

English is happy

10 languages

Principle

Extras
Corpora
Text parsing
Corpus generation



References II

bias.

[3] P. S. Dodds, E. M. Clark, S. Desu, M. R. Frank, A. J. Reagan, J. R. Williams, L. Mitchell, K. D. Harris, I. M. Kloumann, J. P. Bagrow, K. Megerdoomian, M. T. McMahon, B. F. Tivnan, and C. M. Danforth.

Human language reveals a universal positivity

Proc. Natl. Acad. Sci., 112(8):2389–2394, 2015. Available online at http://www.pnas.org/content/112/8/2389; online appendices:

http://compstorylab.org/share/papers/dodds2014a/.

The PoCSverse Pollyanna Principle 52 of 56

Pollyanna Principle

English is happy

10 languages

Extras Corpora

Text parsing Corpus generation



References III

[4] P. S. Dodds, E. M. Clark, S. Desu, M. R. Frank, A. J. Reagan, J. R. Williams, L. Mitchell, K. D. Harris, I. M. Kloumann, J. P. Bagrow, K. Megerdoomian, M. T. McMahon, B. F. Tivnan, and C. M. Danforth. Reply to garcia et al.: Common mistakes in measuring frequency dependent word characteristics.

Proc. Natl. Acad. Sci., 2015.
Available online at http://www.pnas.org/content/early/2015/05/20/1505647112. pdf 🗗

[5] P. S. Dodds and C. M. Danforth.

Measuring the happiness of large-scale written expression: songs, blogs, and presidents.

Journal of Happiness Studies, 2009.

doi:10.1007/s10902-009-9150-9. pdf

The PoCSverse Pollyanna Principle 53 of 56

Pollyanna Principle

English is happy

10 languages

Extras Corpora

Text parsing Corpus generation



References IV

[6] P. S. Dodds, K. D. Harris, I. M. Kloumann, C. A. Bliss, and C. M. Danforth. Temporal patterns of happiness and information in a global social network: Hedonometrics and Twitter.

PLoS ONE, 6:e26752, 2011. pdf

- [7] D. Garcia, A. Garas, and F. Schweitzer.
 Language-dependent relationship between word happiness and frequency.

 Proc. Natl. Acad. Sci., 2015.
 doi: 10.1073/pnas.1502909112. pdf

 ✓
- [8] I. M. Kloumann, C. M. Danforth, K. D. Harris, C. A. Bliss, and P. S. Dodds. Positivity of the English language. PLoS ONE, 7:e29484, 2012. pdf

The PoCSverse Pollyanna Principle 54 of 56

Pollyanna Principle

English is happy

10 languages

Extras

Corpora
Text parsing
Corpus generation



References V

[9] I. M. Kloumann, C. M. Danforth, K. D. Harris, C. A. Bliss, and P. S. Dodds.
Positivity of the English language.
PLoS ONE, 7:e29484, 2012. pdf

[10] J.-B. Michel, Y. K. Shen, A. P. Aiden, A. Veres, M. K. Gray, The Google Books Team, J. P. Pickett, D. Hoiberg, D. Clancy, P. Norvig, J. Orwant, S. Pinker, M. A. Nowak, and E. A. Lieberman. Quantitative analysis of culture using millions of digitized books.

Science Magazine, 331:176–182, 2011. pdf

[11] J. W. Pennebaker, R. J. Booth, and M. E. Francis. Linguistic Inquiry and Word Count: LIWC 2007. at http://bit.ly/S1Dk2L, accessed May 15, 2014., 2007.

The PoCSverse Pollyanna Principle 55 of 56

Pollyanna Principle

English is happy

10 languages

Extras Corpora

Text parsing Corpus generation



References VI

[12] E. Sandhaus.
The New York Times Annotated Corpus.
Linguistic Data Consortium, Philadelphia, 2008.
Available online at:
https://doi.org/10.35111/77ba-9x74.

The PoCSverse Pollyanna Principle 56 of 56

Pollyanna Principle

English is happy

10 languages

Extras Corpora Text parsing

Corpus generation
References

