The Amusing Law of Benford

Last updated: 2022/08/28, 03:24:52 EDT

Principles of Complex Systems, Vols. 1, 2, & 3D CSYS/MATH 300, 303, & 394, 2022-2023 | @pocsvox Pocs @pocsvox Benford's law

Benford's Law References

Prof. Peter Sheridan Dodds | @peterdodds

Computational Story Lab | Vermont Complex Systems Center Santa Fe Institute | University of Vermont

























Licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License.





29 1 of 15

These slides are brought to you by:



PoCS @pocsvox Benford's law

Benford's Law References





These slides are also brought to you by:

Special Guest Executive Producer



On Instagram at pratchett_the_cat

PoCS @pocsvox Benford's law

Benford's Law References





9 a @ 3 of 15

Outline

PoCS @pocsvox Benford's law

Benford's Law References

Benford's Law

References













$$P(\text{first digit} = d) \propto \log_b \left(1 + \frac{1}{d}\right)$$

for certain sets of 'naturally' occurring numbers in base \boldsymbol{b}

- Around 30.1% of first digits are '1', compared to only 4.6% for '9'.
- First observed by Simon Newcomb [3] in 1881 "Note on the Frequency of Use of the Different Digits in Natural Numbers"
- A Independently discovered in 1938 by Frank Benford ☑.
- Newcomb almost always noted but Benford gets the stamp, according to Stigler's Law of Eponymy.

PoCS @pocsvox Benford's law

Benford's Law References





Pocs @pocsvox Benford's law

Benford's Law References


Observed for

- Fundamental constants (electron mass, charge, etc.)
- Utility bills
- Numbers on tax returns (ha!)
- Death rates
- Street addresses
- Numbers in newspapers
- Cited as evidence of fraud I in the 2009 Iranian elections.





Real data:



From 'The First-Digit Phenomenon' by T. P. Hill (1998)^[1]

PoCS @pocsvox Benford's law


Benford's Law References





9 a @ 8 of 15

Physical constants of the universe:



Taken from here ☑.

PoCS @pocsvox Benford's law

Benford's Law

References







PoCS @pocsvox Benford's law

Benford's Law

References



Taken from here ☑.





9 a № 10 of 15

Essential story




$$\begin{split} P(\text{first digit} &= d) \propto \log_b \left(1 + \frac{1}{d}\right) \\ &= \log_b \left(\frac{d+1}{d}\right) \\ &= \log_b \left(d+1\right) - \log_b \left(d\right) \end{split}$$

Observe this distribution if numbers are distributed uniformly in log-space:

$$P(\log_e x) \operatorname{d}(\log_e x) \, \propto 1 {\cdot} \operatorname{d}(\log_e x) \, = x^{-1} \operatorname{d} x \, = P(x) \operatorname{d} x$$



Power law distributions at work again...




Pocs @pocsvox Benford's law

Benford's Law






Benford's law





Benford's Law References







9 a @ 12 of 15



"Citations to articles citing Benford's law: A Benford analysis"

Tariq Ahmad Mir,
Preprint available at
http://arxiv.org/abs/1602.01205, 2016. [2]

PoCS @pocsvox Benford's law

Benford's lav

Benford's Law References




Fig. 1: The observed proportions of first digits of citations received by the articles citing FB and SN on September 30, 2012. For comparison the proportions expected from BL and uniform distributions are also shown.





PoCS @pocsvox Benford's law

Benford's Law

References

On counting and logarithms:



- Earlier: Listen to Radiolab's "Numbers." ☑.
- ⊗ Now: Benford's Law
 ☑.







References I

PoCS @pocsvox Benford's law

[1] T. P. Hill. The first-digit phenomenon. American Scientist, 86:358–, 1998.

Benford's Law References

[2] T. A. Mir.

Citations to articles citing Benford's law: A Benford analysis, 2016.

Preprint available at http://arxiv.org/abs/1602.01205. pdf 2

[3] S. Newcomb.

Note on the frequency of use of the different digits in natural numbers.

American Journal of Mathematics, 4:39–40, 1881. pdf 🗷



