

Organizational Networks: Information Exchange and Robustness

Last updated: 2022/08/28, 08:34:20 EDT

Principles of Complex Systems, Vols. 1, 2, & 3D
CSYS/MATH 300, 303, & 394, 2022–2023 | @pocsvox

Prof. Peter Sheridan Dodds | @peterdodds

Computational Story Lab | Vermont Complex Systems Center
Santa Fe Institute | University of Vermont



The PoCSverse
Organizational
Networks
1 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



These slides are brought to you by:

Sealie & Lambie
Productions



The PoCSverse
Organizational
Networks
2 of 61

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



These slides are also brought to you by:

Special Guest Executive Producer



The PoCSverse
Organizational
Networks
3 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model



Testing

Results

Conclusion

References



 On Instagram at [pratchett_the_cat](https://www.instagram.com/pratchett_the_cat) 

Outline

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

The PoCSverse
Organizational
Networks
4 of 61

Overview

Toyota
Ambiguous problems
Models of organizations:


Modelification

Goals
Model
Testing
Results

Conclusion


References





Overview

The basic idea/problem/motivation/history:

 Organizations as information exchange entities.

The PoCSverse
Organizational
Networks
8 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results


Conclusion


References



Overview

The basic idea/problem/motivation/history:

 Organizations as information exchange entities.

 Catastrophe recovery.

The PoCSverse
Organizational
Networks
8 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results




Conclusion

References



Overview

The basic idea/problem/motivation/history:

-  Organizations as information exchange entities.
-  Catastrophe recovery.
-  Solving ambiguous, ill-defined problems.

The PoCSverse
Organizational
Networks
8 of 61

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results





Conclusion

References



Overview

The basic idea/problem/motivation/history:

-  Organizations as information exchange entities.
-  Catastrophe recovery.
-  Solving ambiguous, ill-defined problems.
-  Robustness as 'optimal' design feature.

The PoCSverse
Organizational
Networks
8 of 61

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Overview

The basic idea/problem/motivation/history:

- Organizations as information exchange entities.
- Catastrophe recovery.
- Solving ambiguous, ill-defined problems.
- Robustness as 'optimal' design feature.

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

A model of organizational networks:

- Network construction algorithm.



Overview

The basic idea/problem/motivation/history:

- Organizations as information exchange entities.
- Catastrophe recovery.
- Solving ambiguous, ill-defined problems.
- Robustness as 'optimal' design feature.

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

A model of organizational networks:

- Network construction algorithm.
- Task specification.



Overview

The basic idea/problem/motivation/history:

- Organizations as information exchange entities.
- Catastrophe recovery.
- Solving ambiguous, ill-defined problems.
- Robustness as 'optimal' design feature.

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

A model of organizational networks:

- Network construction algorithm.
- Task specification.
- Message routing algorithm.



Overview

The basic idea/problem/motivation/history:

- Organizations as information exchange entities.
- Catastrophe recovery.
- Solving ambiguous, ill-defined problems.
- Robustness as 'optimal' design feature.

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

A model of organizational networks:

- Network construction algorithm.
- Task specification.
- Message routing algorithm.

Results:

- Performance measures.



Outline

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

The PoCSverse
Organizational
Networks
9 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



February, 1997:

Aisin (eye-sheen), maker of brake valve parts for Toyota, burns to ground. [4]

The PoCSverse
Organizational
Networks
10 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results


Conclusion

References



February, 1997:

Aisin (eye-sheen), maker of brake valve parts for Toyota, burns to ground. [4]

 4 hours supply ("just in time").

The PoCSverse
Organizational
Networks
10 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results


Conclusion


References



February, 1997:

Aisin (eye-sheen), maker of brake valve parts for Toyota, burns to ground. [4]

 4 hours supply ("just in time").

 14,000 cars per day \rightarrow 0 cars per day.



February, 1997:

Aisin (eye-sheen), maker of brake valve parts for Toyota, burns to ground. [4]

- 🧱 4 hours supply ("just in time").
- 🧱 14,000 cars per day \rightarrow 0 cars per day.
- 🧱 6 months before new machines would arrive.

The PoCSverse
Organizational
Networks
10 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



February, 1997:

Aisin (eye-sheen), maker of brake valve parts for Toyota, burns to ground. [4]

- 🧱 4 hours supply ("just in time").
- 🧱 14,000 cars per day \rightarrow 0 cars per day.
- 🧱 6 months before new machines would arrive.

The PoCSverse
Organizational
Networks
10 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



February, 1997:

Aisin (eye-sheen), maker of brake valve parts for Toyota, burns to ground. [4]

- 4 hours supply ("just in time").
- 14,000 cars per day \rightarrow 0 cars per day.
- 6 months before new machines would arrive.
- Recovered in 5 days.

The PoCSverse
Organizational
Networks
10 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



February, 1997:

Aisin (eye-sheen), maker of brake valve parts for Toyota, burns to ground. [4]


- 🧱 4 hours supply ("just in time").
- 🧱 14,000 cars per day \rightarrow 0 cars per day.
- 🧱 6 months before new machines would arrive.
- 🧱 Recovered in 5 days.

- 🧱 Case study performed by Nishiguchi and Beaudet [4]
"Fractal Design: Self-organizing Links in Supply Chain"
in "Knowledge Creation: A New Source of Value"



February, 1997:

Some details:

 36 suppliers, 150 subcontractors

The PoCSverse
Organizational
Networks
11 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results


Conclusion


References



February, 1997:

Some details:

 36 suppliers, 150 subcontractors

 50 supply lines

The PoCSverse
Organizational
Networks
11 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



February, 1997:

The PoCSverse
Organizational
Networks
11 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model


Testing


Results


Conclusion

References

Some details:

 36 suppliers, 150 subcontractors

 50 supply lines

 Sewing machine maker with no experience in car parts spent about 500 man hours refitting a milling machine to produce 40 valves a day.



February, 1997:

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

Some details:

- 36 suppliers, 150 subcontractors
- 50 supply lines
- Sewing machine maker with no experience in car parts spent about 500 man hours refitting a milling machine to produce 40 valves a day.
- Recovery depended on horizontal links which arguably provided:



February, 1997:

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model





Testing

Results

Conclusion

References

Some details:

-  36 suppliers, 150 subcontractors
-  50 supply lines
-  Sewing machine maker with no experience in car parts spent about 500 man hours refitting a milling machine to produce 40 valves a day.
-  Recovery depended on horizontal links which arguably provided:
 1. robustness



February, 1997:

The PoCSverse
Organizational
Networks
11 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model





Testing

Results

Conclusion

References

Some details:

-  36 suppliers, 150 subcontractors
-  50 supply lines
-  Sewing machine maker with no experience in car parts spent about 500 man hours refitting a milling machine to produce 40 valves a day.
-  Recovery depended on horizontal links which arguably provided:
 1. robustness
 2. searchability



Some things fall apart:



The PoCSverse
Organizational
Networks
12 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



The PoCSverse
Organizational
Networks
13 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



LEHMAN BROTHERS



Rebirth:

The PoCVerse
Organizational
Networks
14 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Outline

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

The PoCSverse
Organizational
Networks
15 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Motivation

Recovery from catastrophe involves solving problems that are:

The PoCSverse
Organizational
Networks
16 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results


Conclusion

References



Motivation

Recovery from catastrophe involves solving problems that are:

 Unanticipated,

The PoCSverse
Organizational
Networks
16 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results



Conclusion

References



Motivation

Recovery from catastrophe involves solving problems that are:

-  Unanticipated,
-  Unprecedented,

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results




Conclusion

References



Motivation

Recovery from catastrophe involves solving problems that are:

-  Unanticipated,
-  Unprecedented,
-  Ambiguous (nothing is obvious),

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results





Conclusion

References



Motivation

Recovery from catastrophe involves solving problems that are:

-  Unanticipated,
-  Unprecedented,
-  Ambiguous (nothing is obvious),
-  Distributed (knowledge/people/resources),



Motivation

Recovery from catastrophe involves solving problems that are:

- 🧱 Unanticipated,
- 🧱 Unprecedented,
- 🧱 Ambiguous (nothing is obvious),
- 🧱 Distributed (knowledge/people/resources),
- 🧱 Limited by existing resources,



Motivation

Recovery from catastrophe involves solving problems that are:

- 🧱 Unanticipated,
- 🧱 Unprecedented,
- 🧱 Ambiguous (nothing is obvious),
- 🧱 Distributed (knowledge/people/resources),
- 🧱 Limited by existing resources,
- 🧱 Critical for survival.



Motivation

Recovery from catastrophe involves solving problems that are:

- Unanticipated,
- Unprecedented,
- Ambiguous (nothing is obvious),
- Distributed (knowledge/people/resources),
- Limited by existing resources,
- Critical for survival.

Frame:

- Collective solving of ambiguous problems



Motivation

Ambiguity:



Question much less answer is not well understood.

The PoCSverse
Organizational
Networks
17 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Motivation

Ambiguity:

- Question much less answer is not well understood.
- Back and forth search process rephrases question.

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Motivation

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References





Ambiguity:

- Question much less answer is not well understood.
- Back and forth search process rephrases question.
- Leads to iterative process of query reformulation.



Motivation






Ambiguity:

-  Question much less answer is not well understood.
-  Back and forth search process rephrases question.
-  Leads to iterative process of query reformulation.
-  Ambiguous tasks are inherently not decomposable.



Motivation

Ambiguity:

-  Question much less answer is not well understood.
-  Back and forth search process rephrases question.
-  Leads to iterative process of query reformulation.
-  Ambiguous tasks are inherently not decomposable.
-  How do individuals collectively work on an ambiguous organization-scale problem?



Motivation

Ambiguity:

- Question much less answer is not well understood.
- Back and forth search process rephrases question.
- Leads to iterative process of query reformulation.
- Ambiguous tasks are inherently not decomposable.
- How do individuals collectively work on an ambiguous organization-scale problem?
- How do we define ambiguity?



Let's modelify:

Modeling ambiguous problems is hard...

The PoCSverse
Organizational
Networks
18 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results


Conclusion

References



Let's modelify:


Modeling ambiguous problems is hard...


 Model response instead...



Let's modelify:

Modeling ambiguous problems is hard...

 Model response instead...

 Individuals need novel information and must communicate with others outside of their usual contacts.



Let's modelify:

Modeling ambiguous problems is hard...

- Model response instead...
- Individuals need novel information and must communicate with others outside of their usual contacts.
- Creative search is intrinsically inefficient.



Let's modelify:

Modeling ambiguous problems is hard...

- Model response instead...
- Individuals need novel information and must communicate with others outside of their usual contacts.
- Creative search is intrinsically inefficient.

Focus on robustness:



Let's modelify:

Modeling ambiguous problems is hard...

- Model response instead...
- Individuals need novel information and must communicate with others outside of their usual contacts.
- Creative search is intrinsically inefficient.

Focus on robustness:

- Avoidance of individual failures.



Let's modelify:

Modeling ambiguous problems is hard...

- Model response instead...
- Individuals need novel information and must communicate with others outside of their usual contacts.
- Creative search is intrinsically inefficient.

Focus on robustness:

- Avoidance of individual failures.
- Survival of organization even when failures do occur.



Outline

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

The PoCSverse
Organizational
Networks
19 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results


Conclusion

References



Why organizations exist:



"The Nature of the Firm" 

Ronald H. Coase,
Economica, **New Series**, 4, 386–405, 1937. [1]

Overview

Toyota
Ambiguous problems

Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Why organizations exist:



"The Nature of the Firm" ↗

Ronald H. Coase,
Economica, **New Series**, 4, 386–405, 1937. [1]

⊞ Notion of Transaction Costs ↗

The PoCSverse
Organizational
Networks
20 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References





Why organizations exist:



"The Nature of the Firm" ↗

Ronald H. Coase,
Economica, **New Series**, 4, 386–405, 1937. [1]

 Notion of Transaction Costs ↗

 More efficient for individuals to cooperate outside of the market.

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals


Model

Testing

Results

Conclusion

References





Why organizations exist:




"The Nature of the Firm" ↗

Ronald H. Coase,
Economica, **New Series**, 4, 386–405, 1937. [1]

 Notion of Transaction Costs ↗.

 More efficient for individuals to cooperate outside of the market.



Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References





Why organizations exist:




"The Nature of the Firm" ↗

Ronald H. Coase,
Economica, **New Series**, 4, 386–405, 1937. [1]

 Notion of Transaction Costs ↗.

 More efficient for individuals to cooperate outside of the market.



Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Real organizations—Extremes

Overview

Toyota
Ambiguous problems

Models of organizations:




Modelification

Goals
Model
Testing
Results

Conclusion

References

Hierarchy:

-  Maximum efficiency,
-  Suited to static environment,
-  Brittle.



Real organizations—Extremes

Hierarchy:

- Maximum efficiency,
- Suited to static environment,
- Brittle.


Market:


- Resilient,
- Suited to rapidly changing environment,
- Requires costless or low cost interactions.




Organizations as efficient hierarchies

 Economics: Organizations \equiv Hierarchies.




 e.g., Radner (1993)^[5], Van Zandt (1998)^[7]

 Hierarchies performing associative operations:



Real organizations...

But real, complex organizations are in the middle...



["Heterarchy"](#)

David Stark,

The Biology of Business: Decoding the Natural Laws of the Enterprise., **New Series**, 4, 153-, 1999. [6]



Optimal network topologies for local search



“Optimal network topologies for local search with congestion” 

Guimerà et al.,
Phys. Rev. Lett., **89**, 248701, 2002. ^[3]

Overview



Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Parallel search and congestion.




Queueing and network collapse.





Exploration of random search mechanisms.




Optimal network topologies for local search





 Betweenness: β .


 Polarization:


$$\pi = \frac{\max \beta}{\langle \beta \rangle} - 1.$$

 L = number of links.

 Goal: minimize average search time.

 Few searches \Rightarrow hub-and-spoke network.

 Many searches \Rightarrow decentralized network.

 Phase transition?



Outline

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

The PoCSverse
Organizational
Networks
26 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Desirable organizational qualities:

1. Low cost (requiring few links).

The PoCSverse
Organizational
Networks
27 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Desirable organizational qualities:

1. Low cost (requiring few links).
2. Scalability.

The PoCSverse
Organizational
Networks
27 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Desirable organizational qualities:

1. Low cost (requiring few links).
2. Scalability.
3. Ease of construction—existence is plausible.

The PoCSverse
Organizational
Networks
27 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Desirable organizational qualities:

1. Low cost (requiring few links).
2. Scalability.
3. Ease of construction—existence is plausible.
4. Searchability.

The PoCSverse
Organizational
Networks
27 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Desirable organizational qualities:

1. Low cost (requiring few links).
2. Scalability.
3. Ease of construction—existence is plausible.
4. Searchability.
5. **'Ultra-robustness'**:

The PoCSverse
Organizational
Networks
27 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Desirable organizational qualities:

1. Low cost (requiring few links).
2. Scalability.
3. Ease of construction—existence is plausible.
4. Searchability.
5. **'Ultra-robustness'**:
 - I Congestion robustness
(Resilience to failure due to information exchange);



Desirable organizational qualities:

1. Low cost (requiring few links).
2. Scalability.
3. Ease of construction—existence is plausible.
4. Searchability.
5. **'Ultra-robustness'**:
 - I Congestion robustness
(Resilience to failure due to information exchange);
 - II Connectivity robustness
(Recoverability in the event of failure).



Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

Small world problem:

- Can individuals pass a message to a target individual using only personal connections?
- Yes, large scale networks searchable if nodes have identities.
- "Identity and Search in Social Networks," Watts, Dodds, & Newman, 2002. [8]



Outline

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

The PoCSverse
Organizational
Networks
29 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References





"Information exchange and the robustness of organizational networks" ↗

Dodds, Watts, and Sabel,

Proc. Natl. Acad. Sci., **100**, 12516–12521, 2003. [2]

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References





"Information exchange and the robustness of organizational networks" ↗

Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]



Edited by Harrison White ↗

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References





"Information exchange and the robustness of organizational networks" ↗

Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]



Edited by Harrison White ↗

Formal organizational structure:

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion


References





"Information exchange and the robustness of organizational networks" ↗

Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]

 Edited by Harrison White ↗

Formal organizational structure:

 Underlying hierarchy:

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion


References






"Information exchange and the robustness of organizational networks" ↗

Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]

 Edited by Harrison White ↗

Formal organizational structure:

 Underlying hierarchy:

 branching ratio b

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion


References







"Information exchange and the robustness of organizational networks" ↗

Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]

 Edited by Harrison White ↗

Formal organizational structure:

 Underlying hierarchy:

-  branching ratio b
-  depth L

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References





"Information exchange and the robustness of organizational networks" ↗

Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]

Edited by Harrison White ↗

Formal organizational structure:

Underlying hierarchy:

- branching ratio b
- depth L
- $N = (b^L - 1)/(b - 1)$ nodes

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References





"Information exchange and the robustness of organizational networks" ↗

Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]

Edited by Harrison White ↗

Formal organizational structure:

Underlying hierarchy:

- branching ratio b
- depth L
- $N = (b^L - 1)/(b - 1)$ nodes
- $N - 1$ links

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion


References









"Information exchange and the robustness of organizational networks" ↗


Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]

 Edited by Harrison White ↗

Formal organizational structure:

 Underlying hierarchy:

-  branching ratio b
-  depth L
-  $N = (b^L - 1)/(b - 1)$ nodes
-  $N - 1$ links

 Additional informal ties:

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion


References









"Information exchange and the robustness of organizational networks" ↗


Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]


 Edited by Harrison White ↗

Formal organizational structure:

 Underlying hierarchy:

-  branching ratio b
-  depth L
-  $N = (b^L - 1)/(b - 1)$ nodes
-  $N - 1$ links

 Additional informal ties:

-  Choose m links according to a two parameter probability distribution

The PoCSverse
Organizational
Networks
30 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion


References









"Information exchange and the robustness of organizational networks" ↗


Dodds, Watts, and Sabel,
Proc. Natl. Acad. Sci., **100**, 12516–12521,
2003. [2]



 Edited by Harrison White ↗

Formal organizational structure:

 Underlying hierarchy:

-  branching ratio b
-  depth L
-  $N = (b^L - 1)/(b - 1)$ nodes
-  $N - 1$ links

 Additional informal ties:

-  Choose m links according to a two parameter probability distribution
-  $0 \leq m \leq (N - 1)(N - 2)/2$

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Model—underlying hierarchy

Overview

- Toyota
- Ambiguous problems
- Models of organizations:


Modelification

- Goals
- Model**
- Testing
- Results

Conclusion

References

Model—formal structure:



$$b = 3, \quad L = 3, \quad N = 13$$



Model—addition of links

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals

Model


Testing

Results

Conclusion

References

Team-based networks ($m = 12$):



Model—addition of links

Overview

Toyota
Ambiguous problems
Models of organizations:


Modelification

Goals
Model
Testing
Results

Conclusion

References

Random networks ($m = 12$):



Model—addition of links

Overview

- Toyota
- Ambiguous problems
- Models of organizations:

Modelification



Goals

- Model**
- Testing
- Results

Conclusion

References

Random interdivisional networks ($m = 6$):



Model—addition of links

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals

Model


Testing

Results

Conclusion

References

Core-periphery networks ($m = 6$):



Model—addition of links

The PoCSverse
Organizational
Networks
36 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model



Testing

Results

Conclusion

References

Multiscale networks ($m = 12$):



Model—construction

Overview



- Toyota
- Ambiguous problems
- Models of organizations:

Modelification

- Goals
- Model**
- Testing
- Results

Conclusion

References



Model—construction

Overview


Toyota
Ambiguous problems
Models of organizations:

Modelification


Goals
Model
Testing
Results


Conclusion


References

 Link addition probability:

$$P(D, d_1, d_2) \propto e^{-D/\lambda} e^{-f(d_1, d_2)/\zeta}$$

 First choose (D, d_1, d_2) .

 Randomly choose (y, x_1, x_2) given (D, d_1, d_2) .

 Choose links without replacement.



Model—construction

Requirements for $f(d_1, d_2)$:

The PoCSverse
Organizational
Networks
39 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Model—construction

Requirements for $f(d_1, d_2)$:

1. $f \geq 0$ for $d_1 + d_2 \geq 2$

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Model—construction

Requirements for $f(d_1, d_2)$:

1. $f \geq 0$ for $d_1 + d_2 \geq 2$
2. f increases monotonically with d_1, d_2 .

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Model—construction

The PoCSverse
Organizational
Networks
39 of 61

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

Requirements for $f(d_1, d_2)$:

1. $f \geq 0$ for $d_1 + d_2 \geq 2$
2. f increases monotonically with d_1, d_2 .
3. $f(d_1, d_2) = f(d_2, d_1)$.



Model—construction

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

Requirements for $f(d_1, d_2)$:

1. $f \geq 0$ for $d_1 + d_2 \geq 2$
2. f increases monotonically with d_1, d_2 .
3. $f(d_1, d_2) = f(d_2, d_1)$.
4. f is maximized when $d_1 = d_2$.



Model—construction

Requirements for $f(d_1, d_2)$:

1. $f \geq 0$ for $d_1 + d_2 \geq 2$
2. f increases monotonically with d_1, d_2 .
3. $f(d_1, d_2) = f(d_2, d_1)$.
4. f is maximized when $d_1 = d_2$.

Simple function satisfying 1-4:

$$f(d_1, d_2) = (d_1^2 + d_2^2 - 2)^{1/2}$$
$$\Rightarrow P(y, x_1, x_2) \propto e^{-D/\lambda} e^{-(d_1^2 + d_2^2 - 2)^{1/2} / \zeta}$$



Model—limiting cases

Overview


- Toyota
- Ambiguous problems
- Models of organizations:

Modelification

- Goals
- Model**
- Testing
- Results

Conclusion

References



Outline

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

The PoCSverse
Organizational
Networks

41 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Message passing pattern



Each of T time steps, each node generates a message with probability μ .

The PoCSverse
Organizational
Networks
42 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Message passing pattern

- Each of T time steps, each node generates a message with probability μ .
- Recipient of message chosen based on distance from sender.

The PoCSverse
Organizational
Networks
42 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing


Results


Conclusion

References



Message passing pattern

 Each of T time steps, each node generates a message with probability μ .

 Recipient of message chosen based on distance from sender.




$$P(\text{recipient at distance } d) \propto e^{-d/\xi}.$$

1. ξ = measure of uncertainty;
2. $\xi = 0$: local message passing;
3. $\xi = \infty$: random message passing.



Message passing pattern:

Distance d_{12} between two nodes x_1 and x_2 :



$$d_{12} = \max(d_1, d_2) = 3$$



Measure unchanged with presence of informal ties.

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Message passing pattern

The PoCSverse
Organizational
Networks
44 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References


Simple message routing algorithm:


- Look ahead one step: always choose neighbor closest to recipient node.



Message passing pattern

Simple message routing algorithm:

 Look ahead one step: always choose neighbor closest to recipient node.

 Pseudo-global knowledge:

1. Nodes understand hierarchy.
2. Nodes know only local informal ties.



Message passing pattern

The PoCSverse
Organizational
Networks
45 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

Interpretations:

1. Sender knows specific recipient.



Message passing pattern

The PoCSverse
Organizational
Networks
45 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

Interpretations:

1. Sender knows specific recipient.
2. Sender requires certain kind of recipient.



Message passing pattern

The PoCSverse
Organizational
Networks
45 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

Interpretations:

1. Sender knows specific recipient.
2. Sender requires certain kind of recipient.
3. Sender seeks specific information but recipient unknown.



Message passing pattern

The PoCSverse
Organizational
Networks
45 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

Interpretations:

1. Sender knows specific recipient.
2. Sender requires certain kind of recipient.
3. Sender seeks specific information but recipient unknown.
4. Sender has a problem but information/recipient unknown.



Message passing pattern

The PoCSverse
Organizational
Networks
46 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model


Testing

Results

Conclusion

References

Performance:

 Measure Congestion Centrality ρ_i , fraction of messages passing through node i .



Message passing pattern

Performance:

- Measure Congestion Centrality ρ_i , fraction of messages passing through node i .
- Similar to betweenness centrality.



Message passing pattern

Performance:

- Measure Congestion Centrality ρ_i , fraction of messages passing through node i .
- Similar to betweenness centrality.
- However: depends on
 1. Search algorithm;



Message passing pattern

Performance:

- Measure Congestion Centrality ρ_i , fraction of messages passing through node i .
- Similar to betweenness centrality.
- However: depends on
 - Search algorithm;
 - Task specification (μ, ξ) .



Message passing pattern

Performance:

- 🧱 Measure Congestion Centrality ρ_i , fraction of messages passing through node i .
- 🧱 Similar to betweenness centrality.
- 🧱 However: depends on
 1. Search algorithm;
 2. Task specification (μ, ξ) .
- 🧱 Congestion robustness comes from minimizing ρ_{\max} .



Outline

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References

The PoCSverse
Organizational
Networks

47 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Performance testing:

The PoCSverse
Organizational
Networks
48 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model


Testing

Results

Conclusion

References

Parameter settings (unless varying):

 Underlying hierarchy: $b = 5, L = 6, N = 3096$;



Performance testing:

The PoCSverse
Organizational
Networks
48 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model


Testing


Results

Conclusion

References

Parameter settings (unless varying):

 Underlying hierarchy: $b = 5, L = 6, N = 3096$;

 Number of informal ties: $m = N$.



Performance testing:

The PoCSverse
Organizational
Networks
48 of 61

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

Parameter settings (unless varying):

- Underlying hierarchy: $b = 5, L = 6, N = 3096$;
- Number of informal ties: $m = N$.
- Link addition algorithm: $\lambda = \zeta = 0.5$.



Performance testing:

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References

Parameter settings (unless varying):

- Underlying hierarchy: $b = 5, L = 6, N = 3096$;
- Number of informal ties: $m = N$.
- Link addition algorithm: $\lambda = \zeta = 0.5$.
- Message passing: $\xi = 1, \mu = 10/N, T = 1000$.



Results—congestion robustness

Overview


Toyota
Ambiguous problems
Models of organizations:

Modelification


Goals
Model
Testing
Results

Conclusion

References



Results—varying number of links added:



◇=TB

▽=R


△=RID

○=CP

□=MS



Results—varying message passing pattern



◇=TB

▽=R


△=RID

○=CP

□=MS



Results—Maximum firm size

 Congestion may increase with size of network.

The PoCSverse
Organizational
Networks
52 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Results—Maximum firm size

- 🧱 Congestion may increase with size of network.
- 🧱 Fix rate of message passing (μ) and Message pattern (ξ).

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Results—Maximum firm size

- 🧱 Congestion may increase with size of network.
- 🧱 Fix rate of message passing (μ) and Message pattern (ξ).
- 🧱 Fix branching ratio of hierarchy and add more levels.



Results—Maximum firm size

- 🧱 Congestion may increase with size of network.
- 🧱 Fix rate of message passing (μ) and Message pattern (ξ).
- 🧱 Fix branching ratio of hierarchy and add more levels.
- 🧱 Individuals have limited capacity \Rightarrow limit to firm size.



Scalability in complete uncertainty: $\xi = \infty$

Overview


Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



◇=TB

▽=R


△=RID

○=CP

□=MS





Inducing catastrophic failure:

 Remove N_r nodes and measure relative size of largest component $C = S/(N - N_r)$.



Inducing catastrophic failure:


 Remove N_r nodes and measure relative size of largest component $C = S/(N - N_r)$.


 Four deletion sequences:

1. Top-down;
2. Random;
3. Hub;
4. Cascading failure.




Inducing catastrophic failure:

 Remove N_r nodes and measure relative size of largest component $C = S/(N - N_r)$.

 Four deletion sequences:

1. Top-down;
2. Random;
3. Hub;
4. Cascading failure.

 Results largely independent of sequence.



Results—Connectivity Robustness

Overview


Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Summary of results

Feature	Congestion Robustness	Connectivity Robustness	Scalability
Core-periphery	good	average	average
Random	poor	good	poor
Rand. Interdivisional	poor	good	poor
Team-based	poor	poor	poor
Multiscale	good	good	good



Conclusory moments

Multi-scale networks:

1. Possess good Congestion Robustness and Connectivity
Robustness \Rightarrow Ultra-robust;

The PoCSverse
Organizational
Networks
57 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Conclusory moments

Multi-scale networks:

1. Possess good Congestion Robustness and Connectivity
Robustness \Rightarrow Ultra-robust;
2. Scalable;

The PoCSverse
Organizational
Networks
57 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Conclusory moments

Multi-scale networks:

1. Possess good Congestion Robustness and Connectivity
Robustness \Rightarrow Ultra-robust;
2. Scalable;
3. Relatively insensitive to parameter choice;

The PoCSverse
Organizational
Networks
57 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing

Results

Conclusion

References



Conclusory moments

The PoCSverse
Organizational
Networks
57 of 61

Overview

Toyota

Ambiguous problems

Models of organizations:

Modelification

Goals

Model

Testing


Results

Conclusion

References

Multi-scale networks:

1. Possess good Congestion Robustness and Connectivity
Robustness \Rightarrow Ultra-robust;
2. Scalable;
3. Relatively insensitive to parameter choice;

 Above suggests existence of multi-scale structure is plausible.



Conclusory moments



Foregoing is an attempt to model what organizations might look like beyond simple hierarchies (2003).

The PoCSverse
Organizational
Networks
58 of 61

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Conclusory moments

- ⊞ Foregoing is an attempt to model what organizations might look like beyond simple hierarchies (2003).
- ⊞ Possible work: develop 'bottom up' model of organizational networks based on social search, identity (emergent searchability).

The PoCSverse
Organizational
Networks
58 of 61

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Conclusory moments

- ⊞ Foregoing is an attempt to model what organizations might look like beyond simple hierarchies (2003).
- ⊞ Possible work: develop 'bottom up' model of organizational networks based on social search, identity (emergent searchability).
- ⊞ Balance of **generalists versus specialists**—how many middle managers does an organization need?

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



Conclusory moments

- ⊞ Foregoing is an attempt to model what organizations might look like beyond simple hierarchies (2003).
- ⊞ Possible work: develop 'bottom up' model of organizational networks based on social search, identity (emergent searchability).
- ⊞ Balance of **generalists versus specialists**—how many middle managers does an organization need?
- ⊞ Still a need for data on real organizations...

Overview

Toyota
Ambiguous problems
Models of organizations:

Modelification

Goals
Model
Testing
Results

Conclusion

References



References I

[1] R. H. Coase.

The nature of the firm.

[Economica](#), New Series, 4(4):386–405, 1937. pdf ↗

[2] P. S. Dodds, D. J. Watts, and C. F. Sabel.

Information exchange and the robustness of organizational networks.

[Proc. Natl. Acad. Sci.](#), 100(21):12516–12521, 2003. pdf ↗

[3] R. Guimerà, A. Diaz-Guilera, F. Vega-Redondo, A. Cabrales, and A. A.

Optimal network topologies for local search with congestion.

[Phys. Rev. Lett.](#), 89:248701, 2002. pdf ↗



References II

- [4] T. Nishiguchi and A. Beaudet.

Fractal design: Self-organizing links in supply chain.

In G. Von Krogh, I. Nonaka, and T. Nishiguchi, editors, Knowledge Creation: A New Source of Value, pages 199–230. MacMillan, London, 2000.

- [5] R. Radner.

The organization of decentralized information processing.

Econometrica, 61(5):1109–1146, 1993. pdf ↗

- [6] D. Stark.

Heterarchy.

In J. Clippinger, editor, The Biology of Business: Decoding the Natural Laws of the Enterprise., chapter 5, pages 153–. Jossey-Bass, San Francisco, 1999. pdf ↗



References III

[7] T. Van Zandt.

Organizations with an endogenous number of information processing agents.

In Organizations with Incomplete Information, chapter 7. Cambridge University Press, New York, 1998.

[8] D. J. Watts, P. S. Dodds, and M. E. J. Newman.

Identity and search in social networks.

Science, 296:1302–1305, 2002. [pdf](#) 