

# Optimal Supply Networks I: Branching

Last updated: 2025/09/22, 18:39:00 EDT

Principles of Complex Systems,  
Vols. 1, 2, 3D, 4 Fouever, V for Vendetta

Prof. Peter Sheridan Dodds

Computational Story Lab | Vermont Complex Systems Institute  
University of Vermont | Santa Fe Institute



Licensed under the [Creative Commons Attribution 4.0 International](https://creativecommons.org/licenses/by/4.0/)

The PoCverse  
Optimal Supply  
Networks I  
1 of 31

Optimal  
transportation

Optimal branching

Murray's law

Murray meets Tokunaga

References



These slides are brought to you by:

Sealie & Lambie  
Productions



The PoCverse  
Optimal Supply  
Networks I  
2 of 31

Optimal  
transportation

Optimal branching

Murray's law

Murray meets Tokunaga


References







These slides are also brought to you by:

Special Guest Executive Producer



 On Instagram at [pratchett\\_the\\_cat](https://www.instagram.com/pratchett_the_cat) 

The PoCverse  
Optimal Supply  
Networks I  
3 of 31

Optimal  
transportation

Optimal branching

Murray's law

Murray meets Tokunaga

References



# Outline

The PoCverse  
Optimal Supply  
Networks I  
4 of 31

Optimal  
transportation

Optimal branching

Murray's law

Murray meets Tokunaga

References

Optimal transportation

Optimal branching

Murray's law


Murray meets Tokunaga


References




# Optimal supply networks

What's the best way to distribute stuff?

 Stuff = medical services, energy, people, ...

 **Some** fundamental network problems:

1. Distribute stuff from a **single source** to **many sinks**
2. Distribute stuff from **many sources** to many sinks
3. **Redistribute** stuff between nodes that are both sources and sinks

 Supply and Collection are equivalent problems








# Single source optimal supply

Basic question for distribution/supply networks:

 How does flow behave given cost:


$$C = \sum_j I_j^\gamma Z_j$$

where

$I_j$  = current on link  $j$


and

$Z_j$  = link  $j$ 's impedance.

 Example:  $\gamma = 2$  for electrical networks.




# Single source optimal supply



(a)  $\gamma > 1$ : Braided (bulk) flow

(b)  $\gamma < 1$ : Local minimum: Branching flow

(c)  $\gamma < 1$ : Global minimum: Branching flow

 Note: This is a single source supplying a region.



From Bohn and Magnasco <sup>[3]</sup>

See also Banavar *et al.* <sup>[1]</sup>: “Topology of the Fittest Transportation Network”; focus is on presence or absence of loops—same story



# Single source optimal supply

## Optimal paths related to transport (Monge) problems



Optimal  
transportation


Optimal branching

Murray's law

Murray meets Tokunaga

References



“Optimal paths related to transport problems” 


Qinglan Xia,


Communications in Contemporary Mathematics, **5**,  
251–279, 2003. <sup>[20]</sup>




# Growing networks—two parameter model: [21]

FIGURE 1.  $\alpha = 0.6, \beta = 0.5$



 Parameters control impedance ( $0 \leq \alpha < 1$ ) and angles of junctions ( $0 < \beta$ )


 For this example:  $\alpha = 0.6$  and  $\beta = 0.5$





# Growing networks: [21]

FIGURE 3. A maple leaf



Top:  $\alpha = 0.66, \beta = 0.38$ ; Bottom:  $\alpha = 0.66, \beta = 0.70$



# Single source optimal supply

An immensely controversial issue ...

- 🧱 The form of natural branching networks:  
Random, optimal, or some combination? [6, 19, 2, 5, 4]
- 🧱 River networks, blood networks, trees, ...


Two observations:


- 🧱 Self-similar networks appear everywhere in nature for single source supply/single sink collection.
- 🧱 Real networks **differ** in **details of scaling** but reasonably agree in **scaling relations**.



# River network models


## Optimality:


 Optimal channel networks <sup>[13]</sup>

 Thermodynamic analogy <sup>[14]</sup>

versus ...

## Randomness:

 Scheidegger's directed random networks


 Undirected random networks









# Optimization—Murray's law





 Murray's law (1926) connects branch radii at forks: [11, 10, 12, 7, 17]

$$r_{\text{parent}}^3 = r_{\text{offspring1}}^3 + r_{\text{offspring2}}^3$$


where  $r_{\text{parent}}$  = radius of 'parent' branch, and  $r_{\text{offspring1}}$  and  $r_{\text{offspring2}}$  are radii of the two 'offspring' sub-branches.

 Holds up well for outer branchings of blood networks [15].

 Also found to hold for trees [12, 8] when xylem is not a supporting structure [9].


 See D'Arcy Thompson's "On Growth and Form" for background and general inspiration [16, 17].






 Use hydraulic equivalent of Ohm's law:

$$\Delta p = \Phi Z \Leftrightarrow V = IR$$


where  $\Delta p$  = pressure difference,  $\Phi$  = flux.




 Fluid mechanics: Poiseuille impedance  for smooth Poiseuille flow  in a tube of radius  $r$  and length  $\ell$ :

$$Z = \frac{8\eta\ell}{\pi r^4}$$

  $\eta$  = dynamic viscosity  (units:  $ML^{-1}T^{-1}$ ).

 Power required to overcome impedance:

$$P_{\text{drag}} = \Phi \Delta p = \Phi^2 Z.$$


 Also have rate of energy expenditure in maintaining blood given metabolic constant  $c$ :


$$P_{\text{metabolic}} = cr^2\ell$$





# Optimization—Murray's law


## Aside on $P_{\text{drag}}$

 Work done =  $F \cdot d$  = energy transferred by force  $F$

 Power =  $P$  = rate work is done =  $F \cdot v$

  $\Delta p$  = Pressure differential = Force per unit area


  $\Phi$  = Volume flow per unit time (current)  
= cross-sectional area  $\cdot$  velocity

 So  $\Phi \Delta p$  = Force  $\cdot$  velocity





# Optimization—Murray's law



## Murray's law:

 Total power (cost):

$$P = P_{\text{drag}} + P_{\text{metabolic}} = \Phi^2 \frac{8\eta\ell}{\pi r^4} + cr^2\ell$$

 Observe power increases linearly with  $\ell$

 But  $r$ 's effect is nonlinear:


-  increasing  $r$  makes flow easier **but increases metabolic cost** (as  $r^2$ )
-  decreasing  $r$  decrease metabolic cost **but impedance goes up** (as  $r^{-4}$ )






# Optimization—Murray's law

## Murray's law:

 Minimize  $P$  with respect to  $r$ :

$$\frac{\partial P}{\partial r} = \frac{\partial}{\partial r} \left( \Phi^2 \frac{8\eta\ell}{\pi r^4} + cr^2\ell \right)$$

 Flow rates at each branching have to add up (else our organism is in serious trouble ...):

$$\Phi_0 = \Phi_1 + \Phi_2$$

where again 0 refers to the main branch and 1 and 2 refers to the offspring branches




# Optimization—Murray's law

## Murray's law:

 Find:

$$\Phi = kr^3$$


 Insert assignment question 


 All of this means we have a groovy cube-law:

$$r_{\text{parent}}^3 = r_{\text{offspring1}}^3 + r_{\text{offspring2}}^3$$




## Murray meets Tokunaga:


  $\Phi_\omega$  = volume rate of flow into an order  $\omega$  vessel segment

 Tokunaga picture:

$$\Phi_\omega = 2\Phi_{\omega-1} + \sum_{k=1}^{\omega-1} T_k \Phi_{\omega-k}$$

 Using  $\phi_\omega = kr_\omega^3$

$$(r_\omega)^3 = 2(r_{\omega-1})^3 + \sum_{k=1}^{\omega-1} T_k (r_{\omega-k})^3$$

 Same form as:

$$n_\omega = \underbrace{2n_{\omega+1}}_{\text{generation}} + \sum_{\omega'=\omega+1}^{\Omega} \underbrace{T_{\omega'-\omega}n_{\omega'}}_{\text{absorption}}$$



## Murray meets Tokunaga:


- Find Horton ratio for vessel radius  $R_r = r_\omega / r_{\omega-1}$ .
- Find  $R_r^3$  satisfies same equation as  $R_n$  and  $R_v$  ( $v$  is for volume):

$$R_r^3 = R_n = R_v$$

- Is there more we could do here to constrain the Horton ratios and Tokunaga constants?





## Murray meets Tokunaga:


 Isometry:  $V_\omega \propto \ell_\omega^3$

 Gives

$$R_\ell^3 = R_r^3 = R_n = R_v$$

 We need one more constraint ...





 West *et al.* (1997) <sup>[19]</sup> achieve similar results following Horton's laws (but this work is a disaster).

 So does Turcotte *et al.* (1998) <sup>[18]</sup> using Tokunaga (sort of).





# References I

- [1] J. R. Banavar, F. Colaiori, A. Flammini, A. Maritan, and A. Rinaldo.  
Topology of the fittest transportation network.  
Phys. Rev. Lett., 84:4745–4748, 2000. [pdf](#) 
- [2] J. R. Banavar, A. Maritan, and A. Rinaldo.  
Size and form in efficient transportation networks.  
Nature, 399:130–132, 1999. [pdf](#) 
- [3] S. Bohn and M. O. Magnasco.  
Structure, scaling, and phase transition in the optimal transport network.  
Phys. Rev. Lett., 98:088702, 2007. [pdf](#) 
- [4] P. S. Dodds.  
Optimal form of branching supply and collection networks.  
Phys. Rev. Lett., 104(4):048702, 2010. [pdf](#) 



## References II

- [5] P. S. Dodds and D. H. Rothman.  
Geometry of river networks. I. Scaling, fluctuations, and deviations.  
[Physical Review E](#), 63(1):016115, 2001. pdf ↗
- [6] J. W. Kirchner.  
Statistical inevitability of Horton's laws and the apparent randomness of stream channel networks.  
[Geology](#), 21:591–594, 1993. pdf ↗
- [7] P. La Barbera and R. Rosso.  
Reply.  
[Water Resources Research](#), 26(9):2245–2248, 1990. pdf ↗
- [8] K. A. McCulloh, J. S. Sperry, and F. R. Adler.  
Water transport in plants obeys Murray's law.  
[Nature](#), 421:939–942, 2003. pdf ↗



## References III

- [9] K. A. McCulloh, J. S. Sperry, and F. R. Adler.  
Murray's law and the hydraulic vs mechanical functioning of wood.

[Functional Ecology](#), 18:931–938, 2004. pdf ↗

- [10] C. D. Murray.

The physiological principle of minimum work applied to the angle of branching of arteries.

[J. Gen. Physiol.](#), 9(9):835–841, 1926. pdf ↗



- [11] C. D. Murray.

The physiological principle of minimum work. I. The vascular system and the cost of blood volume.

[Proc. Natl. Acad. Sci.](#), 12:207–214, 1926. pdf ↗



## References IV

- [12] C. D. Murray.  
A relationship between circumference and weight in trees and its bearing on branching angles.  
[J. Gen. Physiol., 10:725–729, 1927. pdf](#)
- [13] I. Rodríguez-Iturbe and A. Rinaldo.  
[Fractal River Basins: Chance and Self-Organization.](#)  
Cambridge University Press, Cambridge, UK, 1997.
- [14] A. E. Scheidegger.  
[Theoretical Geomorphology.](#)  
Springer-Verlag, New York, third edition, 1991.
- [15] T. F. Sherman.  
On connecting large vessels to small. The meaning of Murray's law.  
[The Journal of general physiology, 78\(4\):431–453, 1981.](#)  
[pdf](#)





# References V

- [16] D. W. Thompson.  
On Growth and Form.  
Cambridge University Pres, Great Britain, 2nd edition, 1952.
- [17] D. W. Thompson.  
On Growth and Form — Abridged Edition.  
Cambridge University Press, Great Britain, 1961.
- [18] D. L. Turcotte, J. D. Pelletier, and W. I. Newman.  
Networks with side branching in biology.  
Journal of Theoretical Biology, 193:577–592, 1998. pdf ↗
- [19] G. B. West, J. H. Brown, and B. J. Enquist.  
A general model for the origin of allometric scaling laws in biology.  
Science, 276:122–126, 1997. pdf ↗





[20] Q. Xia.  
Optimal paths related to transport problems.  
Communications in Contemporary Mathematics,  
5:251–279, 2003. pdf ↗

[21] Q. Xia.  
The formation of a tree leaf.  
ESAIM: Control, Optimisation and Calculus of Variations,  
13:359–377, 2007. pdf ↗

