

Small-world networks

Last updated: 2023/08/22, 11:48:23 EDT

Principles of Complex Systems, Vols. 1, 2, & 3D
CSYS/MATH 6701, 6713, & a pretend number,
2023–2024 | @pocsvox

Prof. Peter Sheridan Dodds | @peterdodds

Computational Story Lab | Vermont Complex Systems Center
Santa Fe Institute | University of Vermont



The PoCVerse
Small-world
networks
1 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References



Licensed under the *Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License*.

These slides are brought to you by:

Sealie & Lambie
Productions



The PoCverse
Small-world
networks
2 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References



These slides are also brought to you by:

Special Guest Executive Producer



 On Instagram at [pratchett_the_cat](https://www.instagram.com/pratchett_the_cat) 

The PoCverse
Small-world
networks
3 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References



Outline

The PoCSverse
Small-world
networks
4 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References

Small-world networks

Experiments

Theory

Generalized affiliation networks

Nutshell

References



People thinking about people:

How are social networks structured?

- How do we define and measure connections?
- Methods/issues of self-report and remote sensing.

What about the dynamics of social networks?

- How do social networks/movements begin & evolve?
- How does collective problem solving work?
- How does information move through social networks?
- Which rules give the best 'game of society'?

Sociotechnical phenomena and algorithms:

- What can people and computers do together? (google)
- Use Play + Crunch to solve problems. Which problems?



Social Search

The PoCSverse
Small-world
networks
8 of 68

Small-world
networks

Experiments


Theory


Generalized affiliation
networks

Nutshell

References


A small slice of the pie:

 **Q.** Can people pass messages between distant individuals using only their existing social connections?

 **A.** Apparently yes ...



Milgram's social search experiment (1960s)



<http://www.stanleymilgram.com>

- Target person = Boston stockbroker.
- 296 senders from Boston and Omaha.
- 20% of senders reached target.
- chain length ≈ 6.5 .

Popular terms:

- The Small World Phenomenon;
- "Six Degrees of Separation."

The PoCVerse
Small-world
networks
9 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References



From Frigyes Karinthy's "Chain-links" in "Everything is Different", 1929:

'A fascinating game grew out of this discussion. One of us suggested performing the following experiment to prove that the population of the Earth is closer together now than they have ever been before. We should select any person from the 1.5 billion inhabitants of the Earth—anyone, anywhere at all. He bet us that, using no more than five individuals, one of whom is a personal acquaintance, he could contact the selected individual using nothing except the network of personal acquaintances. For example, "Look, you know Mr. X.Y., please ask him to contact his friend Mr. Q.Z., whom he knows, and so forth."



Six Degrees of Kevin Bacon:




It's a game: "Kevin Bacon is the Center of the Universe"



The Oracle of Bacon

Six Degrees of Paul Erdős:



Academic papers.



Erdős Number



Erdős Number Project

So naturally we must have the Erdős-Bacon Number.

One Story Lab alum has $EB\# < \infty$.

Natalie Hershlag's (Portman's) $EB\# = 5 + 2 = 7$.

The EBS# is also a thing: erdosbaconsabbath.com.

The PoCSverse
Small-world
networks
11 of 68

Small-world
networks

Experiments

Theory


Generalized affiliation
networks

Nutshell

References



Good Will Hunting:



The PoCverse
Small-world
networks
12 of 68

Small-world
networks

Experiments



Theory



Generalized affiliation
networks

Nutshell

References



 Boardwork by Dan Kleitman ,
 $EB\# = 1 + 2 = 3$.

 See Kleitman's sidebar in
Mark Saul's Movie Review 
(Notices of the AMS, Vol. 45,
1998.)



You may already be a winner in NSA's "three-degrees" surveillance sweepstakes!

NSA's probes could cover hundreds of millions of Americans. Thanks, Kevin Bacon.

by Sean Gallagher - July 18 2013, 4:00pm EDT

BIG DATA 109



Aurich Lawson

The PoCSverse
Small-world
networks
13 of 68

Small-world
networks



Experiments

Theory

Generalized affiliation
networks

Nutshell


References

 Many people  are within three degrees from a random person ...



The problem

Lengths of successful chains:



From Travers and
Milgram (1969) in
Sociometry:^[9]
“An Experimental
Study of the Small
World Problem.”



The problem

The PoCSverse
Small-world
networks
15 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References

Two features characterize a social 'Small World':

1. Short paths exist, (= Geometric piece)
and
2. People are good at finding them. (= Algorithmic piece)



Social Search

Milgram's small world experiment with email:

Events and News
Duncan J. Watts's new book is out now!

Project Information
In the Press
Description
Procedures
Security and Privacy
Articles/References
Results

Research Team
Duncan J. Watts
Peter Dodds
Robby Muhamad

Web Development
Peter Hauxel

Vijay (Delhi, India) worked at an engineering firm with

Sneer (Kolkata, India) whose daughter

Piema (Berkeley, USA) goes to school in California and plays soccer with

Alice (New York, USA)

Christina (Sanchez, USA) whose best friend from high school

William (New York, NY) is studying medicine with

home
my small world
chat
FAQ
related links

login
sign up

The **SMALL WORLD** project is an online experiment to test the idea that any two people in the world can be connected via "six degrees of separation".

Your objective is to get a message to a "target person", somewhere in the world, by forwarding the message to a friend of yours—someone who is "closer" to the target than you are. (If you happen know the target, you can of course send it to them)

If we have asked you to participate (you would have received a message from a friend of yours), you should continue the chain.

If you are just visiting us, sign up to start a new chain.

COLUMBIA UNIVERSITY

The PoCVerse
Small-world
networks
16 of 68

Small-world
networks

Experiments

Theory


Generalized affiliation

networks

Nutshell


References









"An Experimental Study of Search in Global Social Networks" 
Dodds, Muhamad, and Watts,
Science, **301**, 827–829, 2003. ^[4]




Social search—the Columbia experiment

 60,000+ participants in 166 countries

 18 targets in 13 countries including

-  a professor at an Ivy League university,
-  an archival inspector in Estonia,
-  a technology consultant in India,
-  a policeman in Australia,
and
-  a veterinarian in the Norwegian army.

 24,000+ chains

We were lucky and contagious (more later):

[“Using E-Mail to Count Connections”](#) , Sarah Milstein,
New York Times, Circuits Section (December, 2001)

The PoCSverse
Small-world
networks
17 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation

networks

Nutshell

References



All targets:

The PoCSverse
Small-world
networks
18 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References

Table S1

Target	City	Country	Occupation	Gender	N	N _c (%)	r (r ₀)	<L>
1	Novosibirsk	Russia	PhD student	F	8234	20(0.24)	64 (76)	4.05
2	New York	USA	Writer	F	6044	31 (0.51)	65 (73)	3.61
3	Bandung	Indonesia	Unemployed	M	8151	0	66 (76)	n/a
4	New York	USA	Journalist	F	5690	44 (0.77)	60 (72)	3.9
5	Ithaca	USA	Professor	M	5855	168 (2.87)	54 (71)	3.84
6	Melbourne	Australia	Travel Consultant	F	5597	20 (0.36)	60 (71)	5.2
7	Bardufoss	Norway	Army veterinarian	M	4343	16 (0.37)	63 (76)	4.25
8	Perth	Australia	Police Officer	M	4485	4 (0.09)	64 (75)	4.5
9	Omaha	USA	Life Insurance Agent	F	4562	2 (0.04)	66 (79)	4.5
10	Welwyn Garden City	UK	Retired	M	6593	1 (0.02)	68 (74)	4
11	Paris	France	Librarian	F	4198	3 (0.07)	65 (75)	5
12	Tallinn	Estonia	Archival Inspector	M	4530	8 (0.18)	63(79)	4
13	Munich	Germany	Journalist	M	4350	32 (0.74)	62 (74)	4.66
14	Split	Croatia	Student	M	6629	0	63 (77)	n/a
15	Gurgaon	India	Technology Consultant	M	4510	12 (0.27)	67 (78)	3.67
16	Managua	Nicaragua	Computer analyst	M	6547	2 (0.03)	68 (78)	5.5
17	Katikati	New Zealand	Potter	M	4091	12 (0.3)	62 (74)	4.33
18	Elderton	USA	Lutheran Pastor	M	4438	9 (0.21)	68 (76)	4.33
Totals					98,847	384 (0.4)	63 (75)	4.05



Social search—the Columbia experiment

The PoCverse
Small-world
networks
19 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References

- ✉ Milgram's participation rate was roughly 75%
- ✉ Email version: Approximately 37% participation rate.
- ✉ Probability of a chain of length 10 getting through:

$$.37^{10} \simeq 5 \times 10^{-5}$$

- ✉ \Rightarrow 384 completed chains (1.6% of all chains).



Social search—the Columbia experiment

The PoCSverse
Small-world
networks
20 of 68

Small-world
networks


Experiments


Theory


Generalized affiliation
networks


Nutshell

References

 Motivation/Incentives/Perception matter.

 If target *seems* reachable
⇒ participation more likely.

 Small changes in attrition rates
⇒ large changes in completion rates

 e.g., ↘ 15% in attrition rate
⇒ ↗ 800% in completion rate



Social search—the Columbia experiment

The PoCSverse
Small-world
networks
21 of 68

Small-world
networks

Experiments


Theory


Generalized affiliation
networks

Nutshell

References

Comparing successful to unsuccessful chains:

 Successful chains used relatively weaker ties:



Social search—the Columbia experiment

The PoCverse
Small-world
networks
22 of 68

Small-world
networks

Experiments





Theory

Generalized affiliation
networks



Nutshell

References

Successful chains disproportionately used:

-  Weak ties, Granovetter ^[5]
-  Professional ties (34% vs. 13%)
-  Ties originating at work/college
-  Target's work (65% vs. 40%)

...and disproportionately avoided

-  hubs (8% vs. 1%) (+ no evidence of funnels)
-  family/friendship ties (60% vs. 83%)

Geography → Work



Social search—the Columbia experiment

The PoCSverse
Small-world
networks
23 of 68

Small-world
networks

Experiments






Theory

Generalized affiliation
networks

Nutshell

References

Senders of successful messages showed
little absolute dependency on

-  age, gender
-  country of residence
-  income
-  religion
-  relationship to recipient

Range of completion rates for subpopulations:

30% to 40%



Social search—the Columbia experiment

The PoCSverse
Small-world
networks
24 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References

Mildly bad for continuing chain:

choosing recipients because “they have lots of friends”
or because they will “likely continue the chain.”

Why:



Specificity important



Successful links used relevant information.
(e.g. connecting to someone who shares same
profession as target.)



Social search—the Columbia experiment

The PoCSverse
Small-world
networks
25 of 68

Small-world
networks

Experiments


Theory


Generalized affiliation
networks


Nutshell


References


Basic results:


 $\langle L \rangle = 4.05$ for all completed chains

 L_* = Estimated 'true' median chain length (zero attrition)

 Intra-country chains: $L_* = 5$








 Inter-country chains: $L_* = 7$

 All chains: $L_* = 7$

 Milgram: $L_* \simeq 9$



Harnessing social search:

-  Can distributed social search be used for something big/good?
-  What about something evil? (Good idea to check.)
-  What about socio-inspired algorithms for information search? (More later.)
-  For real social search, we have an incentives problem.
-  Which kind of influence mechanisms/algorithms would help propagate search?
-  Fun, money, prestige, ...?
-  Must be 'non-gameable.'



Red balloons:

The PoCSverse
Small-world
networks
27 of 68

Small-world
networks

Experiments










Theory

Generalized affiliation
networks

Nutshell

References

A Grand Challenge:

-  1969: The Internet is born 
(the ARPANET —four nodes!).
-  Originally funded by DARPA who created a grand Network Challenge  for the 40th anniversary.
-  Saturday December 5, 2009: DARPA puts 10 red weather balloons up during the day.
-  Each 8 foot diameter balloon is anchored to the ground **somewhere in the United States**.
-  Challenge: Find the latitude and longitude of each balloon.
-  Prize: **\$40,000**.

*DARPA = Defense Advanced Research Projects Agency .



Where the balloons were:



The PoCVerse
Small-world
networks
28 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks













Nutshell

References



Finding red balloons:

The winning team and strategy:

-  MIT's Media Lab  won in less than 9 hours. [7]
-  Pickard et al. "Time-Critical Social Mobilization," [7] Science Magazine, 2011.
-  People were virally recruited online to help out.
-  Idea: Want people to both (1) find the balloons, and (2) involve more people.
-  Recursive incentive structure with exponentially decaying payout:
 -  \$2000 for correctly reporting the coordinates of a balloon.
 -  \$1000 for recruiting a person who finds a balloon.
 -  \$500 for recruiting a person who recruits the balloon finder, ...
 -  (Not a Ponzi scheme.)
-  True victory: Colbert interviews Riley Crane 




Finding balloons:

Clever scheme:

- 🧱 Max payout = \$4000 per balloon.
- 🧱 Individuals have clear incentives to both
 1. **involve/source more people** (spread), and
 2. **find balloons** (goal action).
- 🧱 Gameable?
- 🧱 Limit to how much money a set of bad actors can extract.

Extra notes:

- 🧱 MIT's brand helped greatly.
- 🧱 MIT group first heard about the competition a few days before. **Ouch.**
- 🧱 A number of other teams did well .
- 🧱 Worthwhile looking at these competing strategies. ^[7]



Collective Detective:




Finding an errant panda


Once again, social media proved to be a powerful dragnet. Around 1:15 p.m., a Washingtonian posted a picture on Twitter of Rusty in a patch of weeds in the Adams Morgan district, not far from the 163-acre zoo, which was created in 1889 by an act of Congress. "Red panda in our neighborhood," wrote Ashley Foughty, who identified herself as a singer, actress and traveler. "Please come save him!"

Another neighbor posted a [photograph](#) of two zoo workers, one in safari shorts standing on a rooftop, one holding a giant butterfly net. Soon the zoo announced: "Rusty the red panda has been recovered, crated & is headed safely back to the National Zoo!"



Nature News: "Crowdsourcing in manhunts can work: Despite mistakes over the Boston bombers, social media can help to find people quickly"  by Philip Ball (April 26, 2013)



Motherboard, Vice: One Degree of Separation in the Forever War  by Brian Castner (November 11, 2015)



The social world appears to be small ...why?

The PoCSverse
Small-world
networks
34 of 68

Small-world
networks

Experiments


Theory

Generalized affiliation
networks

Nutshell

References


Theory: how do we understand the small world property?

 Connected random networks have short average path lengths:

$$\langle d_{AB} \rangle \sim \log(N)$$


N = population size,

d_{AB} = distance between nodes A and B .

 But: social networks aren't random ...



Simple socialness in a network:



Need “clustering”
(your friends are
likely to know each
other):

The PoCSverse
Small-world
networks
35 of 68

Small-world
networks

Experiments

Theory


Generalized affiliation
networks

Nutshell

References



Non-randomness gives clustering:



$d_{AB} = 10 \rightarrow$ too many long paths.

The PoCverse
Small-world
networks
36 of 68

Small-world
networks

Experiments

Theory


Generalized affiliation
networks

Nutshell

References



Randomness + regularity



Now have $d_{AB} = 3$

$\langle d \rangle$ decreases overall

The PoCVerse
Small-world
networks
37 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References



Small-world networks

The PoCSverse
Small-world
networks
38 of 68

Introduced by Watts and Strogatz (Nature, 1998)^[11]
"Collective dynamics of 'small-world' networks."

Small-world
networks

Experiments






Theory

Generalized affiliation
networks


Nutshell

Small-world networks were found everywhere:

References

-  neural network of *C. elegans*,
-  semantic networks of languages,
-  actor collaboration graph,
-  food webs,
-  social networks of comic book characters, ...

Very weak requirements:

-  local regularity + random short cuts




Papers should be apps:

The PoCverse
Small-world
networks
39 of 68

Small-world
networks
Experiments

Theory
Generalized affiliation
networks
Nutshell

References




Bret Victor's Scientific Communication As Sequential Art





Interactive figures and tables = windows into large data sets (empirical or simulated).



The structural small-world property:



 $L(p)$ = average shortest path length as a function of p

 $C(p)$ = average clustering as a function of p

The PoCserve
Small-world
networks
40 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation

networks

Nutshell

References



Previous work—finding short paths

The PoCSverse
Small-world
networks
41 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References

But are these short cuts findable?

Nope. [6]

Nodes **cannot** find each other quickly
with **any local search method**.

Need a more sophisticated model ...



Previous work—finding short paths

- What can a local search method reasonably use?
- How to find things without a map?
- Need some measure of distance between friends and the target.

Some possible knowledge:

- Target's identity
- Friends' popularity
- Friends' identities
- Where message has been



Previous work—finding short paths

The PoCSverse
Small-world
networks
43 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References

Jon Kleinberg (Nature, 2000) ^[6]
“Navigation in a small world.”

Allowed to vary:

1. local search algorithm
and
2. network structure.



Previous work—finding short paths

The PoCSverse
Small-world
networks
44 of 68

Kleinberg's Network:

1. Start with regular d -dimensional cubic lattice.
2. Add local links so nodes know all nodes within a distance q .
3. Add m short cuts per node.
4. Connect i to j with probability

$$p_{ij} \propto x_{ij}^{-\alpha}.$$



$\alpha = 0$: random connections.



α large: reinforce local connections.



$\alpha = d$: connections grow logarithmically in space.

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References



Previous work—finding short paths

The PoCSverse
Small-world
networks
45 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References

Theoretical optimal search:

- 🧱 “Greedy” algorithm.
- 🧱 Number of connections grow logarithmically (slowly) in space: $\alpha = d$.
- 🧱 Social golf.

Search time grows slowly with system size (like $\log^2 N$).

But: social networks aren't lattices plus links.



Previous work—finding short paths

The PoCSverse
Small-world
networks
46 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References

- ⊞ If networks have hubs can also search well:
Adamic et al. (2001)^[1]

$$P(k_i) \propto k_i^{-\gamma}$$

where k = degree of node i (number of friends).

- ⊞ Basic idea: get to hubs first
(airline networks).
- ⊞ **But: hubs in social networks are limited.**



The problem

The PoCSverse
Small-world
networks
48 of 68

Small-world
networks

Experiments


Theory

Generalized affiliation
networks

Nutshell

References

If there are no hubs and no underlying lattice, how can search be efficient?



Which friend of **a** is closest to the target **b**?

What does 'closest' mean?

What is 'social distance'?



Models

The PoCSverse
Small-world
networks
49 of 68

Small-world
networks

Experiments

Theory





Generalized affiliation
networks

Nutshell

References

One approach: incorporate **identity**.

Identity is formed from attributes such as:


-  Geographic location
-  Type of employment
-  Religious beliefs
-  Recreational activities.

Groups are formed by people with at least one similar attribute.

Attributes \Leftrightarrow Contexts \Leftrightarrow Interactions \Leftrightarrow Networks.



Bipartite affiliation structures:



Many real-world networks have an underlying multi-partite structure.


- Stories-tropes.
- Boards and directors.
- Films-actors-directors.
- Classes-teachers-students.
- Upstairs-downstairs.



Unipartite networks may be induced or co-exist.



Social distance—Context distance



The PoCServe
Small-world
networks
51 of 68

Small-world
networks

Experiments

Theory

Generalized affiliation
networks

Nutshell

References



Models

The PoCSverse
Small-world
networks
52 of 68

Small-world
networks

Experiments


Theory

Generalized affiliation
networks

Nutshell


References


Distance between two individuals x_{ij} is the height of lowest common ancestor.




$$x_{ij} = 3, x_{ik} = 1, x_{iv} = 4.$$




 Individuals are more likely to know each other the closer they are within a hierarchy.

 Construct z connections for each node using


$$p_{ij} = c \exp\{-\alpha x_{ij}\}.$$

 $\alpha = 0$: random connections.

 α large: local connections.



Generalized affiliation networks



Blau & Schwartz [2], Simmel [8], Breiger [3], Watts *et al.* [10]; see also Google+ Circles.



The model

The PoCSverse
Small-world
networks
55 of 68

Small-world
networks


Experiments

Theory

Generalized affiliation
networks

Nutshell

References



$$\vec{v}_i = [1 \ 1 \ 1]^T, \vec{v}_j = [8 \ 4 \ 1]^T$$
$$x_{ij}^1 = 4, x_{ij}^2 = 3, x_{ij}^3 = 1.$$

Social distance:

$$y_{ij} = \min_h x_{ij}^h.$$



The model

The PoCVerse
Small-world
networks
56 of 68

Small-world
networks

Experiments


Theory

Generalized affiliation
networks

Nutshell

References

Triangle inequality doesn't hold:



$$y_{ik} = 4 > y_{ij} + y_{jk} = 1 + 1 = 2.$$



The model



Individuals know the identity vectors of

1. themselves,
2. their friends,
and
3. the target.



Individuals can estimate the social distance between their friends and the target.



Use a greedy algorithm + allow searches to fail randomly.



The model-results—searchable networks

The PoCSverse
Small-world
networks
58 of 68

Small-world
networks


Experiments

Theory




Generalized affiliation
networks

Nutshell

References



q = probability an arbitrary message chain reaches a target.

-  A few dimensions help.
-  Searchability decreases as population increases.
-  Precise form of hierarchy largely doesn't matter.



The model-results

The PoCSverse
Small-world
networks
59 of 68

Small-world
networks

Experiments


Theory

Generalized affiliation
networks


Nutshell


References


Milgram's Nebraska-Boston data:





Model parameters:


 $N = 10^8,$

 $z = 300, g = 100,$

 $b = 10,$

 $\alpha = 1, H = 2;$

 $\langle L_{\text{model}} \rangle \simeq 6.7$

 $L_{\text{data}} \simeq 6.5$



Adamic and Adar (2003)

- For HP Labs, found probability of connection as function of organization distance well fit by exponential distribution.
- Probability of connection as function of real distance $\propto 1/r$.



Social Search—Real world uses

The PoCSverse
Small-world
networks
61 of 68

Small-world
networks


Experiments



Theory


Generalized affiliation
networks



Nutshell


References


 Tags create identities for objects

 Website tagging: bitly.com 

 (e.g., Wikipedia)

 Photo tagging: flickr.com 

 Dynamic creation of metadata plus links between information objects.

 Folksonomy: collaborative creation of metadata



Social Search—Real world uses

The PoCSverse
Small-world
networks
62 of 68

Small-world
networks

Experiments



Theory

Generalized affiliation
networks

Nutshell

References

Recommender systems:

-  Amazon uses people's actions to build effective connections between books.
-  Conflict between 'expert judgments' and tagging of the hoi polloi.



Nutshell for Small-World Networks:

- ❏ Bare networks are typically unsearchable.
- ❏ Paths are findable if nodes understand how network is formed.
- ❏ Importance of identity (interaction contexts).
- ❏ Improved social network models.
- ❏ Construction of peer-to-peer networks.
- ❏ Construction of searchable information databases.



References I

- [1] L. Adamic, R. Lukose, A. Puniyani, and B. Huberman.
Search in power-law networks.
[Phys. Rev. E, 64:046135, 2001. pdf](#)
- [2] P. M. Blau and J. E. Schwartz.
[Crosscutting Social Circles.](#)
Academic Press, Orlando, FL, 1984.
- [3] R. L. Breiger.
The duality of persons and groups.
[Social Forces, 53\(2\):181-190, 1974. pdf](#)
- [4] P. S. Dodds, R. Muhamad, and D. J. Watts.
An experimental study of search in global social networks.
[Science, 301:827-829, 2003. pdf](#)





References II

- [5] M. Granovetter.
The strength of weak ties.
[Am. J. Sociol.](#), 78(6):1360–1380, 1973. pdf ↗
- [6] J. Kleinberg.
Navigation in a small world.
[Nature](#), 406:845, 2000. pdf ↗
- [7] G. Pickard, W. Pan, I. Rahwan, M. Cebrian,
R. Crane, A. Madan, and A. Pentland.
Time-critical social mobilization.
[Science](#), 334:509–512, 2011. pdf ↗
- [8] G. Simmel.
The number of members as determining the
sociological form of the group. I.
[American Journal of Sociology](#), 8:1–46, 1902.



References III

- [9] J. Travers and S. Milgram.
An experimental study of the small world
problem.
[Sociometry](#), 32:425–443, 1969. [pdf](#) 
- [10] D. J. Watts, P. S. Dodds, and M. E. J. Newman.
Identity and search in social networks.
[Science](#), 296:1302–1305, 2002. [pdf](#) 
- [11] D. J. Watts and S. J. Strogatz.
Collective dynamics of ‘small-world’ networks.
[Nature](#), 393:440–442, 1998. [pdf](#) 