

Optimal Supply Networks II: Blood, Water, and Truthicide

Last updated: 2023/08/22, 11:48:25 EDT

Principles of Complex Systems, Vols. 1, 2, & 3D
CSYS/MATH 6701, 6713, & a pretend number,
2023–2024 | @pocsvox

Prof. Peter Sheridan Dodds | @peterdodds

Computational Story Lab | Vermont Complex Systems Center
Santa Fe Institute | University of Vermont



The PoCVerse
Optimal Supply
Networks II
1 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



These slides are brought to you by:

Sealie & Lambie
Productions



The PoCVerse
Optimal Supply
Networks II
2 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References



These slides are also brought to you by:

Special Guest Executive Producer



 On Instagram at [pratchett_the_cat](https://www.instagram.com/pratchett_the_cat) 

The PoCVerse
Optimal Supply
Networks II
3 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Outline

Metabolism and Truthicide

Death by fractions

Measuring exponents

River networks

Earlier theories

Geometric argument

Conclusion

References

The PoCSverse
Optimal Supply
Networks II
4 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Stories—The Fraction Assassin:

The PoCVerse
Optimal Supply
Networks II
5 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

Law and Order, Special Science Edition: Truthicide Department



Law and Order, Special Science Edition: Truthicide Department

"In the scientific integrity system known as peer
review,



Law and Order, Special Science Edition: Truthicide Department

"In the scientific integrity system known as peer review, the people are represented by two highly overlapping yet equally important groups:



Law and Order, Special Science Edition: Truthicide Department

"In the scientific integrity system known as peer review, the people are represented by two highly overlapping yet equally important groups: the independent scientists who review papers



Law and Order, Special Science Edition: Truthicide Department

"In the scientific integrity system known as peer review, the people are represented by two highly overlapping yet equally important groups: the independent scientists who review papers and the scientists who punish those who publish garbage.



Law and Order, Special Science Edition: Truthicide Department

"In the scientific integrity system known as peer review, the people are represented by two highly overlapping yet equally important groups: the independent scientists who review papers and the scientists who punish those who publish garbage. This is one of their stories."



Animal power

Fundamental biological and ecological constraint:

$$P = c M^\alpha$$

P = basal metabolic rate

M = organismal body mass



Animal power

Fundamental biological and ecological constraint:

$$P = c M^\alpha$$

P = basal metabolic rate

M = organismal body mass



$$P = c M^\alpha$$

Prefactor c depends on **body plan** and **body temperature**:



$$P = c M^\alpha$$

Prefactor c depends on **body plan** and **body temperature**:

Birds	39–41 °C
Eutherian Mammals	36–38 °C
Marsupials	34–36 °C
Monotremes	30–31 °C



What one might expect:

$$\alpha = 2/3$$

The PoCverse
Optimal Supply
Networks II
9 of 126

**Metabolism and
Truthicide**

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References



What one might expect:

$\alpha = 2/3$ because ...

 Dimensional analysis suggests
an energy balance surface law:

$$P \propto S \propto V^{2/3} \propto M^{2/3}$$

The PoCverse
Optimal Supply
Networks II
9 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References




What one might expect:

$\alpha = 2/3$ because ...

 Dimensional analysis suggests an energy balance surface law:

$$P \propto S \propto V^{2/3} \propto M^{2/3}$$

 Assumes isometric scaling (not quite the spherical cow).

The PoCverse
Optimal Supply
Networks II
9 of 126

Metabolism and
TruThicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References





What one might expect:

$\alpha = 2/3$ because ...

 Dimensional analysis suggests an energy balance surface law:

$$P \propto S \propto V^{2/3} \propto M^{2/3}$$


 Assumes isometric scaling (not quite the spherical cow).

 **Lognormal fluctuations:**
Gaussian fluctuations in $\log_{10} P$ around $\log_{10} cM^\alpha$.





What one might expect:



$\alpha = 2/3$ because ...

 Dimensional analysis suggests an energy balance surface law:

$$P \propto S \propto V^{2/3} \propto M^{2/3}$$

 Assumes isometric scaling (not quite the spherical cow).

 **Lognormal fluctuations:**
Gaussian fluctuations in $\log_{10} P$ around $\log_{10} cM^\alpha$.

 Stefan-Boltzmann law  for radiated energy:

$$\frac{dE}{dt} = \sigma \epsilon S T^4 \propto S$$



The prevailing belief of the Church of Quarterology:

$$\alpha = 3/4$$

$$P \propto M^{3/4}$$

The PoCSverse
Optimal Supply
Networks II
10 of 126

Metabolism and
Truithicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



The prevailing belief of the Church of Quarterology:

$$\alpha = 3/4$$

$$P \propto M^{3/4}$$

Huh?

The PoCSverse
Optimal Supply
Networks II
10 of 126

Metabolism and
Truithicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



The prevailing belief of the Church of Quarterology:

Most obvious concern:

$$3/4 - 2/3 = 1/12$$





An exponent higher than $2/3$ points suggests a fundamental inefficiency in biology.



The prevailing belief of the Church of Quarterology:

Most obvious concern:


$$3/4 - 2/3 = 1/12$$


-  An exponent higher than $2/3$ points suggests a fundamental inefficiency in biology.
-  Organisms must somehow be running 'hotter' than they need to balance heat loss.





Related putative scalings:


Wait! There's more!:

 number of capillaries $\propto M^{3/4}$

 time to reproductive maturity $\propto M^{1/4}$

 heart rate $\propto M^{-1/4}$




 cross-sectional area of aorta $\propto M^{3/4}$

 population density $\propto M^{-3/4}$



The great 'law' of heartbeats:




Assuming:

-  Average lifespan $\propto M^\beta$
-  Average heart rate $\propto M^{-\beta}$
-  Irrelevant but perhaps $\beta = 1/4$.



The great 'law' of heartbeats:

Assuming:




-  Average lifespan $\propto M^\beta$
-  Average heart rate $\propto M^{-\beta}$
-  Irrelevant but perhaps $\beta = 1/4$.

Then:




The great 'law' of heartbeats:

Assuming:

-  Average lifespan $\propto M^\beta$
-  Average heart rate $\propto M^{-\beta}$
-  Irrelevant but perhaps $\beta = 1/4$.

Then:

-  Average number of heart beats in a lifespan



The great 'law' of heartbeats:

Assuming:

- Average lifespan $\propto M^\beta$
- Average heart rate $\propto M^{-\beta}$
- Irrelevant but perhaps $\beta = 1/4$.




Then:

- Average number of heart beats in a lifespan \simeq (Average lifespan) \times (Average heart rate)




The great 'law' of heartbeats:

Assuming:

-  Average lifespan $\propto M^\beta$
-  Average heart rate $\propto M^{-\beta}$
-  Irrelevant but perhaps $\beta = 1/4$.

Then:

 Average number of heart beats in a lifespan
 $\simeq (\text{Average lifespan}) \times (\text{Average heart rate})$
 $\propto M^{\beta-\beta}$



The great 'law' of heartbeats:

Assuming:

- Average lifespan $\propto M^\beta$
- Average heart rate $\propto M^{-\beta}$
- Irrelevant but perhaps $\beta = 1/4$.

Then:

- Average number of heart beats in a lifespan
 $\simeq (\text{Average lifespan}) \times (\text{Average heart rate})$
 $\propto M^{\beta-\beta}$
 $\propto M^0$



The great 'law' of heartbeats:

Assuming:

- Average lifespan $\propto M^\beta$
- Average heart rate $\propto M^{-\beta}$
- Irrelevant but perhaps $\beta = 1/4$.

Then:

- Average number of heart beats in a lifespan
 \simeq (Average lifespan) \times (Average heart rate)
 $\propto M^{\beta-\beta}$
 $\propto M^0$
- Number of heartbeats per life time is independent of organism size!



The great 'law' of heartbeats:

Assuming:

- Average lifespan $\propto M^\beta$
- Average heart rate $\propto M^{-\beta}$
- Irrelevant but perhaps $\beta = 1/4$.

Then:

- Average number of heart beats in a lifespan
 \approx (Average lifespan) \times (Average heart rate)
 $\propto M^{\beta-\beta}$
 $\propto M^0$
- Number of heartbeats per life time is independent of organism size!
- \approx 1.5 billion



From PoCS, the Prequel to CocoNuTs:

“How fast do living organisms move:
Maximum speeds from bacteria to
elephants and whales” ↗

Meyer-Vernet and Rospars,
American Journal of Physics, **83**, 719–722,
2015. [35]




Fig. 1. Maximum relative speed versus body mass for 202 running species (157 mammals plotted in magenta and 45 non-mammals plotted in green), 127 swimming species and 91 micro-organisms (plotted in blue). The sources of the data are given in Ref. 16. The solid line is the maximum relative speed [Eq. (13)] estimated in Sec. III. The human world records are plotted as asterisks (upper for running and lower for swimming). Some examples of organisms of various masses are sketched in black (drawings by François Meyer).





"A general scaling law reveals why the largest animals are not the fastest" ↗

Hirt et al.,
 Nature Ecology & Evolution, **1**, 1116, 2017. [23]

The PoCverse
 Optical Supply
 Networks II
 15 of 126

Metabolism and
 Truthicide

Death by
 fractions

Measuring
 exponents

River networks

Earlier theories

Geometric
 argument

Conclusion

References




Figure 2 | Empirical data and time-dependent model fit for the allometric scaling of maximum speed. a. Comparison of scaling for the different locomotion modes (flying, running, swimming). **b-d.** Taxonomic differences are illustrated separately for flying (**b**; $n=55$), running (**c**; $n=458$) and swimming (**d**; $n=109$) animals. Overall model fit: $R^2=0.893$. The residual variation does not exhibit a signature of taxonomy (only a weak effect of thermoregulation; see Methods).





"A general scaling law reveals why the largest animals are not the fastest"

Hirt et al.,
Nature Ecology & Evolution, **1**, 1116, 2017. [23]




Figure 1 | Concept of time-dependent and mass-dependent realized maximum speed of animals. **a.** Acceleration of animals follows a saturation curve (solid lines) approaching the theoretical maximum speed (dotted lines) depending on body mass (colour code). **b.** The time available for acceleration increases with body mass following a power law. **c, d.** This critical time determines the realized maximum speed (**c**), yielding a hump-shaped increase of maximum speed with body mass (**d**).



Theoretical story:



Maximum speed increases with size: $v_{\max} = aM^b$




Figure 4 | Predicting the maximum speed of extinct species with the time-dependent model. The model prediction (grey line) is fitted to data of extant species (grey circles) and extended to higher body masses. Speed data for dinosaurs (green triangles) come from detailed morphological model calculations (values in Table 1) and were not used to obtain model parameters.

The PoCverse
Optimal Supply
Networks II
17 of 126

Metabolism and
Truhticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Theoretical story:




Figure 4 | Predicting the maximum speed of extinct species with the time-dependent model. The model prediction (grey line) is fitted to data of extant species (grey circles) and extended to higher body masses. Speed data for dinosaurs (green triangles) come from detailed morphological model calculations (values in Table 1) and were not used to obtain model parameters.



Maximum speed increases with size: $v_{\max} = aM^b$



Takes a while to get going: $v(t) = v_{\max}(1 - e^{-kt})$



Theoretical story:




Figure 4 | Predicting the maximum speed of extinct species with the time-dependent model. The model prediction (grey line) is fitted to data of extant species (grey circles) and extended to higher body masses. Speed data for dinosaurs (green triangles) come from detailed morphological model calculations (values in Table 1) and were not used to obtain model parameters.



Maximum speed increases with size: $v_{\max} = aM^b$



Takes a while to get going: $v(t) = v_{\max}(1 - e^{-kt})$



$k \sim F_{\max}/M \sim cM^{d-1}$

Literature: $0.75 \lesssim d \lesssim 0.94$



Theoretical story:




Figure 4 | Predicting the maximum speed of extinct species with the time-dependent model. The model prediction (grey line) is fitted to data of extant species (grey circles) and extended to higher body masses. Speed data for dinosaurs (green triangles) come from detailed morphological model calculations (values in Table 1) and were not used to obtain model parameters.



Maximum speed increases with size: $v_{\max} = aM^b$



Takes a while to get going: $v(t) = v_{\max}(1 - e^{-kt})$



$k \sim F_{\max}/M \sim cM^{d-1}$

Literature: $0.75 \lesssim d \lesssim 0.94$



Acceleration time = depletion time for anaerobic energy: $\tau \sim fM^g$ Literature: $0.76 \lesssim g \lesssim 1.27$



Theoretical story:




Figure 4 | Predicting the maximum speed of extinct species with the time-dependent model. The model prediction (grey line) is fitted to data of extant species (grey circles) and extended to higher body masses. Speed data for dinosaurs (green triangles) come from detailed morphological model calculations (values in Table 1) and were not used to obtain model parameters.



Maximum speed increases with size: $v_{\max} = aM^b$



Takes a while to get going: $v(t) = v_{\max}(1 - e^{-kt})$



$k \sim F_{\max}/M \sim cM^{d-1}$

Literature: $0.75 \lesssim d \lesssim 0.94$



Acceleration time = depletion time for anaerobic energy: $\tau \sim fM^g$ Literature: $0.76 \lesssim g \lesssim 1.27$



$v_{\max} = aM^b (1 - e^{-hM^i})$



Theoretical story:




Figure 4 | Predicting the maximum speed of extinct species with the time-dependent model. The model prediction (grey line) is fitted to data of extant species (grey circles) and extended to higher body masses. Speed data for dinosaurs (green triangles) come from detailed morphological model calculations (values in Table 1) and were not used to obtain model parameters.

Maximum speed increases with size: $v_{\max} = aM^b$

Takes a while to get going: $v(t) = v_{\max}(1 - e^{-kt})$

$k \sim F_{\max}/M \sim cM^{d-1}$
Literature: $0.75 \lesssim d \lesssim 0.94$

Acceleration time = depletion time for anaerobic energy: $\tau \sim fM^g$ Literature: $0.76 \lesssim g \lesssim 1.27$

$v_{\max} = aM^b (1 - e^{-hM^i})$

$i = d - 1 + g$ and $h = cf$



Theoretical story:




Figure 4 | Predicting the maximum speed of extinct species with the time-dependent model. The model prediction (grey line) is fitted to data of extant species (grey circles) and extended to higher body masses. Speed data for dinosaurs (green triangles) come from detailed morphological model calculations (values in Table 1) and were not used to obtain model parameters.

Maximum speed increases with size: $v_{\max} = aM^b$

Takes a while to get going: $v(t) = v_{\max}(1 - e^{-kt})$

$k \sim F_{\max}/M \sim cM^{d-1}$
Literature: $0.75 \lesssim d \lesssim 0.94$

Acceleration time = depletion time for anaerobic energy: $\tau \sim fM^g$ Literature: $0.76 \lesssim g \lesssim 1.27$

$v_{\max} = aM^b (1 - e^{-hM^i})$

$i = d - 1 + g$ and $h = cf$

Literature search for for maximum speeds of running, flying and swimming animals.

Search terms: "maximum speed", "escape speed" and "sprint speed".



A theory is born:

1840's: Sarrus and Rameaux^[44] first suggested
 $\alpha = 2/3$.



The PoCVerse
Optimal Supply
Networks II
19 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



A theory grows:

The PoCverse
Optimal Supply
Networks II
20 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

1883: Rubner^[42] found $\alpha \approx 2/3$.



Theory meets a different 'truth':

1930's: Brody, Benedict study mammals. [6]
Found $\alpha \simeq 0.73$ (standard).



The PoCVerse
Optimal Supply
Networks II
21 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument

Conclusion

References



Our hero faces a shadowy cabal:



1932: Kleiber analyzed 13 mammals. ^[25]



Found $\alpha = 0.76$ and suggested $\alpha = 3/4$.



Scaling law of Metabolism became known as Kleiber's Law [↗](#) (2011 Wikipedia entry is embarrassing).

The PoCVerse
Optimal Supply
Networks II
22 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument





Conclusion

References



Our hero faces a shadowy cabal:



-  1932: Kleiber analyzed 13 mammals. ^[25]
-  Found $\alpha = 0.76$ and suggested $\alpha = 3/4$.
-  Scaling law of Metabolism became known as Kleiber's Law [↗](#) (2011 Wikipedia entry is embarrassing).
-  1961 book: "The Fire of Life. An Introduction to Animal Energetics". ^[26]



When a cult becomes a religion:

1950/1960: Hemmingsen ^[20, 21]

Extension to unicellular organisms.

$\alpha = 3/4$ assumed true.



The PoCVerse
Optimal Supply
Networks II
23 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Quarterology spreads throughout the land:

The Cabal assassinates 2/3-scaling:

- 1964: Troon, Scotland.
- 3rd Symposium on Energy Metabolism.
- $\alpha = 3/4$ made official ...



The PoCVerse
Optimal Supply
Networks II
24 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Quarterology spreads throughout the land:

The Cabal assassinates 2/3-scaling:

🧱 1964: Troon, Scotland.

🧱 3rd Symposium on Energy Metabolism.

🧱 $\alpha = 3/4$ made official ...

... 29 to zip.



The PoCVerse
Optimal Supply
Networks II
24 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Quarterology spreads throughout the land:

The Cabal assassinates 2/3-scaling:

- 1964: Troon, Scotland.
- 3rd Symposium on Energy Metabolism.
- $\alpha = 3/4$ made official 29 to zip.



- But the Cabal slipped up by publishing the conference proceedings ...

The PoCVerse
Optimal Supply
Networks II
24 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Quarterology spreads throughout the land:

The Cabal assassinates 2/3-scaling:

- 1964: Troon, Scotland.
- 3rd Symposium on Energy Metabolism.
- $\alpha = 3/4$ made official 29 to zip.



But the Cabal slipped up by **publishing the conference proceedings** ...

“Energy Metabolism; Proceedings of the 3rd symposium held at Troon, Scotland, May 1964,” Ed. Sir Kenneth Blaxter^[4]

The PoCVerse
Optimal Supply
Networks II
24 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



An unsolved truthicide:

So many questions ...

The PoCVerse
Optimal Supply
Networks II
26 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References



An unsolved truthicide:

So many questions ...

 Did the truth kill a theory? Or did a theory kill the truth?

The PoCverse
Optimal Supply
Networks II
26 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument



Conclusion

References



An unsolved truthicide:

So many questions ...

-  Did the truth kill a theory? Or did a theory kill the truth?
-  Or was the truth killed by just a lone, lowly hypothesis?

The PoCverse
Optimal Supply
Networks II
26 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument




Conclusion

References



An unsolved truthicide:

So many questions ...

-  Did the truth kill a theory? Or did a theory kill the truth?
-  Or was the truth killed by just a lone, lowly hypothesis?
-  Does this go all the way to the top?

The PoCverse
Optimal Supply
Networks II
26 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



An unsolved truthicide:

The PoCverse
Optimal Supply
Networks II
26 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks




Earlier theories

Geometric
argument

Conclusion

References

So many questions ...

-  Did the truth kill a theory? Or did a theory kill the truth?
-  Or was the truth killed by just a lone, lowly hypothesis?
-  Does this go all the way to the top?
To the National Academies of Science?



An unsolved truthicide:

The PoCverse
Optimal Supply
Networks II
26 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks





Earlier theories

Geometric
argument

Conclusion

References

So many questions ...

-  Did the truth kill a theory? Or did a theory kill the truth?
-  Or was the truth killed by just a lone, lowly hypothesis?
-  Does this go all the way to the top?
To the National Academies of Science?
-  Is $2/3$ -scaling really dead?



An unsolved truthicide:

The PoCverse
Optimal Supply
Networks II
26 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks






Earlier theories

Geometric
argument

Conclusion

References

So many questions ...

-  Did the truth kill a theory? Or did a theory kill the truth?
-  Or was the truth killed by just a lone, lowly hypothesis?
-  Does this go all the way to the top?
To the National Academies of Science?
-  Is $2/3$ -scaling really dead?
-  Could $2/3$ -scaling have faked its own death?



An unsolved truthicide:

The PoCverse
Optimal Supply
Networks II
26 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks







Earlier theories

Geometric
argument

Conclusion

References

So many questions ...

-  Did the truth kill a theory? Or did a theory kill the truth?
-  Or was the truth killed by just a lone, lowly hypothesis?
-  Does this go all the way to the top?
To the National Academies of Science?
-  Is $2/3$ -scaling really dead?
-  Could $2/3$ -scaling have faked its own death?
-  What kind of people would vote on scientific facts?



Modern Quarterology, Post Truthicide

The PoCVerse
Optimal Supply
Networks II
27 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks


Earlier theories

Geometric
argument

Conclusion

References

 3/4 is held by many to be the one true exponent.



*In the Beat of a Heart: Life, Energy, and
the Unity of Nature*—by John Whitfield



Modern Quarterology, Post Truthicide

The PoCVerse
Optimal Supply
Networks II
27 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks


Earlier theories

Geometric
argument


Conclusion

References

 3/4 is held by many to be the one true exponent.



*In the Beat of a Heart: Life, Energy, and
the Unity of Nature*—by John Whitfield

 But: much controversy ...



Modern Quarterology, Post Truthicide

The PoCVerse
Optimal Supply
Networks II
27 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks


Earlier theories

Geometric
argument


Conclusion


References

 3/4 is held by many to be the one true exponent.



*In the Beat of a Heart: Life, Energy, and
the Unity of Nature*—by John Whitfield


 But: much controversy ...

 See 'Re-examination of the "3/4-law" of
metabolism'

by the Heretical Unbelievers Dodds, Rothman, and
Weitz^[14], and ensuing madness ...



Some data on metabolic rates



Heusner's
data
(1991) [22]



391

Mammals



blue line: 2/3




red line: 3/4.





($B = P$)





Some data on metabolic rates





 Bennett and Harvey's data (1987) ^[3]

 398 birds

 blue line: 2/3

 red line: 3/4.

 ($B = P$)

 Passerine vs. non-passerine issue ...



Linear regression

The PoCverse
Optimal Supply
Networks II
30 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks


Earlier theories

Geometric
argument

Conclusion

References

Important:

 Ordinary Least Squares (OLS) Linear regression is only appropriate for analyzing a dataset $\{(x_i, y_i)\}$ when we know the x_i are measured without error.



Linear regression

The PoCverse
Optimal Supply
Networks II
30 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

Important:

- 🧱 Ordinary Least Squares (OLS) Linear regression is only appropriate for analyzing a dataset $\{(x_i, y_i)\}$ when we know the x_i are measured without error.
- 🧱 Here we assume that measurements of mass M have less error than measurements of metabolic rate B .



Linear regression

The PoCverse
Optimal Supply
Networks II
30 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

Important:

- 🧱 Ordinary Least Squares (OLS) Linear regression is only appropriate for analyzing a dataset $\{(x_i, y_i)\}$ when we know the x_i are measured without error.
- 🧱 Here we assume that measurements of mass M have less error than measurements of metabolic rate B .
- 🧱 Linear regression assumes Gaussian errors.



Measuring exponents

The PoCSverse
Optimal Supply
Networks II
31 of 126

Metabolism and
Truthticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

More on regression:

If (a) we don't know what the errors of either variable are,



Measuring exponents

The PoCverse
Optimal Supply
Networks II
31 of 126

Metabolism and
Truhticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

More on regression:

If (a) we don't know what the errors of either variable are,

or (b) no variable can be considered independent,



Measuring exponents

The PoCverse
Optimal Supply
Networks II
31 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

More on regression:

If (a) we don't know what the errors of either variable are,

or (b) no variable can be considered independent,

then we need to use

Standardized Major Axis Linear Regression. [43, 41]



Measuring exponents

The PoCverse
Optimal Supply
Networks II
31 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

More on regression:

If (a) we don't know what the errors of either variable are,

or (b) no variable can be considered independent,

then we need to use

Standardized Major Axis Linear Regression. [43, 41]

(aka Reduced Major Axis = RMA.)



Measuring exponents

For Standardized Major Axis Linear Regression:

$$\text{slope}_{\text{SMA}} = \frac{\text{standard deviation of } y \text{ data}}{\text{standard deviation of } x \text{ data}}$$



Very simple!

The PoCverse
Optimal Supply
Networks II
32 of 126

Metabolism and
Truthticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Measuring exponents

For Standardized Major Axis Linear Regression:

$$\text{slope}_{\text{SMA}} = \frac{\text{standard deviation of } y \text{ data}}{\text{standard deviation of } x \text{ data}}$$

- Very simple!
- Minimization of sum of areas of triangles induced by vertical and horizontal residuals with best fit line.

The PoCverse
Optimal Supply
Networks II
32 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion


References



Measuring exponents

For Standardized Major Axis Linear Regression:

$$\text{slope}_{\text{SMA}} = \frac{\text{standard deviation of } y \text{ data}}{\text{standard deviation of } x \text{ data}}$$

- Very simple!
- Minimization of sum of areas of triangles induced by vertical and horizontal residuals with best fit line.
- The only linear regression that is Scale invariant .

The PoCverse
Optimal Supply
Networks II
32 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion







References



Measuring exponents

For Standardized Major Axis Linear Regression:

$$\text{slope}_{\text{SMA}} = \frac{\text{standard deviation of } y \text{ data}}{\text{standard deviation of } x \text{ data}}$$



-  Very simple!
-  Minimization of sum of areas of triangles induced by vertical and horizontal residuals with best fit line.
-  The only linear regression that is Scale invariant .
-  Attributed to Nobel Laureate economist Paul Samuelson , ^[43] but discovered independently by others.



Measuring exponents

For Standardized Major Axis Linear Regression:

$$\text{slope}_{\text{SMA}} = \frac{\text{standard deviation of } y \text{ data}}{\text{standard deviation of } x \text{ data}}$$

- Very simple!
- Minimization of sum of areas of triangles induced by vertical and horizontal residuals with best fit line.
- The only linear regression that is Scale invariant .
- Attributed to Nobel Laureate economist Paul Samuelson , ^[43] but discovered independently by others.
- #somuchwin



Measuring exponents

Relationship to ordinary least squares regression is simple:

$$\begin{aligned}\text{slope}_{\text{SMA}} &= r^{-1} \times \text{slope}_{\text{OLS } y \text{ on } x} \\ &= r \times \text{slope}_{\text{OLS } x \text{ on } y}\end{aligned}$$


where r = standard correlation coefficient:

$$r = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sqrt{\sum_{i=1}^n (x_i - \bar{x})^2} \sqrt{\sum_{i=1}^n (y_i - \bar{y})^2}}$$



Groovy upshot: If (1) a paper uses OLS regression when RMA would be appropriate, and (2) r is reported, we can figure out the RMA slope. [41, 29]





LINEAR RELATIONS IN BIOMECHANICS

TABLE II

Calculated statistics of airspeed V_a and windspeed V_w in the Black-browed albatross *Diomedea melanophris* in gliding flight, after Pennycuik (1982)

number of data n	737		
means \bar{x}, \bar{y}	-3.14	13.35	ms^{-1}
variances S_{xx}, S_{yy}	13.91	8.218	$(\text{ms}^{-1})^2$
covariance S_{xy}	-4.653		
correlation ρ	-0.435		

model of speed correction: $V_a = \alpha + \beta V_w$

model	intercept α	gradient β	range (95%)
$y(x)$ regression	12.30	-0.334	-0.384 to -0.284
r.m.a.	10.93	-0.769	-0.894 to -0.661
$x(y)$ regression	7.80	-1.766	-2.076 to -1.536
s.r. $b_x = 0.5$	10.66	-0.855	-0.997 to -0.737
$b_x = 1$ or m.a.	11.59	-0.560	-0.648 to -0.479
$b_x = 2$	12.00	-0.431	-0.496 to -0.367

FIG. 4. Observed correlation of calculated windspeed and airspeed in gliding Black-browed albatrosses showing regression and r.m.a. lines. Figure altered from Pennycuik (1982), figure 9.

Disparity between slopes for y on x and x on y regressions is a factor of r^2 (r^{-2})

(Rayner uses ρ for r .)

Here: $r^2 = .435^2 = 0.189$, and
 $r^{-2} = .435^{-2} = 2.29^2 = 5.285$.

See also: LaBarbera^[29] (who resigned ...)



Heusner's data, 1991 (391 Mammals)

range of M	N	$\hat{\alpha}$
≤ 0.1 kg	167	0.678 ± 0.038
≤ 1 kg	276	0.662 ± 0.032
≤ 10 kg	357	0.668 ± 0.019
≤ 25 kg	366	0.669 ± 0.018
≤ 35 kg	371	0.675 ± 0.018
≤ 350 kg	389	0.706 ± 0.016
≤ 3670 kg	391	0.710 ± 0.021

The PoCVerse
Optimal Supply
Networks II
35 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Bennett and Harvey, 1987 (398 birds)

M_{\max}	N	$\hat{\alpha}$
≤ 0.032	162	0.636 ± 0.103
≤ 0.1	236	0.602 ± 0.060
≤ 0.32	290	0.607 ± 0.039
≤ 1	334	0.652 ± 0.030
≤ 3.2	371	0.655 ± 0.023
≤ 10	391	0.664 ± 0.020
≤ 32	396	0.665 ± 0.019
≤ 100	398	0.664 ± 0.019

The PoCVerse
Optimal Supply
Networks II
36 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Fluctuations—Things look normal ...

The PoCVerse
Optimal Supply
Networks II
37 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks


Earlier theories


Geometric
argument

Conclusion

References



 $P(B|M) = 1/M^{2/3} f(B/M^{2/3})$

 Use a Kolmogorov-Smirnov test.



Hypothesis testing

Test to see if α' is consistent with our data $\{(M_i, B_i)\}$:

$$H_0 : \alpha = \alpha' \text{ and } H_1 : \alpha \neq \alpha'.$$

The PoCverse
Optimal Supply
Networks II
38 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion


References



Hypothesis testing

Test to see if α' is consistent with our data $\{(M_i, B_i)\}$:

$$H_0 : \alpha = \alpha' \text{ and } H_1 : \alpha \neq \alpha'.$$

 Assume each \mathbf{B}_i (now a random variable) is normally distributed about $\alpha' \log_{10} M_i + \log_{10} c$.



Hypothesis testing

Test to see if α' is consistent with our data $\{(M_i, B_i)\}$:

$$H_0 : \alpha = \alpha' \text{ and } H_1 : \alpha \neq \alpha'.$$

- Assume each \mathbf{B}_i (now a random variable) is normally distributed about $\alpha' \log_{10} M_i + \log_{10} c$.
- Follows that the measured α for one realization obeys a t distribution with $N - 2$ degrees of freedom.



Hypothesis testing

Test to see if α' is consistent with our data $\{(M_i, B_i)\}$:

$$H_0 : \alpha = \alpha' \text{ and } H_1 : \alpha \neq \alpha'.$$

- Assume each \mathbf{B}_i (now a random variable) is normally distributed about $\alpha' \log_{10} M_i + \log_{10} c$.
- Follows that the measured α for one realization obeys a t distribution with $N - 2$ degrees of freedom.
- Calculate a p -value: probability that the measured α is as least as different to our hypothesized α' as we observe.



Hypothesis testing

Test to see if α' is consistent with our data $\{(M_i, B_i)\}$:

$$H_0 : \alpha = \alpha' \text{ and } H_1 : \alpha \neq \alpha'.$$

- Assume each \mathbf{B}_i (now a random variable) is normally distributed about $\alpha' \log_{10} M_i + \log_{10} c$.
- Follows that the measured α for one realization obeys a t distribution with $N - 2$ degrees of freedom.
- Calculate a p -value: probability that the measured α is as least as different to our hypothesized α' as we observe.
- See, for example, DeGroot and Scherish, "Probability and Statistics."^[11]



Revisiting the past—mammals

The PoCVerse
Optimal Supply
Networks II
39 of 126

Metabolism and
Truhticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

Full mass range:

	N	$\hat{\alpha}$	$p_{2/3}$	$p_{3/4}$
Kleiber	13	0.738	$< 10^{-6}$	0.11
Brody	35	0.718	$< 10^{-4}$	$< 10^{-2}$
Heusner	391	0.710	$< 10^{-6}$	$< 10^{-5}$
Bennett and Harvey	398	0.664	0.69	$< 10^{-15}$



Revisiting the past—mammals

$M \leq 10$ kg:

	N	$\hat{\alpha}$	$p_{2/3}$	$p_{3/4}$
Kleiber	5	0.667	0.99	0.088
Brody	26	0.709	$< 10^{-3}$	$< 10^{-3}$
Heusner	357	0.668	0.91	$< 10^{-15}$

$M \geq 10$ kg:

	N	$\hat{\alpha}$	$p_{2/3}$	$p_{3/4}$
Kleiber	8	0.754	$< 10^{-4}$	0.66
Brody	9	0.760	$< 10^{-3}$	0.56
Heusner	34	0.877	$< 10^{-12}$	$< 10^{-7}$

The PoCVerse
Optimal Supply
Networks II
40 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Analysis of residuals

The PoCverse
Optimal Supply
Networks II
41 of 126

Metabolism and
Truhticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

1. Presume an exponent of your choice: $2/3$ or $3/4$.



Analysis of residuals

1. Presume an exponent of your choice: 2/3 or 3/4.
2. Fit the prefactor ($\log_{10} c$) and then examine the residuals:

$$r_i = \log_{10} B_i - (\alpha' \log_{10} M_i - \log_{10} c).$$



Analysis of residuals

The PoCverse
Optimal Supply
Networks II
41 of 126

Metabolism and
Truticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

1. Presume an exponent of your choice: $2/3$ or $3/4$.
2. Fit the prefactor ($\log_{10} c$) and then examine the residuals:

$$r_i = \log_{10} B_i - (\alpha' \log_{10} M_i - \log_{10} c).$$

3. H_0 : residuals are uncorrelated
 H_1 : residuals are correlated.



Analysis of residuals

The PoCverse
Optimal Supply
Networks II
41 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

1. Presume an exponent of your choice: $2/3$ or $3/4$.
2. Fit the prefactor ($\log_{10} c$) and then examine the residuals:

$$r_i = \log_{10} B_i - (\alpha' \log_{10} M_i - \log_{10} c).$$

3. H_0 : residuals are uncorrelated
 H_1 : residuals are correlated.
4. Measure the correlations in the residuals and compute a p -value.



Analysis of residuals

We use the spiffing Spearman Rank-Order Correlation Coefficient ↗

The PoCverse
Optimal Supply
Networks II
42 of 126

Metabolism and
Truthicide

Death by
fractions

**Measuring
exponents**

River networks

Earlier theories

Geometric
argument

Conclusion

References



Analysis of residuals

We use the spiffing Spearman Rank-Order Correlation Coefficient ↗

Basic idea:

🧱 Given $\{(x_i, y_i)\}$, rank the $\{x_i\}$ and $\{y_i\}$ separately from smallest to largest. Call these ranks R_i and S_i .

The PoCSverse
Optimal Supply
Networks II
42 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Analysis of residuals

We use the spiffing Spearman Rank-Order Correlation Coefficient ↗

Basic idea:

- Given $\{(x_i, y_i)\}$, rank the $\{x_i\}$ and $\{y_i\}$ separately from smallest to largest. Call these ranks R_i and S_i .
- Now calculate correlation coefficient for ranks, r_s :

The PoCSverse
Optimal Supply
Networks II
42 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Analysis of residuals

The PoCSverse
Optimal Supply
Networks II
42 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

We use the spiffing Spearman Rank-Order Correlation Coefficient ↗

Basic idea:

Given $\{(x_i, y_i)\}$, rank the $\{x_i\}$ and $\{y_i\}$ separately from smallest to largest. Call these ranks R_i and S_i .

Now calculate correlation coefficient for ranks, r_s :

$$r_s = \frac{\sum_{i=1}^n (R_i - \bar{R})(S_i - \bar{S})}{\sqrt{\sum_{i=1}^n (R_i - \bar{R})^2} \sqrt{\sum_{i=1}^n (S_i - \bar{S})^2}}$$



Analysis of residuals

The PoCSverse
Optimal Supply
Networks II
42 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

We use the spiffing Spearman Rank-Order Correlation Coefficient ↗

Basic idea:

Given $\{(x_i, y_i)\}$, rank the $\{x_i\}$ and $\{y_i\}$ separately from smallest to largest. Call these ranks R_i and S_i .

Now calculate correlation coefficient for ranks, r_s :

$$r_s = \frac{\sum_{i=1}^n (R_i - \bar{R})(S_i - \bar{S})}{\sqrt{\sum_{i=1}^n (R_i - \bar{R})^2} \sqrt{\sum_{i=1}^n (S_i - \bar{S})^2}}$$

Perfect correlation: x_i 's and y_i 's both increase monotonically.



Analysis of residuals

The PoCSverse
Optimal Supply
Networks II
43 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

We assume all rank orderings are equally likely:



Analysis of residuals

The PoCverse
Optimal Supply
Networks II
43 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks



Earlier theories

Geometric
argument

Conclusion

References

We assume all rank orderings are equally likely:

 r_s is distributed according to a Student's
 t -distribution  with $N - 2$ degrees of freedom.



Analysis of residuals

The PoCverse
Optimal Supply
Networks II
43 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks



Earlier theories


Geometric
argument

Conclusion

References

We assume all rank orderings are equally likely:

 r_s is distributed according to a Student's
 t -distribution  with $N - 2$ degrees of freedom.

 Excellent feature: Non-parametric—real
distribution of x 's and y 's doesn't matter.



Analysis of residuals

The PoCSverse
Optimal Supply
Networks II
43 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks



Earlier theories


Geometric
argument


Conclusion

References

We assume all rank orderings are equally likely:

 r_s is distributed according to a Student's t -distribution  with $N - 2$ degrees of freedom.

 Excellent feature: Non-parametric—real distribution of x 's and y 's doesn't matter.

 Bonus: works for non-linear monotonic relationships as well.



Analysis of residuals

The PoCSverse
Optimal Supply
Networks II
43 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks



Earlier theories


Geometric
argument


Conclusion



References

We assume all rank orderings are equally likely:

 r_s is distributed according to a Student's t -distribution  with $N - 2$ degrees of freedom.

 Excellent feature: Non-parametric—real distribution of x 's and y 's doesn't matter.

 Bonus: works for non-linear monotonic relationships as well.

 See Numerical Recipes in C/Fortran  which contains many good things. ^[39]



Analysis of residuals—mammals

The PoCVerse
Optimal Supply
Networks II
44 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks

Earlier theories

Geometric
argument

Conclusion

References



- (a) $M < 3.2$ kg,
- (b) $M < 10$ kg,
- (c) $M < 32$ kg,
- (d) all mammals.



Analysis of residuals—birds

The PoCVerse
Optimal Supply
Networks II
45 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks

Earlier theories

Geometric
argument

Conclusion

References



(a) $M < 0.1$ kg,






(b) $M < 1$ kg,

(c) $M < 10$ kg,

(d) all birds.



Other approaches to measuring exponents:

-  Clauset, Shalizi, Newman: "Power-law distributions in empirical data"^[10]
SIAM Review, 2009.
-  See Clauset's page on measuring power law exponents  (code, other goodies).
-  See this collection of tweets  for related amusement.



Impure scaling?:



So: The exponent $\alpha = 2/3$ works for all birds and mammals up to 10–30 kg



Impure scaling?:

- So: The exponent $\alpha = 2/3$ works for all birds and mammals up to 10–30 kg
- For mammals $> 10\text{--}30$ kg, maybe we have a new scaling regime



Impure scaling?:

- So: The exponent $\alpha = 2/3$ works for all birds and mammals up to 10–30 kg
- For mammals $> 10\text{--}30$ kg, maybe we have a new scaling regime
- Possible connection?: Economos (1983)—limb length break in scaling around 20 kg^[15]




Impure scaling?:

- So: The exponent $\alpha = 2/3$ works for all birds and mammals up to 10–30 kg
- For mammals $> 10\text{--}30$ kg, maybe we have a new scaling regime
- Possible connection?: Economos (1983)—limb length break in scaling around 20 kg^[15]
- But see later: non-isometric growth leads to **lower** metabolic scaling. Oops.



The widening gyre:

Now we're really confused (empirically):

 White and Seymour, 2005: unhappy with large herbivore measurements ^[56]. Pro 2/3: Find $\alpha \simeq 0.686 \pm 0.014$.

The PoCverse
Optimal Supply
Networks II
48 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument



Conclusion

References



The widening gyre:

Now we're really confused (empirically):

-  White and Seymour, 2005: unhappy with large herbivore measurements^[56]. Pro 2/3: Find $\alpha \simeq 0.686 \pm 0.014$.
-  Glazier, BioScience (2006)^[18]: "The 3/4-Power Law Is Not Universal: Evolution of Isometric, Ontogenetic Metabolic Scaling in Pelagic Animals."

The PoCverse
Optimal Supply
Networks II
48 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



The widening gyre:





Now we're really confused (empirically):

- White and Seymour, 2005: unhappy with large herbivore measurements^[56]. Pro 2/3: Find $\alpha \simeq 0.686 \pm 0.014$.
- Glazier, BioScience (2006)^[18]: "The 3/4-Power Law Is Not Universal: Evolution of Isometric, Ontogenetic Metabolic Scaling in Pelagic Animals."
- Glazier, Biol. Rev. (2005)^[17]: "Beyond the 3/4-power law': variation in the intra- and interspecific scaling of metabolic rate in animals."




The widening gyre:




Now we're really confused (empirically):

-  White and Seymour, 2005: unhappy with large herbivore measurements ^[56]. Pro 2/3: Find $\alpha \simeq 0.686 \pm 0.014$.
-  Glazier, BioScience (2006) ^[18]: "The 3/4-Power Law Is Not Universal: Evolution of Isometric, Ontogenetic Metabolic Scaling in Pelagic Animals."
-  Glazier, Biol. Rev. (2005) ^[17]: "Beyond the 3/4-power law': variation in the intra- and interspecific scaling of metabolic rate in animals."
-  Savage et al., PLoS Biology (2008) ^[45] "Sizing up allometric scaling theory" Pro 3/4: problems claimed to be finite-size scaling.



Somehow, optimal river networks are connected:



-  a = drainage basin area
-  l = length of longest (main) stream
-  $L = L_{\parallel} =$ longitudinal length of basin



Mysterious allometric scaling in river networks

The PoCVerse
Optimal Supply
Networks II
50 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents


River networks

Earlier theories

Geometric
argument

Conclusion

References

 1957: J. T. Hack^[19]
"Studies of Longitudinal Stream Profiles in Virginia
and Maryland"

$$l \sim a^h$$

$$h \sim 0.6$$



Mysterious allometric scaling in river networks

The PoCVerse
Optimal Supply
Networks II
50 of 126

Metabolism and
Truticidae

Death by
fractions

Measuring
exponents


River networks

Earlier theories

Geometric
argument


Conclusion

References

 1957: J. T. Hack^[19]
"Studies of Longitudinal Stream Profiles in Virginia
and Maryland"

$$l \sim a^h$$

$$h \sim 0.6$$

 Anomalous scaling: we would expect $h = 1/2 \dots$



Mysterious allometric scaling in river networks

The PoCVerse
Optimal Supply
Networks II
50 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents


River networks

Earlier theories

Geometric
argument


Conclusion


References

 1957: J. T. Hack^[19]
"Studies of Longitudinal Stream Profiles in Virginia
and Maryland"

$$\ell \sim a^h$$

$$h \sim 0.6$$

 Anomalous scaling: we would expect $h = 1/2$...

 Subsequent studies: $0.5 \lesssim h \lesssim 0.6$



Mysterious allometric scaling in river networks

The PoCVerse
Optimal Supply
Networks II
50 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

- 1957: J. T. Hack^[19]
"Studies of Longitudinal Stream Profiles in Virginia and Maryland"

$$\ell \sim a^h$$

$$h \sim 0.6$$

- Anomalous scaling: we would expect $h = 1/2$...
- Subsequent studies: $0.5 \lesssim h \lesssim 0.6$
- Another quest to find **universality/god** ...



Mysterious allometric scaling in river networks

The PoCVerse
Optimal Supply
Networks II
50 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

- 1957: J. T. Hack^[19]
"Studies of Longitudinal Stream Profiles in Virginia and Maryland"

$$\ell \sim a^h$$


$$h \sim 0.6$$


- Anomalous scaling: we would expect $h = 1/2$...
- Subsequent studies: $0.5 \lesssim h \lesssim 0.6$
- Another quest to find **universality/god** ...
- A catch:** studies done on small scales.




Large-scale networks:


(1992) Montgomery and Dietrich ^[36]:



 **Composite data set:** includes everything from unchanneled valleys up to world's largest rivers.

 **Estimated fit:**

$$L \simeq 1.78a^{0.49}$$

 **Mixture of basin and main stream lengths.**

The PoCverse
Optimal Supply
Networks II
51 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument


Conclusion


References



World's largest rivers only:




 Data from Leopold (1994) [31, 13]

 Estimate of Hack exponent: $h = 0.50 \pm 0.06$



Earlier theories (1973-):

Building on the surface area idea:

 McMahan (70's, 80's): Elastic Similarity^[32, 34]

The PoCverse
Optimal Supply
Networks II
53 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument



Conclusion

References



Earlier theories (1973-):

Building on the surface area idea:

-  McMahan (70's, 80's): Elastic Similarity ^[32, 34]
-  Idea is that organismal shapes scale allometrically with $1/4$ powers (like trees ...)



Earlier theories (1973-):

Building on the surface area idea:

- 🧱 McMahan (70's, 80's): Elastic Similarity ^[32, 34]
- 🧱 Idea is that organismal shapes scale allometrically with $1/4$ powers (like trees ...)
- 🧱 Disastrously, cites Hemmingsen ^[21] for surface area data.



Earlier theories (1973-):

Building on the surface area idea:

- 🧱 McMahan (70's, 80's): Elastic Similarity ^[32, 34]
- 🧱 Idea is that organismal shapes scale allometrically with $1/4$ powers (like trees ...)
- 🧱 Disastrously, cites Hemmingsen ^[21] for surface area data.
- 🧱 Appears to be true for ungulate legs ... ^[33]



Earlier theories (1973-):

Building on the surface area idea:

- McMahon (70's, 80's): Elastic Similarity ^[32, 34]
- Idea is that organismal shapes scale allometrically with $1/4$ powers (like trees ...)
- Disastrously, cites Hemmingsen ^[21] for surface area data.
- Appears to be true for ungulate legs ... ^[33]
- Metabolism and shape never properly connected.



"Size and shape in biology" ↗

T. McMahon,

Science, **179**, 1201-1204, 1973. [32]




Fig. 3. (a) Chest circumference, d_c , plotted against body weight, W , for five species of primates. The broken lines represent the standard error in this least-squares fit [adapted from (21)]. The model proposed here, whereby each length, l , increases as the $2/3$ power of diameter, d , is illustrated for two weights differing by a factor of 16. (b) Body surface area plotted against weight for vertebrates. The animal data are reasonably well fitted by the stretched cylinder model [adapted from (8)].






Fig. 10.

The relation of body surface to body weight in vertebrates. The points surrounded by a circle represent beech trees. The authorities of the data are in approximate order of body sizes of organisms: Fishes (Tuzov, Ebnaz, Salvo, Pleurostices flexus, Aspinella, Crestiodorus, Lepidus: 0.4–9 kg), sea hares (unpublished), Frogs (3.5–32 g), Birds (3–10 g), Fer, 1914, p. 191. Mice aculeatus (23 and 50 g), Krassi, 1904, p. 404. Lizards (*Lacerta nurella* and *viridis*, *Aspasia fragilis*: 5–25 g) and Ringed Snake (43–140 g), Beale, 1911, pp. 7–8. Turtles (Tuzov: 211 g), frog (44 g), rabbit (3.5 kg), Votr, 1930, pp. 239, 244, 245. Dogs (7 and 30 kg), pigs (3 and 100 kg), horses (175 and 900 kg), monkeys (2.5 and 5.5 kg), men (5 and 60 kg), Snowy, Costner and Matveeva, 1932, pp. 8, 30, 33 and 51. Snakes (turtle-snake, small and large python, boa: 3.5–30 kg), Robinson, 1932, p. 145. Bats (20 and 250 g), cattle (20 and 600 kg), Hoover, 1945, pp. 360, 361. Giant shark (2.75 t), rhinoceros (1 t), Hissamuddin, 1910, pp. 30 and 63. Beech trees without leaves and roots (20 kg–12 t), Melnik, Nussim and Melnik, 1954, tables 2–4 on pp. 277–281.

assuming a specific gravity of 1.0. Naturally, the inclination of this line corresponds to a proportionality power of 0.67.

Of the unicellular organisms represented in fig. 1 not a few are spherical in shape (the bacterium *Sarcinia*, dinoflagellates, marine eggs); and most of the others have surfaces exceeding those of spheres of equal volume by rarely more than what corresponds to 0.1 decade in the log, ordinate system (*Phalodactylopus phosphaerens*: 12 %, i. e. 0.05 decade, *Esocherichia coli*: 24 %, i. e. 0.13 decade, the ciliates *Colpistoma* and *Pezomacellus*: 18–22 %, i. e. about 0.08–0.09 decade; calculated on the basis of data of PÖRNER, 1924, table 7 on p. 108, and HANVET, 1928, table 1). Similar figures probably hold for other ciliates. Only the flagellates represented (*Typhlozoosma*, *Asterion kühlii*) and certain amoebae are likely to deviate by higher figures. The surface values of the unicellular organisms represented in fig. 1 will, therefore, fall either on, or in most other cases less than 0.1 decade above, a line representing the relation between surface and volume of spheres.

It will be seen from fig. 10 that the points representing the body surfaces of the metazoic animals in question are grouped parallel to the sphere line; that is, also corresponding to a proportionality power of 0.67. An average line through the points would fall about 0.30 logarithmic decade above the sphere line, meaning that on the average the body surface is roughly 2 (anti-log. 0.30) times higher in the animals under study than in spheres of equal weight or volume. In organisms of extreme shapes as the python (10⁴ g) and the beech tree (especially marked in fig. 2) the surface is about 3 and 10 times, respectively, greater than in a sphere of equal weight and volume. These facts agree well with the values 3–11.2 for the constant *k* in the formula

$$\text{body surface in cm}^2 = k \cdot \text{body weight}^{0.67}$$

as tabulated by ROBINSON (1932, p. 175) for various birds and mammals weighing 5 g–14 kg; because this is about double the value of *k* for sphere surface (4.83). The value of *k* (13.05) found by KUBOTA (1940) for *Ascaris* is 2.9 times 4.83, and this corresponds well with the above mentioned figure 3 for the much larger python of similar shape.



Hemmingsen's "fit" is for a 2/3 power, notes possible 10 kg transition. [?]



p 46: "The energy metabolism thus definitely varies with a higher power of the body weight ranges with a higher power of the body weight than the body surface."

The PoCVerse
Optimal Supply
Networks II
55 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Earlier theories (1977):

The PoCverse
Optimal Supply
Networks II
56 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks


Earlier theories

Geometric
argument

Conclusion

References

Building on the surface area idea ...

 Blum (1977)^[5] speculates on four-dimensional biology:

$$P \propto M^{(d-1)/d}$$



Earlier theories (1977):

The PoCverse
Optimal Supply
Networks II
56 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks


Earlier theories

Geometric
argument


Conclusion

References

Building on the surface area idea ...

 Blum (1977) ^[5] speculates on four-dimensional biology:

$$P \propto M^{(d-1)/d}$$

 $d = 3$ gives $\alpha = 2/3$



Earlier theories (1977):

The PoCverse
Optimal Supply
Networks II
56 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks


Earlier theories

Geometric
argument


Conclusion


References

Building on the surface area idea ...

 Blum (1977)^[5] speculates on four-dimensional biology:

$$P \propto M^{(d-1)/d}$$

 $d = 3$ gives $\alpha = 2/3$

 $d = 4$ gives $\alpha = 3/4$



Earlier theories (1977):

The PoCverse
Optimal Supply
Networks II
56 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks


Earlier theories

Geometric
argument


Conclusion


References


Building on the surface area idea ...

 Blum (1977)^[5] speculates on four-dimensional biology:

$$P \propto M^{(d-1)/d}$$

 $d = 3$ gives $\alpha = 2/3$


 $d = 4$ gives $\alpha = 3/4$

 So we need another dimension ...





Earlier theories (1977):


Building on the surface area idea ...


 Blum (1977)^[5] speculates on four-dimensional biology:

$$P \propto M^{(d-1)/d}$$

 $d = 3$ gives $\alpha = 2/3$


 $d = 4$ gives $\alpha = 3/4$

 So we need another dimension ...

 Obviously, a bit silly...^[46]



Nutrient delivering networks:

 1960's: Rashevsky considers blood networks and finds a $2/3$ scaling.

The PoCSverse
Optimal Supply
Networks II
57 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion


References



Nutrient delivering networks:

1960's: Rashevsky considers blood networks and finds a $2/3$ scaling.

1997: West *et al.* [53] use a network story to find $3/4$ scaling.



The PoCVerse
Optimal Supply
Networks II
57 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Nutrient delivering networks:

West et al.'s assumptions:

1. hierarchical network

The PoCVerse
Optimal Supply
Networks II
58 of 126

Metabolism and
Truticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Nutrient delivering networks:

West et al.'s assumptions:

1. hierarchical network
2. capillaries (delivery units) invariant

The PoCVerse
Optimal Supply
Networks II
58 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Nutrient delivering networks:

West et al.'s assumptions:

1. hierarchical network
2. capillaries (delivery units) invariant
3. network impedance is minimized via evolution

The PoCVerse
Optimal Supply
Networks II
58 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Nutrient delivering networks:

The PoCVerse
Optimal Supply
Networks II
58 of 126

Metabolism and
Truhticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References

West et al.'s assumptions:

1. hierarchical network
2. capillaries (delivery units) invariant
3. network impedance is minimized via evolution

Claims:

 $P \propto M^{3/4}$



Nutrient delivering networks:

The PoCVerse
Optimal Supply
Networks II
58 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion


References

West et al.'s assumptions:

1. hierarchical network
2. capillaries (delivery units) invariant
3. network impedance is minimized via evolution

Claims:

 $P \propto M^{3/4}$

 networks are fractal



Nutrient delivering networks:

The PoCVerse
Optimal Supply
Networks II
58 of 126

Metabolism and
Trutichide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion


References


West et al.'s assumptions:

1. hierarchical network
2. capillaries (delivery units) invariant
3. network impedance is minimized via evolution

Claims:


 $P \propto M^{3/4}$

 networks are fractal


 quarter powers everywhere




Impedance measures:


 Poiseuille flow (outer branches):


$$Z = \frac{8\mu}{\pi} \sum_{k=0}^N \frac{\ell_k}{r_k^4 N_k}$$

 Pulsatile flow (main branches):

$$Z \propto \sum_{k=0}^N \frac{h_k^{1/2}}{r_k^{5/2} N_k}$$

 Wheel out Lagrange multipliers ...

 Poiseuille gives $P \propto M^1$ with a logarithmic correction.

 Pulsatile calculation explodes into flames.



Not so fast ...

The PoCVerse
Optimal Supply
Networks II
60 of 126

Metabolism and
Truhticide

Death by
fractions

Measuring
exponents

River networks


Earlier theories

Geometric
argument

Conclusion

References

Actually, model shows:

 $P \propto M^{3/4}$ does not follow for pulsatile flow



Not so fast ...

The PoCVerse
Optimal Supply
Networks II
60 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks


Earlier theories


Geometric
argument

Conclusion

References

Actually, model shows:


 $P \propto M^{3/4}$ does not follow for pulsatile flow


 networks are not necessarily fractal.




Not so fast ...

Actually, model shows:

 $P \propto M^{3/4}$ does not follow for pulsatile flow

 networks are not necessarily fractal.

Do find:

 Murray's cube law (1927) for outer branches: [37]

$$r_0^3 = r_1^3 + r_2^3$$



Not so fast ...

Actually, model shows:

- 🧱 $P \propto M^{3/4}$ does not follow for pulsatile flow
- 🧱 networks are not necessarily fractal.

Do find:

- 🧱 Murray's cube law (1927) for outer branches: [37]

$$r_0^3 = r_1^3 + r_2^3$$

- 🧱 Impedance is distributed evenly.



Not so fast ...

Actually, model shows:

- ❏ $P \propto M^{3/4}$ does not follow for pulsatile flow
- ❏ networks are not necessarily fractal.

Do find:

- ❏ Murray's cube law (1927) for outer branches: [37]

$$r_0^3 = r_1^3 + r_2^3$$

- ❏ Impedance is distributed evenly.
- ❏ Can still assume networks are fractal.



Connecting network structure to α

1. Ratios of network parameters:

$$R_n = \frac{n_{k+1}}{n_k}, R_\ell = \frac{\ell_{k+1}}{\ell_k}, R_r = \frac{r_{k+1}}{r_k}$$

Note: $R_\ell, R_r < 1$, inverse of stream ordering definition.



Connecting network structure to α

1. Ratios of network parameters:

$$R_n = \frac{n_{k+1}}{n_k}, R_\ell = \frac{\ell_{k+1}}{\ell_k}, R_r = \frac{r_{k+1}}{r_k}$$

Note: $R_\ell, R_r < 1$, inverse of stream ordering definition.

2. Number of capillaries $\propto P \propto M^\alpha$.



Connecting network structure to α

1. Ratios of network parameters:

$$R_n = \frac{n_{k+1}}{n_k}, R_\ell = \frac{\ell_{k+1}}{\ell_k}, R_r = \frac{r_{k+1}}{r_k}$$

Note: $R_\ell, R_r < 1$, inverse of stream ordering definition.

2. Number of capillaries $\propto P \propto M^\alpha$.

$$\Rightarrow \alpha = -\frac{\ln R_n}{\ln R_r^2 R_\ell}$$

(also problematic due to prefactor issues)



Connecting network structure to α

1. Ratios of network parameters:

$$R_n = \frac{n_{k+1}}{n_k}, R_\ell = \frac{\ell_{k+1}}{\ell_k}, R_r = \frac{r_{k+1}}{r_k}$$


Note: $R_\ell, R_r < 1$, inverse of stream ordering definition.


2. Number of capillaries $\propto P \propto M^\alpha$.

$$\Rightarrow \alpha = -\frac{\ln R_n}{\ln R_r^2 R_\ell}$$

(also problematic due to prefactor issues)

Obliviously soldiering on, we could assert:

 area-preservingness: $R_r = R_n^{-1/2}$

 space-fillingness: $R_\ell = R_n^{-1/3}$

$$\Rightarrow \alpha = 3/4$$



Data from real networks:

Network	R_n	R_r	R_ℓ	$-\frac{\ln R_r}{\ln R_n}$	$-\frac{\ln R_\ell}{\ln R_n}$	α
West <i>et al.</i>	-	-	-	1/2	1/3	3/4
rat (PAT)	2.76	1.58	1.60	0.45	0.46	0.73
cat (PAT) (Turcotte <i>et al.</i> [50])	3.67	1.71	1.78	0.41	0.44	0.79
dog (PAT)	3.69	1.67	1.52	0.39	0.32	0.90
pig (LCX)	3.57	1.89	2.20	0.50	0.62	0.62
pig (RCA)	3.50	1.81	2.12	0.47	0.60	0.65
pig (LAD)	3.51	1.84	2.02	0.49	0.56	0.65
human (PAT)	3.03	1.60	1.49	0.42	0.36	0.83
human (PAT)	3.36	1.56	1.49	0.37	0.33	0.94



Attempts to look at actual networks:



“Testing foundations of biological scaling theory using automated measurements of vascular networks” [↗](#)

Newberry, Newberry, and Newberry,
PLoS Comput Biol, **11**, e1004455, 2015. [38]




"" [↗](#)

Newberry et al.,
PLoS Comput Biol, **11**, e1004455, . [?]



Some people understand it's truly a disaster:



“Power, Sex, Suicide: Mitochondria and the
Meaning of Life” [a](#) [↗](#)
by Nick Lane (2005). ^[30]

“As so often happens in science, the apparently solid foundations of a field turned to rubble on closer inspection.”



Let's never talk about this again:



"The fourth dimension of life: Fractal geometry and allometric scaling of organisms" 

West, Brown, and Enquist,
Science, **284**, 1677-1679, 1999. [54]



No networks: Scaling argument for energy exchange area a .

The PoCVerse
Optimal Supply
Networks II
65 of 126

Metabolism and
Truthticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References





Let's never talk about this again:



"The fourth dimension of life: Fractal geometry and allometric scaling of organisms" 

West, Brown, and Enquist, Science, **284**, 1677-1679, 1999. [54]

-  No networks: Scaling argument for energy exchange area a .
-  Distinguish between biological and physical length scales (distance between mitochondria versus cell radius).

The PoCVerse
Optimal Supply
Networks II
65 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References






Let's never talk about this again:



"The fourth dimension of life: Fractal geometry and allometric scaling of organisms" 

West, Brown, and Enquist, Science, **284**, 1677-1679, 1999. [54]

-  No networks: Scaling argument for energy exchange area a .
-  Distinguish between biological and physical length scales (distance between mitochondria versus cell radius).
-  Buckingham π action. [9]

The PoCVerse
Optimal Supply
Networks II
65 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Let's never talk about this again:



"The fourth dimension of life: Fractal geometry and allometric scaling of organisms" ↗

West, Brown, and Enquist, Science, **284**, 1677–1679, 1999. [54]

- ❏ No networks: Scaling argument for energy exchange area a .
- ❏ Distinguish between biological and physical length scales (distance between mitochondria versus cell radius).
- ❏ Buckingham π action. [9]
- ❏ Arrive at $a \propto M^{D/D+1}$ and $\ell \propto M^{1/D}$.

The PoCVerse
Optimal Supply
Networks II
65 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Let's never talk about this again:



"The fourth dimension of life: Fractal geometry and allometric scaling of organisms" ↗

West, Brown, and Enquist, Science, **284**, 1677–1679, 1999. [54]

- ❏ No networks: Scaling argument for energy exchange area a .
- ❏ Distinguish between biological and physical length scales (distance between mitochondria versus cell radius).
- ❏ Buckingham π action. [9]
- ❏ Arrive at $a \propto M^{D/D+1}$ and $\ell \propto M^{1/D}$.
- ❏ New disaster: after going on about fractality of a , then state $v \propto al$ in general.

The PoCVerse
Optimal Supply
Networks II
65 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



“It was the epoch of belief, it was the epoch of incredulity”



“A General Model for the Origin of Allometric Scaling Laws in Biology”
West, Brown, and Enquist,
Science, **276**, 122–126, 1997. [53]



“Nature”
West, Brown, and Enquist,
Nature, **400**, 664–667, 1999. [55]




“The fourth dimension of life: Fractal geometry and allometric scaling of organisms”
West, Brown, and Enquist,
Science, **284**, 1677–1679, 1999. [54]



Really, quite confused:

Whole 2004 issue of Functional Ecology addresses the problem:

 J. Kozlowski, M. Konrzewski. "Is West, Brown and Enquist's model of allometric scaling mathematically correct and biologically relevant?" Functional Ecology 18: 283–9, 2004. ^[28]

The PoCSverse
Optimal Supply
Networks II
67 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion


References



Really, quite confused:

Whole 2004 issue of Functional Ecology addresses the problem:

 J. Kozłowski, M. Konrzewski. "Is West, Brown and Enquist's model of allometric scaling mathematically correct and biologically relevant?" Functional Ecology 18: 283–9, 2004. [28]

 J. H. Brown, G. B. West, and B. J. Enquist. "Yes, West, Brown and Enquist's model of allometric scaling is both mathematically correct and biologically relevant." Functional Ecology 19: 735–738, 2005. [7]

The PoCVerse
Optimal Supply
Networks II
67 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion


References




Really, quite confused:

Whole 2004 issue of Functional Ecology addresses the problem:

 J. Kozlowski, M. Konrzewski. "Is West, Brown and Enquist's model of allometric scaling mathematically correct and biologically relevant?" Functional Ecology 18: 283–9, 2004. [28]

 J. H. Brown, G. B. West, and B. J. Enquist. "Yes, West, Brown and Enquist's model of allometric scaling is both mathematically correct and biologically relevant." Functional Ecology 19: 735–738, 2005. [7]

 J. Kozlowski, M. Konrzewski. "West, Brown and Enquist's model of allometric scaling again: the same questions remain." Functional Ecology 19: 739–743, 2005.





"Curvature in metabolic scaling" 

Kolokotronis, Savage, Deeds, and Fontana.

Nature, **464**, 753, 2010. ^[27]

Let's try a quadratic:

$$\log_{10} P \sim \log_{10} c + \alpha_1 \log_{10} M + \alpha_2 \log_{10} M^2$$



Yah:




Figure 1 | Curvature in metabolic scaling. a, Linear (red) and quadratic (blue) fits (not including temperature) of $\log_{10}B$ versus $\log_{10}M$. The orca (green square) and Asian elephant (ref. 4; turquoise square at larger mass) are not included in the fit, but are predicted well. Differences in the quality of fit are best seen in terms of the conditional mean of the error, estimated by the loess (locally-weighted scatterplot smoothing) fit of the residuals (Supplementary Information). See Table 1 for the values of the coefficients obtained from the fit. b, Slope of the quadratic fit (including temperature) with pointwise 95% confidence intervals (blue). The slope of the power-law fit (red) and models with fixed 2/3 and 3/4 exponents (black) are included for comparison. This panel suggests that exponents estimated by assuming a power law will be highly sensitive to the mass range of the data set used, as shown in Fig. 2.

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



"This raises the question of whether the theory can be adapted to agree with the data"¹




Figure 2 | Scaling exponent depends on mass range. **a**, Slope estimated by linear regression within a three log-unit mass range (smaller near the boundaries). Values on the abscissa denote mean $\log_{10}M$ within the range. When the 95% confidence regions (dashed lines) include the 2/3 or 3/4 lines, the local slope is consistent with a 2/3 or 3/4 exponent, respectively. These cases are indicated by the shaded regions (2/3 on the left and 3/4 on the right). **b**, Slope estimated by using all data points with $M < x$. The shaded region is consistent with 2/3 slope estimates. **c**, Slope estimated by using all data points with $M > x$. The shaded region is consistent with 3/4 slope

estimates. **d**, Exponents estimated for eight historical data sets using linear regression (black filled circles): Lovegrove¹³, Lovegrove¹⁴, White¹⁵, White¹⁶, Sieg¹⁸, McNab⁸, and Savage⁹ using species average data ("Savage") and binned data ("Savage" bin). Exponents predicted using coefficients from quadratic fits to McNab's (red), Sieg's (green), or Savage's (blue) data and the first three moments of $\log_{10}M$ (Supplementary Information). Thick lines represent uncorrected 95% confidence intervals. Thin lines are multiplicity corrected intervals.

The PoCverse
Optimal Supply
Networks II
70 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References



¹Already raised and fully established 9 years earlier. [14]

Evolution has generally made things bigger¹




“The Phantom Tollbooth” [a](#) [↗](#)
by Norton Juster (1961). ^[24]



¹Yes, yes, yes: insular dwarfism [↗](#) with the shrinkage [↗](#)

Evolution has generally made things bigger¹



“The Phantom Tollbooth” [a](#) [↗](#)
by Norton Juster (1961). ^[24]




Regression starting at low M makes sense





¹Yes, yes, yes: insular dwarfism [↗](#) with the shrinkage [↗](#)

Evolution has generally made things bigger¹



“The Phantom Tollbooth” [a](#) [↗](#)
by Norton Juster (1961). ^[24]


-  Regression starting at low M makes sense
-  Regression starting at high M makes ...no sense



¹Yes, yes, yes: insular dwarfism [↗](#) with the shrinkage [↗](#)

Still going:




"A general model for metabolic scaling in self-similar asymmetric networks" 
Brummer, Brummer, and Enquist,
PLoS Comput Biol, **13**, e1005394, 2017. [8]

Wut?:

"Most importantly, we show that the 3/4 metabolic scaling exponent from Kleiber's Law can still be attained within many asymmetric networks."



Oh no:



“Scale: The Universal Laws of Growth, Innovation, Sustainability, and the Pace of Life in Organisms, Cities, Economies, and Companies” [a](#) [↗](#)
by Geoffrey B. West (2017). [52]

Amazon reviews excerpts (so, so not fair but ...):

The PoCVerse
Optimal Supply
Networks II
73 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument



Conclusion

References




Oh no:



“Scale: The Universal Laws of Growth, Innovation, Sustainability, and the Pace of Life in Organisms, Cities, Economies, and Companies”  
by Geoffrey B. West (2017). ^[52]

Amazon reviews excerpts (so, so not fair but ...):

 “Full of intriguing, big ideas but amazingly sloppy both in details and exposition, especially considering the author is a theoretical physicist.”

The PoCVerse
Optimal Supply
Networks II
73 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument



Conclusion

References





Oh no:



“Scale: The Universal Laws of Growth, Innovation, Sustainability, and the Pace of Life in Organisms, Cities, Economies, and Companies”  
by Geoffrey B. West (2017). ^[52]

Amazon reviews excerpts (so, so not fair but ...):

 “Full of intriguing, big ideas but amazingly sloppy both in details and exposition, especially considering the author is a theoretical physicist.”

 “The beginning is terrible. He shows four graphs to illustrate scaling relationships, none of which have intelligible scales”

The PoCVerse
Optimal Supply
Networks II
73 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument



Conclusion

References






Oh no:



“Scale: The Universal Laws of Growth, Innovation, Sustainability, and the Pace of Life in Organisms, Cities, Economies, and Companies”  

by Geoffrey B. West (2017). ^[52]

Amazon reviews excerpts (so, so not fair but ...):

-  “Full of intriguing, big ideas but amazingly sloppy both in details and exposition, especially considering the author is a theoretical physicist.”
-  “The beginning is terrible. He shows four graphs to illustrate scaling relationships, none of which have intelligible scales”
-  “(he actually repeats several times that businesses can die but are not really an animal - O RLY?)”

The PoCVerse
Optimal Supply
Networks II
73 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories





Geometric
argument

Conclusion

References



Simple supply networks:



Banavar et al.,
Nature,
(1999) [1].



Flow rate
argument.



Ignore
impedance.



Very general
attempt to
find most
efficient
transportation
networks.



Simple supply networks

The PoCVerse
Optimal Supply
Networks II
75 of 126

Metabolism and
Truhticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Banavar *et al.* find 'most efficient' networks with

$$P \propto M^{d/(d+1)}$$



Simple supply networks

The PoCVerse
Optimal Supply
Networks II
75 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks

Earlier theories


Geometric
argument

Conclusion

References

 Banavar *et al.* find 'most efficient' networks with

$$P \propto M^{d/(d+1)}$$

 ...but also find

$$V_{\text{network}} \propto M^{(d+1)/d}$$



Simple supply networks

The PoCVerse
Optimal Supply
Networks II
75 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks

Earlier theories


Geometric
argument

Conclusion


References

 Banavar *et al.* find 'most efficient' networks with

$$P \propto M^{d/(d+1)}$$

 ...but also find


$$V_{\text{network}} \propto M^{(d+1)/d}$$

 $d = 3$:


$$V_{\text{blood}} \propto M^{4/3}$$




Simple supply networks

 Banavar *et al.* find 'most efficient' networks with


$$P \propto M^{d/(d+1)}$$

 ...but also find

$$V_{\text{network}} \propto M^{(d+1)/d}$$


 $d = 3$:

$$V_{\text{blood}} \propto M^{4/3}$$


 Consider a 3 g shrew with $V_{\text{blood}} = 0.1V_{\text{body}}$




Simple supply networks

 Banavar *et al.* find 'most efficient' networks with


$$P \propto M^{d/(d+1)}$$


 ...but also find

$$V_{\text{network}} \propto M^{(d+1)/d}$$

 $d = 3$:

$$V_{\text{blood}} \propto M^{4/3}$$


 Consider a 3 g shrew with $V_{\text{blood}} = 0.1V_{\text{body}}$

 \Rightarrow 3000 kg elephant with $V_{\text{blood}} = 10V_{\text{body}}$



Geometric argument



"Optimal Form of Branching Supply and Collection Networks" 

Peter Sheridan Dodds,

Phys. Rev. Lett., **104**, 048702, 2010. ^[12]

The PoCverse
Optimal Supply
Networks II
77 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Geometric argument



"Optimal Form of Branching Supply and Collection Networks" 

Peter Sheridan Dodds,

Phys. Rev. Lett., **104**, 048702, 2010. ^[12]



Consider **one source** supplying **many sinks** in a d -dim. volume in a D -dim. ambient space.

The PoCVerse
Optimal Supply
Networks II
77 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References




Geometric argument



"Optimal Form of Branching Supply and Collection Networks"

Peter Sheridan Dodds,

Phys. Rev. Lett., **104**, 048702, 2010. ^[12]

 Consider **one source** supplying **many sinks** in a d -dim. volume in a D -dim. ambient space.

 Assume **sinks** are invariant.

The PoCSverse
Optimal Supply
Networks II
77 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References






Geometric argument



“Optimal Form of Branching Supply and Collection Networks”

Peter Sheridan Dodds,

Phys. Rev. Lett., **104**, 048702, 2010. ^[12]

-  Consider **one source** supplying **many sinks** in a d -dim. volume in a D -dim. ambient space.
-  Assume **sinks are invariant**.
-  Assume sink density $\rho = \rho(V)$.

The PoCSverse
Optimal Supply
Networks II
77 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References







Geometric argument



“Optimal Form of Branching Supply and Collection Networks”

Peter Sheridan Dodds,

Phys. Rev. Lett., **104**, 048702, 2010. ^[12]

-  Consider **one source** supplying **many sinks** in a d -dim. volume in a D -dim. ambient space.
-  Assume **sinks are invariant**.
-  Assume sink density $\rho = \rho(V)$.
-  Assume some cap on flow speed of material.

The PoCSverse
Optimal Supply
Networks II
77 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References








Geometric argument



"Optimal Form of Branching Supply and Collection Networks"

Peter Sheridan Dodds,

Phys. Rev. Lett., **104**, 048702, 2010. ^[12]

-  Consider **one source** supplying **many sinks** in a d -dim. volume in a D -dim. ambient space.
-  Assume **sinks are invariant**.
-  Assume sink density $\rho = \rho(V)$.
-  Assume some cap on flow speed of material.
-  See network as a bundle of virtual vessels:

The PoCSverse
Optimal Supply
Networks II
77 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References




Geometric argument




“Optimal Form of Branching Supply and Collection Networks”


Peter Sheridan Dodds,


Phys. Rev. Lett., **104**, 048702, 2010. ^[12]


 Consider **one source** supplying **many sinks** in a d -dim. volume in a D -dim. ambient space.

 Assume **sinks are invariant**.

 Assume sink density $\rho = \rho(V)$.

 Assume some cap on flow speed of material.

 See network as a bundle of virtual vessels:



Geometric argument

The PoCSverse
Optimal Supply
Networks II
78 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Q: how does the number of sustainable sinks N_{sinks} scale with volume V for the most efficient network design?



Geometric argument

The PoCSverse
Optimal Supply
Networks II
78 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks


Earlier theories

Geometric
argument

Conclusion


References


 **Q:** how does the number of sustainable sinks N_{sinks} scale with volume V for the most efficient network design?


 **Or:** what is the highest α for $N_{\text{sinks}} \propto V^\alpha$?



Geometric argument


 Allometrically growing regions:



 Have d length scales which scale as

$$L_i \propto V^{\gamma_i} \text{ where } \gamma_1 + \gamma_2 + \dots + \gamma_d = 1.$$

 For **isometric** growth, $\gamma_i = 1/d$.

 For **allometric** growth, we must have at least two of the $\{\gamma_i\}$ being different




Spherical cows and pancake cows:


Assume an isometrically scaling family of cows:




Extremes of allometry:
The pancake cows—




Spherical cows and pancake cows:


 **Question:** How does the surface area S_{COW} of our two types of cows scale with cow volume V_{COW} ?



Insert assignment question 



Spherical cows and pancake cows:

 **Question:** How does the surface area S_{COW} of our two types of cows scale with cow volume V_{COW} ?

Insert assignment question 

 **Question:** For general families of regions, how does surface area S scale with volume V ? Insert assignment question 



Geometric argument

The PoCSverse
Optimal Supply
Networks II
84 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks


Earlier theories

Geometric
argument

Conclusion


References


Best and worst configurations (Banavar et al.)



Geometric argument

Best and worst configurations (Banavar et al.)



 Rather obviously:
 $\min V_{\text{net}} \propto \sum \text{distances from source to sinks.}$



Minimal network volume:

Real supply networks are close to optimal:




Figure 1. (a) Commuter rail network in the Boston area. The arrow marks the assumed root of the network. (b) Star graph. (c) Minimum spanning tree. (d) The model of equation (3) applied to the same set of stations.


Gastner and Newman (2006): "Shape and efficiency in spatial distribution networks" [16]





"Rules for Biologically Inspired Adaptive Network Design"

Tero et al.,
Science, **327**, 439-442, 2010. [49]



The PoCSverse
Optimal Supply
Networks II
86 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References


Urban deslime in action:





<https://www.youtube.com/watch?v=GwKuFREOgmo> 



Minimal network volume:

We add one more element:




-  Vessel cross-sectional area may vary with distance from the source.
-  Flow rate increases as cross-sectional area decreases.
-  e.g., a collection network may have vessels tapering as they approach the central sink.
-  Find that vessel volume v must scale with vessel length l to affect overall system scalings.



Minimal network volume:

Effecting scaling:




- Consider vessel radius $r \propto (l + 1)^{-\epsilon}$, tapering from $r = r_{\text{max}}$ where $\epsilon \geq 0$.
- Gives $v \propto l^{1-2\epsilon}$ if $\epsilon < 1/2$
- Gives $v \propto 1 - l^{-(2\epsilon-1)} \rightarrow 1$ for large l if $\epsilon > 1/2$
- Previously, we looked at $\epsilon = 0$ only.



Minimal network volume:

For $0 \leq \epsilon < 1/2$, approximate network volume by integral over region:

$$\min V_{\text{net}} \propto \int_{\Omega_{d,D}(V)} \rho \|\vec{x}\|^{1-2\epsilon} d\vec{x}$$


Insert assignment question 



Minimal network volume:

For $0 \leq \epsilon < 1/2$, approximate network volume by integral over region:

$$\min V_{\text{net}} \propto \int_{\Omega_{d,D}(V)} \rho \|\vec{x}\|^{1-2\epsilon} d\vec{x}$$

Insert assignment question 


$$\propto \rho V^{1+\gamma_{\max}(1-2\epsilon)} \text{ where } \gamma_{\max} = \max_i \gamma_i.$$



Minimal network volume:

For $0 \leq \epsilon < 1/2$, approximate network volume by integral over region:

$$\min V_{\text{net}} \propto \int_{\Omega_{d,D}(V)} \rho \|\vec{x}\|^{1-2\epsilon} d\vec{x}$$

Insert assignment question 

$$\propto \rho V^{1+\gamma_{\max}(1-2\epsilon)} \text{ where } \gamma_{\max} = \max_i \gamma_i.$$

For $\epsilon > 1/2$, find simply that


$$\min V_{\text{net}} \propto \rho V$$



Minimal network volume:

For $0 \leq \epsilon < 1/2$, approximate network volume by integral over region:

$$\min V_{\text{net}} \propto \int_{\Omega_{d,D}(V)} \rho \|\vec{x}\|^{1-2\epsilon} d\vec{x}$$

Insert assignment question 

$$\propto \rho V^{1+\gamma_{\max}(1-2\epsilon)} \text{ where } \gamma_{\max} = \max_i \gamma_i.$$

For $\epsilon > 1/2$, find simply that

$$\min V_{\text{net}} \propto \rho V$$



So if supply lines can taper fast enough and without limit, minimum network volume can be made negligible.



For $0 \leq \epsilon < 1/2$:



$$\min V_{\text{net}} \propto \rho V^{1+\gamma_{\text{max}}(1-2\epsilon)}$$

The PoCSverse
Optimal Supply
Networks II
90 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



For $0 \leq \epsilon < 1/2$:



$$\min V_{\text{net}} \propto \rho V^{1+\gamma_{\text{max}}(1-2\epsilon)}$$



If scaling is **isometric**, we have $\gamma_{\text{max}} = 1/d$:

$$\min V_{\text{net/iso}} \propto \rho V^{1+(1-2\epsilon)/d}$$



For $0 \leq \epsilon < 1/2$:



$$\min V_{\text{net}} \propto \rho V^{1+\gamma_{\text{max}}(1-2\epsilon)}$$



If scaling is **isometric**, we have $\gamma_{\text{max}} = 1/d$:

$$\min V_{\text{net/iso}} \propto \rho V^{1+(1-2\epsilon)/d}$$



If scaling is **allometric**, we have $\gamma_{\text{max}} = \gamma_{\text{allo}} > 1/d$:
and

$$\min V_{\text{net/allo}} \propto \rho V^{1+(1-2\epsilon)\gamma_{\text{allo}}}$$



For $0 \leq \epsilon < 1/2$:



$$\min V_{\text{net}} \propto \rho V^{1+\gamma_{\text{max}}(1-2\epsilon)}$$



If scaling is **isometric**, we have $\gamma_{\text{max}} = 1/d$:

$$\min V_{\text{net/iso}} \propto \rho V^{1+(1-2\epsilon)/d}$$



If scaling is **allometric**, we have $\gamma_{\text{max}} = \gamma_{\text{allo}} > 1/d$:
and

$$\min V_{\text{net/allo}} \propto \rho V^{1+(1-2\epsilon)\gamma_{\text{allo}}}$$



Isometrically growing volumes **require less network volume** than allometrically growing volumes:

$$\frac{\min V_{\text{net/iso}}}{\min V_{\text{net/allo}}} \rightarrow 0 \text{ as } V \rightarrow \infty$$



For $\epsilon > 1/2$:



$$\min V_{\text{net}} \propto \rho V$$

Metabolism and
Truticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



For $\epsilon > 1/2$:



$$\min V_{\text{net}} \propto \rho V$$



Network volume scaling is now independent of overall shape scaling.



For $\epsilon > 1/2$:



$$\min V_{\text{net}} \propto \rho V$$



Network volume scaling is now independent of overall shape scaling.

Limits to scaling



Can argue that ϵ must effectively be 0 for real networks over large enough scales.



Limit to how fast material can move, and how small material packages can be.



e.g., blood velocity and blood cell size.



Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

This
is a
really
clean
slide



Blood networks



Velocity at capillaries and aorta approximately constant across body size ^[51]: $\epsilon = 0$.

The PoCverse
Optimal Supply
Networks II
93 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument


Conclusion

References



Blood networks

 Velocity at capillaries and aorta approximately constant across body size ^[51]: $\epsilon = 0$.

 **Material costly** \Rightarrow expect lower optimal bound of $V_{\text{net}} \propto \rho V^{(d+1)/d}$ to be followed closely.



Blood networks

- Velocity at capillaries and aorta approximately constant across body size ^[51]: $\epsilon = 0$.
- Material costly** \Rightarrow expect lower optimal bound of $V_{\text{net}} \propto \rho V^{(d+1)/d}$ to be followed closely.
- For cardiovascular networks, $d = D = 3$.



Blood networks

- Velocity at capillaries and aorta approximately constant across body size ^[51]: $\epsilon = 0$.
- Material costly** \Rightarrow expect lower optimal bound of $V_{\text{net}} \propto \rho V^{(d+1)/d}$ to be followed closely.
- For cardiovascular networks, $d = D = 3$.
- Blood volume scales linearly with body volume ^[47], $V_{\text{net}} \propto V$.



Blood networks

- Velocity at capillaries and aorta approximately constant across body size ^[51]: $\epsilon = 0$.
- Material costly** \Rightarrow expect lower optimal bound of $V_{\text{net}} \propto \rho V^{(d+1)/d}$ to be followed closely.
- For cardiovascular networks, $d = D = 3$.
- Blood volume scales linearly with body volume ^[47], $V_{\text{net}} \propto V$.
- Sink density must \therefore decrease as volume increases:

$$\rho \propto V^{-1/d}.$$




Blood networks

- Velocity at capillaries and aorta approximately constant across body size ^[51]: $\epsilon = 0$.
- Material costly** \Rightarrow expect lower optimal bound of $V_{\text{net}} \propto \rho V^{(d+1)/d}$ to be followed closely.
- For cardiovascular networks, $d = D = 3$.
- Blood volume scales linearly with body volume ^[47], $V_{\text{net}} \propto V$.
- Sink density must \therefore decrease as volume increases:

$$\rho \propto V^{-1/d}.$$


- Density of supplyable sinks **decreases** with organism size.



 Then P , the rate of overall energy use in Ω , can at most scale with volume as


$$P \propto \rho V$$



 Then P , the rate of overall energy use in Ω , can at most scale with volume as


$$P \propto \rho V \propto \rho M$$




 Then P , the rate of overall energy use in Ω , can at most scale with volume as

$$P \propto \rho V \propto \rho M \propto M^{(d-1)/d}$$



 Then P , the rate of overall energy use in Ω , can at most scale with volume as

$$P \propto \rho V \propto \rho M \propto M^{(d-1)/d}$$

 For $d = 3$ dimensional organisms, we have

$$P \propto M^{2/3}$$



Blood networks

Then P , the rate of overall energy use in Ω , can at most scale with volume as

$$P \propto \rho V \propto \rho M \propto M^{(d-1)/d}$$

For $d = 3$ dimensional organisms, we have

$$P \propto M^{2/3}$$

Including other constraints may raise scaling exponent to a higher, less efficient value.







Exciting bonus: Scaling obtained by the supply network story and the surface-area law **only match** for isometrically growing shapes.

Insert assignment question

The surface area—supply network mismatch for allometrically growing shapes:



Recall:

 The exponent $\alpha = 2/3$ works for all birds and mammals up to 10–30 kg

The PoCVerse
Optimal Supply
Networks II
97 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories



Geometric
argument

Conclusion

References






Recall:

-  The exponent $\alpha = 2/3$ works for all birds and mammals up to 10–30 kg
-  For mammals $> 10\text{--}30$ kg, maybe we have a new scaling regime







Recall:

-  The exponent $\alpha = 2/3$ works for all birds and mammals up to 10–30 kg
-  For mammals $> 10\text{--}30$ kg, maybe we have a new scaling regime
-  Economos: limb length break in scaling around 20 kg




Recall:

-  The exponent $\alpha = 2/3$ works for all birds and mammals up to 10–30 kg
-  For mammals $> 10\text{--}30$ kg, maybe we have a new scaling regime
-  Economos: limb length break in scaling around 20 kg
-  White and Seymour, 2005: unhappy with large herbivore measurements. Find $\alpha \approx 0.686 \pm 0.014$



Prefactor:

Stefan-Boltzmann law: 



$$\frac{dE}{dt} = \sigma ST^4$$

where S is surface and T is temperature.

The PoCSverse
Optimal Supply
Networks II
98 of 126

Metabolism and
Truticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument

Conclusion

References



Prefactor:

Stefan-Boltzmann law: 



$$\frac{dE}{dt} = \sigma S T^4$$

where S is surface and T is temperature.



Very rough estimate of prefactor based on scaling of normal mammalian body temperature and surface area S :

$$B \simeq 10^5 M^{2/3} \text{erg/sec.}$$

The PoCverse
Optimal Supply
Networks II
98 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument

Conclusion

References



Prefactor:

Stefan-Boltzmann law: 



$$\frac{dE}{dt} = \sigma S T^4$$

where S is surface and T is temperature.



Very rough estimate of prefactor based on scaling of normal mammalian body temperature and surface area S :

$$B \simeq 10^5 M^{2/3} \text{erg/sec.}$$



Measured for $M \leq 10$ kg:

$$B = 2.57 \times 10^5 M^{2/3} \text{erg/sec.}$$



River networks



View river networks as collection networks.

The PoCSverse
Optimal Supply
Networks II
99 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



River networks



View river networks as collection networks.



Many sources and one sink.

The PoCSverse
Optimal Supply
Networks II
99 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument


Conclusion

References



River networks


 View river networks as collection networks.


 Many sources and one sink.

 ϵ ?




River networks

 View river networks as collection networks.

 Many sources and one sink.


 ϵ ?


 Assume ρ is constant over time and $\epsilon = 0$:

$$V_{\text{net}} \propto \rho V^{(d+1)/d} = \text{constant} \times V^{3/2}$$




River networks


 View river networks as collection networks.

 Many sources and one sink.

 ϵ ?


 Assume ρ is constant over time and $\epsilon = 0$:


$$V_{\text{net}} \propto \rho V^{(d+1)/d} = \text{constant} \times V^{3/2}$$

 Network volume grows faster than basin 'volume' (really area).




River networks


 View river networks as collection networks.


 Many sources and one sink.

 ϵ ?

 Assume ρ is constant over time and $\epsilon = 0$:


$$V_{\text{net}} \propto \rho V^{(d+1)/d} = \text{constant} \times V^{3/2}$$


 Network volume grows faster than basin 'volume' (really area).

 **It's all okay:**
Landscapes are $d=2$ surfaces living in $D=3$ dimensions.




River networks


 View river networks as collection networks.


 Many sources and one sink.


 ϵ ?

 Assume ρ is constant over time and $\epsilon = 0$:

$$V_{\text{net}} \propto \rho V^{(d+1)/d} = \text{constant} \times V^{3/2}$$


 Network volume grows faster than basin 'volume' (really area).


 **It's all okay:**
Landscapes are $d=2$ surfaces living in $D=3$ dimensions.

 Streams can grow not just in width but in depth ...




River networks


 View river networks as collection networks.


 Many sources and one sink.


 ϵ ?


 Assume ρ is constant over time and $\epsilon = 0$:

$$V_{\text{net}} \propto \rho V^{(d+1)/d} = \text{constant} \times V^{3/2}$$

 Network volume grows faster than basin 'volume' (really area).

 **It's all okay:**
Landscapes are $d=2$ surfaces living in $D=3$ dimensions.

 Streams can grow not just in width but in depth ...

 If $\epsilon > 0$, V_{net} will grow more slowly but $3/2$ appears to be confirmed from real data.



Hack's law



Volume of water in river network can be calculated by adding up basin areas

The PoCVerse
Optimal Supply
Networks II
100 of 126

Metabolism and
Truicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Hack's law

- Volume of water in river network can be calculated by adding up basin areas
- Flows sum in such a way that

$$V_{\text{net}} = \sum_{\text{all pixels}} a_{\text{pixel } i}$$

The PoCverse
Optimal Supply
Networks II
100 of 126

Metabolism and
Truticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument


Conclusion

References




Hack's law

 Volume of water in river network can be calculated by adding up basin areas

 Flows sum in such a way that


$$V_{\text{net}} = \sum_{\text{all pixels}} a_{\text{pixel } i}$$


 Hack's law again:

$$l \sim a^h$$




Hack's law


 Volume of water in river network can be calculated by adding up basin areas

 Flows sum in such a way that

$$V_{\text{net}} = \sum_{\text{all pixels}} a_{\text{pixel } i}$$

 Hack's law again:

$$l \sim a^h$$


 Can argue


$$V_{\text{net}} \propto V_{\text{basin}}^{1+h} = a_{\text{basin}}^{1+h}$$

where h is Hack's exponent.




Hack's law


 Volume of water in river network can be calculated by adding up basin areas

 Flows sum in such a way that

$$V_{\text{net}} = \sum_{\text{all pixels}} a_{\text{pixel } i}$$


 Hack's law again:

$$l \sim a^h$$

 Can argue

$$V_{\text{net}} \propto V_{\text{basin}}^{1+h} = a_{\text{basin}}^{1+h}$$

where h is Hack's exponent.

 \therefore minimal volume calculations gives

$$h = 1/2$$



Real data:



Banavar et al.'s approach^[1] is okay because ρ really is constant.

The PoCSverse
Optimal Supply
Networks II
101 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion


References



Real data:



Banavar et al.'s approach^[1] is okay because ρ really is constant.



From Banavar et al. (1999)^[1]

The PoCVerse
Optimal Supply
Networks II
101 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument


Conclusion


References



Real data:

 Banavar et al.'s approach [1] is okay because ρ really is constant.

 **The irony:** shows optimal basins are isometric



From Banavar et al. (1999) [1]

The PoCverse
Optimal Supply
Networks II
101 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories


Geometric
argument


Conclusion


References




Real data:

 Banavar et al.'s approach^[1] is okay because ρ really is constant.

 **The irony:** shows optimal basins are isometric


 Optimal Hack's law: $\ell \sim a^h$ with $h = 1/2$





From Banavar et al. (1999)^[1]





Real data:

 Banavar et al.'s approach^[1] is okay because ρ really is constant.

 **The irony:** shows optimal basins are isometric

 Optimal Hack's law: $\ell \sim a^h$ with $h = 1/2$


 (Zzzzz)



From Banavar et al. (1999)^[1]



Even better—prefactors match up:



The Cabal strikes back:

The PoCverse
Optimal Supply
Networks II
103 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Banavar et al., 2010, PNAS:

“A general basis for quarter-power scaling in animals.” [2]



The Cabal strikes back:

The PoCSverse
Optimal Supply
Networks II
103 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents



River networks

Earlier theories

Geometric
argument

Conclusion

References

-  Banavar et al., 2010, PNAS:
"A general basis for quarter-power scaling in animals." [2]
-  "It has been known for decades that the metabolic rate of animals scales with body mass with an exponent that is almost always < 1 , $> 2/3$, and often very close to $3/4$."



The Cabal strikes back:

The PoCVerse
Optimal Supply
Networks II
103 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents


River networks


Earlier theories


Geometric
argument

Conclusion

References

 Banavar et al., 2010, PNAS:
"A general basis for quarter-power scaling in
animals." [2]

 "It has been known for decades that the metabolic
rate of animals scales with body mass with an
exponent that is almost always < 1 , $> 2/3$, and
often very close to $3/4$."

 Cough, cough, cough, hack, wheeze, cough.



Stories—Darth Quarter:

The PoCVerse
Optimal Supply
Networks II
104 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Some people understand it's truly a disaster: ↗



Peter Sheridan Dodds, Theoretical Biology's Buzzkill

By Mark Changizi | February 9th 2010 03:24 PM | 1 comment | [Print](#) | [E-mail](#) | [Track Comments](#)

[RSS](#) [Share / Save](#) [f](#) [t](#) [g+](#) [...](#) [Tweet](#) [Like](#)



Mark Changizi

Search This Blog

There is an apocryphal story about a graduate mathematics student at the University of Virginia studying the properties of certain mathematical objects. In his fifth year some killjoy bastard elsewhere published a paper proving that there are no such mathematical objects. He dropped out of the program, and I never did hear where he is today. He's probably making my cappuccino right now.

This week, a professor named Peter Sheridan Dodds published a new paper in *Physical Review Letters* further fleshing out a theory concerning why a $2/3$ power law may apply for metabolic rate. The $2/3$ law says that metabolic rate in animals rises as the $2/3$ power of body mass. It was in a 2001 *Journal of Theoretical Biology* paper that he first argued that perhaps a $2/3$ law applies, and that paper – along with others such as the one that just appeared -- is what has put him in the Killjoy Hall of Fame. The University of Virginia's killjoy was a mere amateur.

Mark Changizi

MORE ARTICLES

- [The Ravenous Color-Blind: New Developments For Color-Deficients](#)
- [Don't Hold Your Breath Waiting For Artificial Brains](#)
- [Welcome To Humans, Version 3.0](#)

All Articles

ABOUT MARK

Mark Changizi is Director of Human Cognition at 2AI, and the author of *The Vision Revolution* (Benbella 2009) and *Harnessed: How...*

[View Mark's Profile](#)

The PoCVerse
Optimal Supply
Networks II
105 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



The unnecessary bafflement continues:

The PoCVerse
Optimal Supply
Networks II
106 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References


“Testing the metabolic theory of ecology” [40]

C. Price, J. S. Weitz, V. Savage, J. Stegen, A. Clarke, D. Coomes, P. S. Dodds, R. Etienne, A. Kerkhoff, K. McCulloh, K. Niklas, H. Olff, and N. Swenson
Ecology Letters, **15**, 1465–1474, 2012.



Artisanal, handcrafted silliness:

“Critical truths about power laws”^[48]
Stumpf and Porter, Science, 2012



How good is your power law? The chart reflects the level of statistical support—as measured in (16, 21)—and our opinion about the mechanistic sophistication underlying hypothetical generative models for various reported power laws. Some relationships are identified by name; the others reflect the general characteristics of a wide range of reported power laws. Allometric scaling stands out from the other power laws reported for complex systems.



Call generalization of Central Limit Theorem, stable distributions. Also: PLIPLLO action.

The PoCVerse
Optimal Supply
Networks II
107 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument


Conclusion

References



Artisanal, handcrafted silliness:

“Critical truths about power laws”^[48]
Stumpf and Porter, Science, 2012



How good is your power law? The chart reflects the level of statistical support—as measured in (16, 21)—and our opinion about the mechanistic sophistication underlying hypothetical generative models for various reported power laws. Some relationships are identified by name; the others reflect the general characteristics of a wide range of reported power laws. Allometric scaling stands out from the other power laws reported for complex systems.



Call generalization of Central Limit Theorem, stable distributions. Also: PLIPLLO action.



Summary: Wow.

The PoCVerse
Optimal Supply
Networks II
107 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Conclusion



Supply network story consistent with dimensional analysis.

The PoCverse
Optimal Supply
Networks II
108 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Conclusion

- Supply network story consistent with dimensional analysis.
- Isometrically growing regions can be more efficiently supplied than allometrically growing ones.

The PoCVerse
Optimal Supply
Networks II
108 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Conclusion

- Supply network story consistent with dimensional analysis.
- Isometrically growing regions can be more efficiently supplied than allometrically growing ones.
- Ambient and region dimensions matter ($D = d$ versus $D > d$).

The PoCVerse
Optimal Supply
Networks II
108 of 126

Metabolism and
Truthicide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References



Conclusion

- Supply network story consistent with dimensional analysis.
- Isometrically growing regions can be more efficiently supplied than allometrically growing ones.
- Ambient and region dimensions matter ($D = d$ versus $D > d$).
- Deviations from optimal scaling suggest inefficiency (e.g., gravity for organisms, geological boundaries).



Conclusion

- Supply network story consistent with dimensional analysis.
- Isometrically growing regions can be more efficiently supplied than allometrically growing ones.
- Ambient and region dimensions matter ($D = d$ versus $D > d$).
- Deviations from optimal scaling suggest inefficiency (e.g., gravity for organisms, geological boundaries).
- Actual details of branching networks not that important.



Conclusion

- Supply network story consistent with dimensional analysis.
- Isometrically growing regions can be more efficiently supplied than allometrically growing ones.
- Ambient and region dimensions matter ($D = d$ versus $D > d$).
- Deviations from optimal scaling suggest inefficiency (e.g., gravity for organisms, geological boundaries).
- Actual details of branching networks not that important.
- Exact nature of self-similarity varies.



Conclusion

- Supply network story consistent with dimensional analysis.
- Isometrically growing regions can be more efficiently supplied than allometrically growing ones.
- Ambient and region dimensions matter ($D = d$ versus $D > d$).
- Deviations from optimal scaling suggest inefficiency (e.g., gravity for organisms, geological boundaries).
- Actual details of branching networks not that important.
- Exact nature of self-similarity varies.
- 2/3-scaling lives on, largely in hiding.



Conclusion

- Supply network story consistent with dimensional analysis.
- Isometrically growing regions can be more efficiently supplied than allometrically growing ones.
- Ambient and region dimensions matter ($D = d$ versus $D > d$).
- Deviations from optimal scaling suggest inefficiency (e.g., gravity for organisms, geological boundaries).
- Actual details of branching networks not that important.
- Exact nature of self-similarity varies.
- 2/3-scaling lives on, largely in hiding.
- 3/4-scaling? Jury ruled a mistrial.



Conclusion

- Supply network story consistent with dimensional analysis.
- Isometrically growing regions can be more efficiently supplied than allometrically growing ones.
- Ambient and region dimensions matter ($D = d$ versus $D > d$).
- Deviations from optimal scaling suggest inefficiency (e.g., gravity for organisms, geological boundaries).
- Actual details of branching networks not that important.
- Exact nature of self-similarity varies.
- 2/3-scaling lives on, largely in hiding.
- 3/4-scaling? Jury ruled a mistrial.
- The truth will out.



Conclusion

- Supply network story consistent with dimensional analysis.
- Isometrically growing regions can be more efficiently supplied than allometrically growing ones.
- Ambient and region dimensions matter ($D = d$ versus $D > d$).
- Deviations from optimal scaling suggest inefficiency (e.g., gravity for organisms, geological boundaries).
- Actual details of branching networks not that important.
- Exact nature of self-similarity varies.
- 2/3-scaling lives on, largely in hiding.
- 3/4-scaling? Jury ruled a mistrial.
- The truth will out. Maybe.





References I

- [1] J. R. Banavar, A. Maritan, and A. Rinaldo.
Size and form in efficient transportation networks.
[Nature](#), 399:130–132, 1999. pdf ↗
- [2] J. R. Banavar, M. E. Moses, J. H. Brown, J. Damuth, A. Rinaldo, R. M. Sibly, and A. Maritan.
A general basis for quarter-power scaling in animals.
[Proc. Natl. Acad. Sci.](#), 107:15816–15820, 2010.
pdf ↗
- [3] P. Bennett and P. Harvey.
Active and resting metabolism in birds—allometry, phylogeny and ecology.
[J. Zool.](#), 213:327–363, 1987. pdf ↗



References II

- [4] K. L. Blaxter, editor.
Energy Metabolism; Proceedings of the 3rd
symposium held at Troon, Scotland, May 1964.
Academic Press, New York, 1965.
- [5] J. J. Blum.
On the geometry of four-dimensions and the
relationship between metabolism and body
mass.
J. Theor. Biol., 64:599-601, 1977. [pdf](#) 
- [6] S. Brody.
Bioenergetics and Growth.
Reinhold, New York, 1945.
reprint, . [pdf](#) 



References III

- [7] J. H. Brown, G. B. West, and B. J. Enquist.
Yes, West, Brown and Enquist' s model of
allometric scaling mathematically correct and
biologically relevant?
[Functional Ecology](#), 19:735—738, 2005. pdf ↗
- [8] A. B. Brummer, S. V. M., and B. J. Enquist.
A general model for metabolic scaling in
self-similar asymmetric networks.
[PLoS Comput Biol](#), 13, 2017. pdf ↗
- [9] E. Buckingham.
On physically similar systems: Illustrations of the
use of dimensional equations.
[Phys. Rev.](#), 4:345–376, 1914. pdf ↗






References IV

- [10] A. Clauset, C. R. Shalizi, and M. E. J. Newman. Power-law distributions in empirical data. SIAM Review, 51:661–703, 2009. pdf ↗
- [11] M. H. DeGroot. Probability and Statistics. Addison-Wesley, Reading, Massachusetts, 1975.
- [12] P. S. Dodds. Optimal form of branching supply and collection networks. Phys. Rev. Lett., 104(4):048702, 2010. pdf ↗
- [13] P. S. Dodds and D. H. Rothman. Scaling, universality, and geomorphology. Annu. Rev. Earth Planet. Sci., 28:571–610, 2000. pdf ↗



References V

- [14] P. S. Dodds, D. H. Rothman, and J. S. Weitz.
Re-examination of the “3/4-law” of metabolism.
[Journal of Theoretical Biology, 209:9–27, 2001.](#)
[pdf](#) 
- [15] A. E. Economos.
Elastic and/or geometric similarity in mammalian
design.
[Journal of Theoretical Biology, 103:167–172, 1983.](#)
[pdf](#) 
- [16] M. T. Gastner and M. E. J. Newman.
Shape and efficiency in spatial distribution
networks.
[J. Stat. Mech.: Theor. & Exp., 1:P01015, 2006.](#)
[pdf](#) 



References VI

[17] D. S. Glazier.

Beyond the '3/4-power law': variation in the intra- and interspecific scaling of metabolic rate in animals.

[Biol. Rev.](#), 80:611–662, 2005. pdf ↗

[18] D. S. Glazier.

The 3/4-power law is not universal: Evolution of isometric, ontogenetic metabolic scaling in pelagic animals.

[BioScience](#), 56:325–332, 2006. pdf ↗

[19] J. T. Hack.

Studies of longitudinal stream profiles in Virginia and Maryland.

[United States Geological Survey Professional Paper](#), 294-B:45–97, 1957. pdf ↗



References VII

[20] A. Hemmingsen.

The relation of standard (basal) energy metabolism to total fresh weight of living organisms.

[Rep. Steno Mem. Hosp., 4:1-58, 1950. pdf](#)

[21] A. Hemmingsen.

Energy metabolism as related to body size and respiratory surfaces, and its evolution.

[Rep. Steno Mem. Hosp., 9:1-110, 1960. pdf](#)



[22] A. A. Heusner.

Size and power in mammals.

[Journal of Experimental Biology, 160:25-54, 1991. pdf](#)



References VIII

- [23] M. R. Hirt, W. Jetz, B. C. Rall, and U. Brose.
A general scaling law reveals why the largest
animals are not the fastest.
[Nature Ecology & Evolution, 1:1116, 2017. pdf](#) 
- [24] N. Juster.
[The Phantom Tollbooth.](#)
Random House, 1961.
- [25] M. Kleiber.
Body size and metabolism.
[Hilgardia, 6:315–353, 1932. pdf](#) 
- [26] M. Kleiber.
[The Fire of Life. An Introduction to Animal
Energetics.](#)
Wiley, New York, 1961.





References IX

- [27] T. Kolokotronis, V. Savage, E. J. Deeds, and W. Fontana.
Curvature in metabolic scaling.
[Nature](#), 464:753, 2010. pdf ↗
- [28] J. Kozłowski and M. Konarzewski.
Is West, Brown and Enquist' s model of allometric scaling mathematically correct and biologically relevant?
[Functional Ecology](#), 18:283—289, 2004. pdf ↗
- [29] M. LaBarbera.
Analyzing body size as a factor of ecology and evolution.
[Annu. Rev. Ecol. Syst.](#), 20:97–117, 1989. pdf ↗





References X

- [30] N. Lane.
Power, Sex, Suicide: Mitochondria and the Meaning of Life.
Oxford University Press, Oxford, UK, 2005.
- [31] L. B. Leopold.
A View of the River.
Harvard University Press, Cambridge, MA, 1994.
- [32] T. McMahon.
Size and shape in biology.
Science, 179:1201–1204, 1973. pdf 
- [33] T. A. McMahon.
Allometry and biomechanics: Limb bones in adult ungulates.
The American Naturalist, 109:547–563, 1975.
pdf 



References XI

- [34] T. A. McMahon and J. T. Bonner.
On Size and Life.
Scientific American Library, New York, 1983.
- [35] N. Meyer-Vernet and J.-P. Rospars.
How fast do living organisms move: Maximum
speeds from bacteria to elephants and whales.
American Journal of Physics, pages 719–722,
2015. [pdf](#) 
- [36] D. R. Montgomery and W. E. Dietrich.
Channel initiation and the problem of landscape
scale.
Science, 255:826–30, 1992. [pdf](#) 





References XII

- [37] C. D. Murray.
A relationship between circumference and weight
in trees and its bearing on branching angles.
[J. Gen. Physiol., 10:725-729, 1927. pdf](#) ↗
- [38] M. G. Newberry, E. D. B., and S. V. M.
Testing foundations of biological scaling theory
using automated measurements of vascular
networks.
[PLoS Comput Biol, 11:e1004455, 2015. pdf](#) ↗
- [39] W. H. Press, S. A. Teukolsky, W. T. Vetterling, and
B. P. Flannery.
[Numerical Recipes in C.](#)
Cambridge University Press, second edition, 1992.



References XIII

- [40] C. Price, J. S. Weitz, V. Savage, S. Stegen, A. Clarke, D. Coomes, P. S. Dodds, R. Etienne, A. Kerkhoff, K. McCulloh, K. Niklas, H. Olff, and N. Swenson. Testing the metabolic theory of ecology. *Ecology Letters*, 15:1465–1474, 2012. [pdf](#) 
- [41] J. M. V. Rayner. Linear relations in biomechanics: the statistics of scaling functions. *J. Zool. Lond. (A)*, 206:415–439, 1985. [pdf](#) 
- [42] M. Rubner. Ueber den einfluss der körpergrösse auf stoffund kraftwechsel. *Z. Biol.*, 19:535–562, 1883. [pdf](#) 



References XIV


- [43] P. A. Samuelson.
A note on alternative regressions.
[Econometrica](#), 10:80–83, 1942. pdf ↗
- [44] Sarrus and Rameaux.
Rapport sur une mémoire adressé à l'Académie
de Médecine.
[Bull. Acad. R. Méd. \(Paris\)](#), 3:1094–1100, 1838–39.
- [45] V. M. Savage, E. J. Deeds, and W. Fontana.
Sizing up allometric scaling theory.
[PLoS Computational Biology](#), 4:e1000171, 2008.
pdf ↗



References XV

[46] J. Speakman.

On Blum's four-dimensional geometric explanation for the 0.75 exponent in metabolic allometry.

[J. Theor. Biol., 144\(1\):139–141, 1990. pdf](#) 


[47] W. R. Stahl.

Scaling of respiratory variables in mammals.

[Journal of Applied Physiology, 22:453–460, 1967.](#)

[48] M. P. H. Stumpf and M. A. Porter.

Critical truths about power laws.

[Science, 335:665–666, 2012. pdf](#) 



References XVI

- [49] A. Tero, S. Takagi, T. Saigusa, K. Ito, D. P. Bebber, M. D. Fricker, K. Yumiki, R. Kobayashi, and T. Nakagaki.
Rules for biologically inspired adaptive network design.
[Science](#), 327(5964):439–442, 2010. pdf ↗
- [50] D. L. Turcotte, J. D. Pelletier, and W. I. Newman.
Networks with side branching in biology.
[Journal of Theoretical Biology](#), 193:577–592, 1998.
pdf ↗
- [51] P. D. Weinberg and C. R. Ethier.
Twenty-fold difference in hemodynamic wall shear stress between murine and human aortas.
[Journal of Biomechanics](#), 40(7):1594–1598, 2007.
pdf ↗





References XVII

- [52] G. B. West.
Scale: The Universal Laws of Growth, Innovation, Sustainability, and the Pace of Life in Organisms, Cities, Economies, and Companies.
Penguin Press, New York, 2017.
- [53] G. B. West, J. H. Brown, and B. J. Enquist.
A general model for the origin of allometric scaling laws in biology.
Science, 276:122–126, 1997. [pdf](#)
- [54] G. B. West, J. H. Brown, and J. Enquist.
The fourth dimension of life: Fractal geometry and allometric scaling of organisms.
Science, 284:1677–1679, 1999. [pdf](#)



References XVIII

- [55] G. B. West, J. H. Brown, and J. Enquist.
Nature.
[Nature](#), 400:664–667, 1999. [pdf](#) 
- [56] C. R. White and R. S. Seymour.
Allometric scaling of mammalian metabolism.
[J. Exp. Biol.](#), 208:1611–1619, 2005. [pdf](#) 

The PoCverse
Optimal Supply
Networks II
126 of 126

Metabolism and
Truticide

Death by
fractions

Measuring
exponents

River networks

Earlier theories

Geometric
argument

Conclusion

References

