

Social Contagion

Last updated: 2025/12/02, 08:11:25 EST

Principles of Complex Systems,
Vols. 1, 2, 3D, 4 Fourever, V for Vendetta

Prof. Peter Sheridan Dodds

Computational Story Lab | Vermont Complex Systems Institute
University of Vermont | Santa Fe Institute

 Licensed under the [Creative Commons Attribution 4.0 International](https://creativecommons.org/licenses/by/4.0/)

The PoCSverse
Social Contagion
1 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Outline

Social Contagion Models

Background
Granovetter's model
Network version
Final size
Spreading success
Groups

References


The PoCSverse
Social Contagion
2 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

‘The rumor spread through the city like wildfire which had quite often spread through Ankh-Morpork since its citizens had learned the words “fire insurance”.’




“The Truth”  
by Terry Pratchett (2000). ^[22]

The PoCSverse
Social Contagion
4 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References



The PoCSverse
Social Contagion
5 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References



From the Atlantic 

The PoCSverse
Social Contagion
6 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Things that spread well:

[buzzfeed.com](https://www.buzzfeed.com/) 



 Dangerously self aware: [11 Elements that make a perfect viral video](https://dynamilis.com/11-elements-that-make-a-perfect-viral-video/) 


+ News ...

The PoCSverse
Social Contagion
7 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

From the Atlantic 

LOL + cute + fail + wtf:

Oopsie!



Please try reloading this page. If the problem persists [let us know](#).

The PoCSverse
Social Contagion
8 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

The whole lolcats thing:




The PoCSverse
Social Contagion
9 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Some things really stick:




The PoCSverse
Social Contagion
10 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

wtf + geeky + omg:



The PoCSverse
Social Contagion
11 of 106
Social Contagion
Models
Background
Gawronski's model
Network version
Final size
Spreading success
Groups
References

Why social contagion works so well:



<http://xkcd.com/610/>

Social Contagion




Ugg Boots
Blundstones

The PoCSverse
Social Contagion
13 of 106
Social Contagion
Models
Background
Gawronski's model
Network version
Final size
Spreading success
Groups
References

The PoCSverse
Social Contagion
14 of 106
Social Contagion
Models
Background
Gawronski's model
Network version
Final size
Spreading success
Groups
References

The PoCSverse
Social Contagion
15 of 106
Social Contagion
Models
Background
Gawronski's model
Network version
Final size
Spreading success
Groups
References



Social Contagion

Examples are claimed to abound:

- Fashion
- Striking
- smoking [7]
- Residential segregation [23]
- iPhones and iThings
- obesity [6]
- Stupidity
- Harry Potter
- voting
- gossip
- Rubik's cube
- religious beliefs
- school shootings
- yawning
- leaving lectures

SIR and SIRS type contagion possible

- Classes of behavior versus specific behavior : **dieting, horror movies, getting married, invading countries, ...**

The PoCSverse
Social Contagion
16 of 106
Social Contagion
Models
Background
Gawronski's model
Network version
Final size
Spreading success
Groups
References

The PoCSverse
Social Contagion
17 of 106
Social Contagion
Models
Background
Gawronski's model
Network version
Final size
Spreading success
Groups
References

Mixed messages: Please copy, but also, don't copy ...

- Cindy Harrell appeared [7] in the (terrifying) music video for Ray Parker Jr.'s Ghostbusters [7].
- In Stranger Things 2 [7], Steve Harrington reveals his Fabergé secret [7].

The PoCSverse
Social Contagion
18 of 106
Social Contagion
Models
Background
Gawronski's model
Network version
Final size
Spreading success
Groups
References

Market much?

- Advertisement enjoyed during "Herstory of Dance" [7], Community S4E08, April 2013.

Framingham heart study:

Evolving network stories (Christakis and Fowler):

- The spread of quitting smoking [7]
- The spread of spreading [6]
- Also: happiness [11], loneliness, ...
- The book: Connected: The Surprising Power of Our Social Networks and How They Shape Our Lives [7]

Controversy:

- Are your friends making you fat? [7] (Clive Thomspson, NY Times, September 10, 2009).
- Everything is contagious [7]—Doubts about the social plague stir in the human superorganism (Dave Johns, Slate, April 8, 2010).

The PoCSverse
Social Contagion
19 of 106
Social Contagion
Models
Background
Gawronski's model
Network version
Final size
Spreading success
Groups
References

The PoCSverse
Social Contagion
20 of 106
Social Contagion
Models
Background
Gawronski's model
Network version
Final size
Spreading success
Groups
References

Social Contagion


Two focuses for us

- Widespread media influence
- Word-of-mouth influence

We need to understand influence


- Who influences whom? Very hard to measure...
- What kinds of influence response functions are there?
- Are some individuals super influencers? Highly popularized by Gladwell [12] as 'connectors'
- The infectious idea of opinion leaders (Katz and Lazarsfeld) [19]

The hypodermic model of influence




The PoCSverse
Social Contagion
21 of 106
Social Contagion
Models
Background
Grossman's model
Network version
Final size
Spreading success
Groups
References

The two step model of influence [19]



The PoCSverse
Social Contagion
22 of 106
Social Contagion
Models
Background
Grossman's model
Network version
Final size
Spreading success
Groups
References

The general model of influence: the Social Wild




The PoCSverse
Social Contagion
23 of 106
Social Contagion
Models
Background
Grossman's model
Network version
Final size
Spreading success
Groups
References

Why do things spread socially?

- Because of properties of special individuals?
- Or system level properties?
- Is the match that lights the fire important?
- Yes. But only because we are storytellers: *homo narrativus*.
- We like to think things happened for reasons ...
- Reasons for success are usually ascribed to intrinsic properties (examples next).
- Teleological stories of fame are often easy to generate and believe.
- System/group dynamics harder to understand because most of our stories are built around individuals.
- Always good to examine what is said before and after the fact ...

The PoCSverse
Social Contagion
24 of 106
Social Contagion
Models
Background
Grossman's model
Network version
Final size
Spreading success
Groups
References

The Mona Lisa



- “Becoming Mona Lisa: The Making of a Global Icon”—David Sassoon
- Not the world’s greatest painting from the start...
- Escalation through theft, vandalism, parody, ...

The PoCSverse
Social Contagion
25 of 106
Social Contagion
Models
Background
Grossman's model
Network version
Final size
Spreading success
Groups
References

‘Tattooed Guy’ Was Pivotal in Armstrong Case [nytimes]



- “... Leogrande’s doping sparked a series of events ...”

The PoCSverse
Social Contagion
26 of 106
Social Contagion
Models
Background
Grossman's model
Network version
Final size
Spreading success
Groups
References

The completely unpredicted fall of Eastern Europe:



Timunr Kuran: [20, 21] “Now Out of Never: The Element of Surprise in the East European Revolution of 1989”

The PoCSverse
Social Contagion
27 of 106
Social Contagion
Models
Background
Grossman's model
Network version
Final size
Spreading success
Groups
References

The dismal predictive powers of editors...



The PoCSverse
Social Contagion
28 of 106
Social Contagion
Models
Background
Grossman's model
Network version
Final size
Spreading success
Groups
References

From a 2013 Believer Magazine interview with Maurice Sendak:

BLVR: Did the success of Where the Wild Things Are ever feel like an albatross?


MS: It’s a nice book. It’s perfectly nice. I can’t complain about it. I remember Herman Melville said, “When I die no one is going to mention Moby-Dick. They’re all going to talk about my first book, about ***** maidens in Tahiti.” He was right. No mention of Moby-Dick then. Everyone wanted another Tahitian book, a beach book. But then he kept writing deeper and deeper and then came Moby-Dick and people hated it. The only ones who liked it were Mr. and Mrs. Nathaniel Hawthorne. Moby-Dick didn’t get famous until 1930.

- Sendak named his dog Herman.
- The essential Colbert interview: Pt. 1 and Pt. 2.

The PoCSverse
Social Contagion
29 of 106
Social Contagion
Models
Background
Grossman's model
Network version
Final size
Spreading success
Groups
References

Drafting success in the NFL: [↗](#)

Top Players by Round, 1995-2012



Social contagion

- 🔗 Cialdini's modes are heuristics that help up us get through life.
- 🔗 Useful but can be leveraged...

Other acts of influence:

- 🔗 Conspicuous Consumption (Veblen, 1912)
- 🔗 Conspicuous Destruction (Potlatch)

Social Contagion

Some possible origins of thresholds:

- 🔗 Inherent, evolution-devised inclination to coordinate, to conform, to imitate. ^[1]
- 🔗 **Lack of information:** impute the worth of a good or behavior based on degree of adoption (social proof)
- 🔗 Economics: **Network effects** or **network externalities**
 - 📦 Externalities = Effects on others not directly involved in a transaction
 - 📦 Examples: telephones, fax machine, TikTok, operating systems
 - 📦 An individual's utility increases with the adoption level among peers and the population in general

The PoCSverse
Social Contagion
30 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Social Contagion

Messing with social connections


- 🔗 Ads based on message content (e.g., Google and email)
- 🔗 BzzAgent [↗](#)
 - 📦 Harnessing of BzzAgents to directly market through social ties.
 - 📦 Generally: BzzAgents did not reveal their BzzAgent status and did not want to be paid.
 - 📦 NYT, 2004-12-05: "The Hidden (in Plain Sight) Persuaders" [↗](#)
- 🔗 One of Facebook's early advertising attempts: Beacon [↗](#)
- 🔗 All of Facebook's advertising attempts.
- 🔗 Seriously, Facebook. What could go wrong?

Social Contagion

Some important models:

- 🔗 Tipping models—Schelling (1971) ^[23, 24, 25]
 - 📦 Simulation on checker boards
 - 📦 Idea of thresholds
 - 📦 Polygon-themed online visualization. (Includes optional diversity-seeking proclivity.) [↗](#)
- 🔗 Threshold models—Granovetter (1978) ^[15]
- 🔗 Herding models—Bikhchandani, Hirschleifer, Welch (1992) ^[2, 3]
 - 📦 Social learning theory, Informational cascades,...

Threshold models—response functions



- 🔗 Example threshold influence response functions:
 - deterministic** and **stochastic**
- 🔗 ϕ = fraction of contacts 'on' (e.g., rioting)
- 🔗 Two states: S and I.

The PoCSverse
Social Contagion
31 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Getting others to do things for you

An influential book: 'Influence' ^[8] by Robert Cialdini [↗](#)

Six modes of influence:

1. **Reciprocation:** *The Old Give and Take... and Take;* e.g., Free samples, Hare Krishnas.
2. **Commitment and Consistency:** *Hobgoblins of the Mind;* e.g., Hazing.
3. **Social Proof:** *Truths Are Us;* e.g., Jonestown [↗](#), Kitty Genovese [↗](#) (contested).
4. **Liking:** *The Friendly Thief;* e.g., Separation into groups is enough to cause problems.
5. **Authority:** *Directed Deference;* e.g., Milgram's obedience to authority experiment. [↗](#)
6. **Scarcity:** *The Rule of the Few;* e.g., Prohibition.


Social contagion models

Thresholds

- 🔗 Basic idea: individuals adopt a behavior when a **certain fraction of others** have adopted
- 🔗 'Others' may be everyone in a population, an individual's close friends, any reference group.
- 🔗 Response can be probabilistic or deterministic.
- 🔗 Individual thresholds can vary
- 🔗 Assumption: order of others' adoption does not matter... (**unrealistic**).
- 🔗 Assumption: level of influence per person is uniform (**unrealistic**).

Threshold models

Action based on perceived behavior of others:



- 🔗 Two states: S and I.
- 🔗 ϕ = fraction of contacts 'on' (e.g., rioting)
- 🔗 Discrete time update (strong assumption!)
- 🔗 This is a **Critical mass model**


The PoCSverse
Social Contagion
32 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

The PoCSverse
Social Contagion
36 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

The PoCSverse
Social Contagion
40 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References


Threshold models

Another example of critical mass model:




Threshold models

Example of single stable state model:



Threshold models

Chaotic behavior possible [17, 16, 9, 18]



- Period doubling arises as map amplitude r is increased.
- Synchronous update assumption is crucial

Threshold models—Nutshell

Implications for collective action theory:

- Collective uniformity $\nRightarrow$ individual uniformity
- Small individual changes $\Rightarrow$ large global changes
- The stories/dynamics of complex systems are conceptually inaccessible for individual-centric narratives.
- System stories live in left null space of our stories—we can't even see them.
- But we happily impose simplistic, individual-centric stories—we can't help ourselves


Many years after Granovetter and Soong's work:

- "A simple model of global cascades on random networks" D.J. Watts. Proc. Natl. Acad. Sci., 2002 ^[27]
- Mean field model $\rightarrow$ network model
- Individuals now have a limited view of the world

We'll also explore:

- "Seed size strongly affects cascades on random networks" ^[14] Gleeson and Cahalane, Phys. Rev. E, 2007.
- "Direct, physically motivated derivation of the contagion condition for spreading processes on generalized random networks" ^[10] Dodds, Harris, and Payne, Phys. Rev. E, 2011
- "Influentials, Networks, and Public Opinion Formation" ^[28] Watts and Dodds, J. Cons. Res., 2007.
- "Threshold models of Social Influence" ^[29] Watts and Dodds, The Oxford Handbook of Analytical Sociology, 2009.

Threshold model on a network



- All nodes have threshold $\phi = 0.2$.

Threshold model on a network

- Interactions between individuals now represented by a network.
- Network is **sparse**.
- Individual i has k_i contacts.
- Influence on each link is **reciprocal** and of **unit weight**.
- Each individual i has a fixed threshold ϕ_i .
- Individuals repeatedly poll contacts on network.
- Synchronous, discrete time updating.
- Individual i becomes active when fraction of active contacts $\frac{a_i}{k_i} \geq \phi_i$.
- Individuals remain active when switched (no recovery = SI model).

Snowballing


First study random networks:

- Start with N nodes with a degree distribution P_k
- Nodes are randomly connected (carefully so)
- Aim: Figure out when activation will propagate
- Determine a **cascade condition**

The Cascade Condition:

- If one individual is initially activated, what is the probability that an activation will spread over a network?
- What features of a network determine whether a cascade will occur or not?

Example random network structure:



- $\Omega_{crit} = \Omega_{vuln}$ = critical mass = global vulnerable component
- Ω_{trig} = triggering component
- Ω_{final} = potential extent of spread
- Ω = entire network

$\Omega_{crit} \subset \Omega_{trig}; \Omega_{crit} \subset \Omega_{final}; \text{ and } \Omega_{trig}, \Omega_{final} \subset \Omega.$

Snowballing

Follow active links

- An active link is a link connected to an activated node.
- If an infected link leads to **at least 1 more infected link**, then **activation spreads**.
- We need to understand which nodes can be activated when only one of their neighbors becomes active.

Cascade condition

Next: Vulnerability of linked node

- Linked node is **vulnerable** with probability

$$\beta_k = \int_{\phi'_*=0}^{1/k} f(\phi'_*) d\phi'_*$$

- If linked node is **vulnerable**, it produces **$k - 1$ new** outgoing active links
- If linked node is **not vulnerable**, it produces **no** active links.

Cascade condition

Two special cases:

- (1) Simple disease-like spreading succeeds: $\beta_k = \beta$

$$\beta \cdot \sum_{k=1}^{\infty} (k-1) \cdot \frac{kP_k}{\langle k \rangle} > 1.$$

- (2) Giant component exists: $\beta = 1$

$$1 \cdot \sum_{k=1}^{\infty} (k-1) \cdot \frac{kP_k}{\langle k \rangle} > 1.$$

The most gullible

Vulnerables:

- We call individuals who can be activated by just one contact being active **vulnerables**
- The vulnerability condition for node i :

$$1/k_i \geq \phi_i$$

- Which means # contacts $k_i \leq \lfloor 1/\phi_i \rfloor$
- For global cascades on random networks, must have a *global cluster of vulnerables* [27]
- Cluster of vulnerables = critical mass**
- Network story: 1 node $\rightarrow$ critical mass $\rightarrow$ everyone.

Cascade condition

Back to following a link:

- A randomly chosen link, traversed in a random direction, leads to a degree k node with probability $\propto kP_k$.
- Follows from there being k ways to connect to a node with degree k .
- Normalization:

$$\sum_{k=0}^{\infty} kP_k = \langle k \rangle$$

- So

$$P(\text{linked node has degree } k) = \frac{kP_k}{\langle k \rangle}$$

Cascade condition

Putting things together:

- Expected number of active edges produced by an active edge:

$$R = \left[\sum_{k=1}^{\infty} \underbrace{(k-1) \cdot \beta_k \cdot \frac{kP_k}{\langle k \rangle}}_{\text{success}} + \underbrace{0 \cdot (1-\beta_k) \cdot \frac{kP_k}{\langle k \rangle}}_{\text{failure}} \right] = \sum_{k=1}^{\infty} (k-1) \cdot \beta_k \cdot \frac{kP_k}{\langle k \rangle}$$


Cascade condition

So... for random networks with fixed degree distributions, cascades take off when:

$$\sum_{k=1}^{\infty} (k-1) \cdot \beta_k \cdot \frac{kP_k}{\langle k \rangle} > 1.$$


- β_k = probability a degree k node is vulnerable.
- P_k = probability a node has degree k .

Cascades on random networks




- Cascades occur only if size of max vulnerable cluster > 0 .
- System may be 'robust-yet-fragile'.
- 'Ignorance' facilitates spreading.

Cascade window for random networks




- 'Cascade window' widens as threshold ϕ decreases.
- Lower thresholds enable spreading.

Cascade window for random networks



The PoCServe
Social Contagion
60 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

All-to-all versus random networks



The PoCServe
Social Contagion
61 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Cascade window—summary

For our simple model of a uniform threshold:

- 1. Low $\langle k \rangle$: No cascades in poorly connected networks. No global clusters of any kind.
- 2. High $\langle k \rangle$: Giant component exists but not enough vulnerables.
- 3. Intermediate $\langle k \rangle$: Global cluster of vulnerables exists. Cascades are possible in “**Cascade window.**”

The PoCServe
Social Contagion
62 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Threshold contagion on random networks

- Next: Find expected fractional size of spread.
- Not obvious even for uniform threshold problem.
- Difficulty is in figuring out if and when nodes that need ≥ 2 hits switch on.
- Problem beautifully solved for infinite seed case by Gleeson and Cahalane: “Seed size strongly affects cascades on random networks,” Phys. Rev. E, 2007. [14]
- Developed further by Gleeson in “Cascades on correlated and modular random networks,” Phys. Rev. E, 2008. [13]


The PoCServe
Social Contagion
64 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Determining expected size of spread:

- Randomly turn on a fraction ϕ_0 of nodes at time $t = 0$
- Capitalize on local branching network structure of random networks (again)
- Now think about what must happen for a specific node i to become active at time t :
 - $t = 0$: i is one of the seeds (prob = ϕ_0)
 - $t = 1$: i was not a seed but enough of i 's friends switched on at time $t = 0$ so that i 's threshold is now exceeded.
 - $t = 2$: enough of i 's friends and friends-of-friends switched on at time $t = 0$ so that i 's threshold is now exceeded.
 - $t = n$: enough nodes within n hops of i switched on at $t = 0$ and their effects have propagated to reach i .


The PoCServe
Social Contagion
65 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Expected size of spread



The PoCServe
Social Contagion
66 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Expected size of spread



The PoCServe
Social Contagion
67 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Expected size of spread


- Notes:
- Calculations are possible if nodes do not become inactive (strong restriction).
 - Not just for threshold model—works for a wide range of contagion processes.
 - We can analytically determine the entire time evolution, not just the final size.
 - We can in fact determine $\Pr(\text{node of degree } k \text{ switching on at time } t)$.
 - Asynchronous updating can be handled too.

The PoCServe
Social Contagion
68 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Expected size of spread

Pleasantness:

- Taking off from a single seed story is about **expansion** away from a node.
- Extent of spreading story is about **contraction** at a node.



The PoCServe
Social Contagion
69 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Expected size of spread

- Notation:** $\phi_{k,t} = \Pr(\text{a degree } k \text{ node is active at time } t)$.
- Notation:** $B_{kj} = \Pr(\text{a degree } k \text{ node becomes active if } j \text{ neighbors are active})$.
- Our starting point: $\phi_{k,0} = \phi_0$.
- $\binom{k}{j} \phi_0^j (1 - \phi_0)^{k-j} = \Pr(j \text{ of a degree } k \text{ node's neighbors were seeded at time } t = 0)$.
- Probability a degree k node was a seed at $t = 0$ is ϕ_0 (as above).
- Probability a degree k node was not a seed at $t = 0$ is $(1 - \phi_0)$.
- Combining everything, we have:

$$\phi_{k,1} = \phi_0 + (1 - \phi_0) \sum_{j=0}^k \binom{k}{j} \phi_0^j (1 - \phi_0)^{k-j} B_{kj}.$$

Expected size of spread

Two pieces: edges first, and then nodes

- $\theta_{t+1} = \underbrace{\phi_0}_{\text{exogenous}} + (1 - \phi_0) \underbrace{\sum_{k=1}^{\infty} \frac{k P_k}{\langle k \rangle} \sum_{j=0}^{k-1} \binom{k-1}{j} \theta_t^j (1 - \theta_t)^{k-1-j} B_{kj}}_{\text{social effects}}$
with $\theta_0 = \phi_0$.
- $\phi_{t+1} = \underbrace{\phi_0}_{\text{exogenous}} + (1 - \phi_0) \underbrace{\sum_{k=0}^{\infty} P_k \sum_{j=0}^k \binom{k}{j} \theta_t^j (1 - \theta_t)^{k-j} B_{kj}}_{\text{social effects}}.$

Expected size of spread:

In words:

- If $G(0; \phi_0) > 0$, spreading must occur because some nodes turn on for free.
- If G has an **unstable fixed point** at $\theta = 0$, then cascades are also always possible.

Non-vanishing seed case:

- Cascade condition is more complicated for $\phi_0 > 0$.
- If G has a **stable fixed point** at $\theta = 0$, and an **unstable fixed point** for some $0 < \theta_* < 1$, then for $\theta_0 > \theta_*$, spreading takes off.
- Tricky point: G depends on ϕ_0 , so as we change ϕ_0 , we also change G .
- A version of a critical mass model again.

- For general t , we need to know the probability an edge coming into a degree k node at time t is active.
- Notation:** call this probability θ_t .
- We already know $\theta_0 = \phi_0$.
- Story analogous to $t = 1$ case. For node i :

$$\phi_{i,t+1} = \phi_0 + (1 - \phi_0) \sum_{j=0}^{k_i} \binom{k_i}{j} \theta_t^j (1 - \theta_t)^{k_i-j} B_{k_i j}.$$

- Average over all nodes to obtain expression for ϕ_{t+1} :

$$\phi_{t+1} = \phi_0 + (1 - \phi_0) \sum_{k=0}^{\infty} P_k \sum_{j=0}^k \binom{k}{j} \theta_t^j (1 - \theta_t)^{k-j} B_{kj}.$$

- So we need to compute θ_t ... massive excitement...

Expected size of spread

Expected size of spread

First connect θ_0 to θ_1 :

$$\theta_1 = \phi_0 + (1 - \phi_0) \sum_{k=1}^{\infty} \frac{k P_k}{\langle k \rangle} \sum_{j=0}^{k-1} \binom{k-1}{j} \theta_0^j (1 - \theta_0)^{k-1-j} B_{kj}$$

- $\frac{k P_k}{\langle k \rangle} = R_k = \Pr(\text{edge connects to a degree } k \text{ node})$.
- $\sum_{j=0}^{k-1}$ piece gives $\Pr(\text{degree node } k \text{ activates } k-1 \text{ incoming neighbors are active})$.
- ϕ_0 and $(1 - \phi_0)$ terms account for state of node at time $t = 0$.
- See this all generalizes to give θ_{t+1} in terms of θ_t ...

Expected size of spread:

- Retrieve cascade condition for spreading from a single seed in limit $\phi_0 \rightarrow 0$.
- Depends on map $\theta_{t+1} = G(\theta_t; \phi_0)$.
- First: if self-starters are present, some activation is assured:


$$G(0; \phi_0) = \sum_{k=1}^{\infty} \frac{k P_k}{\langle k \rangle} \bullet B_{k0} > 0.$$

meaning $B_{k0} > 0$ for at least one value of $k \geq 1$.

- If $\theta = 0$ is a fixed point of G (i.e., $G(0; \phi_0) = 0$) then spreading occurs if


$$G'(0; \phi_0) = \sum_{k=0}^{\infty} \frac{k P_k}{\langle k \rangle} \bullet (k-1) \bullet B_{k1} > 1.$$

Early adopters—degree distributions



$P_{k,t}$ versus k

General fixed point story:



- Given $\theta_0 (= \phi_0)$, θ_{∞} will be the nearest stable fixed point, either above or below.
- n.b., adjacent fixed points must have opposite stability types.
- Important:** Actual form of G depends on ϕ_0 .
- So choice of ϕ_0 dictates both G and starting point—can't start anywhere for a given G .




“Influentials, Networks, and Public Opinion Formation”
Watts and Dodds,
J. Consum. Res., **34**, 441–458, 2007. [28]

The PoCServe
Social Contagion
80 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References


- Exploration of threshold model of social contagion on various networks.
- “Influentials” are limited in power.
- Connected groups of weakly influential-vulnerable” individuals are key.
- Average individuals can have more power than well connected ones.

The multiplier effect:




- Fairly uniform levels of individual influence.
- Multiplier effect is mostly below 1.

The multiplier effect:



- Skewed influence distribution example.


Special subnetworks can act as triggers



$\phi = 1/3$ for all nodes

The PoCServe
Social Contagion
83 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

The power of groups...



despair.com

“A few harmless flakes working together can unleash an avalanche of destruction.”

Extensions


“Threshold Models of Social Influence”
Watts and Dodds,
The Oxford Handbook of Analytical Sociology, **34**,
475–497, 2009. [29]

- Assumption of sparse interactions is good
- Degree distribution is (generally) key to a network's function
- Still, random networks don't represent all networks
- Major element missing: **group structure**

The PoCServe
Social Contagion
82 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

The PoCServe
Social Contagion
86 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References


Group structure—Ramified random networks



p = intergroup connection probability
 q = intragroup connection probability.


The PoCServe
Social Contagion
87 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Bipartite networks




The PoCServe
Social Contagion
88 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Context distance



The PoCServe
Social Contagion
89 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Generalized affiliation model




The PoCServe
Social Contagion
90 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Generalized affiliation model networks with triadic closure

- Connect nodes with probability $\propto e^{-\alpha d}$ where α = homophily parameter and d = distance between nodes (height of lowest common ancestor)
- τ_1 = intergroup probability of friend-of-friend connection
- τ_2 = intragroup probability of friend-of-friend connection


The PoCServe
Social Contagion
91 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Cascade windows for group-based networks




The PoCServe
Social Contagion
92 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Multiplier effect for group-based networks:



The PoCServe
Social Contagion
93 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Assortativity in group-based networks



The PoCServe
Social Contagion
94 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Social contagion

“Without followers, evil cannot spread.” –Leonard Nimoy

Summary

- ‘Influential vulnerables’ are key to spread.
- Early adopters are mostly vulnerables.
- Vulnerable nodes important but not necessary.
- Groups may greatly facilitate spread.
- Seems that cascade condition is a global one.
- Most extreme/unexpected cascades occur in highly connected networks
- ‘Influentials’ are posterior constructs.
- Many potential influentials exist.

The PoCServe
Social Contagion
95 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Social contagion

Implications

- Focus on the influential vulnerables.
- Create entities that can be transmitted successfully through many individuals rather than broadcast from one ‘influential.’
- Only simple ideas can spread by word-of-mouth. (Idea of opinion leaders spreads well...)
- Want enough individuals who will adopt and display.
- Displaying can be passive = free (fashion), or active = harder to achieve (political messages; even so: buttons and hats).
- Entities can be novel or designed to combine with others, e.g. block another one.

The PoCServe
Social Contagion
96 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

What really works, for good or bad:

- Create spreadworthy/shareworthy entities (things, ideas, stories).
- True spreading happens in the social wild, away from the source (or sources).
- What spreads is always in competition with a galaxy of other entities “trying” to spread.

The PoCServe
Social Contagion
97 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

Shareworthiness: The best marketing is the thing itself, rewarding intrinsically and socially



The PoCServe
Social Contagion
98 of 106
Social Contagion
Models
Background
Granovetter's model
Network version
Final size
Spreading success
Groups
References

References I

- [1] A. Bentley, M. Earls, and M. J. O’Brien. I’ll Have What She’s Having: Mapping Social Behavior. MIT Press, Cambridge, MA, 2011.
- [2] S. Bikhchandani, D. Hirshleifer, and I. Welch. A theory of fads, fashion, custom, and cultural change as informational cascades. J. Polit. Econ., 100:992–1026, 1992.
- [3] S. Bikhchandani, D. Hirshleifer, and I. Welch. Learning from the behavior of others: Conformity, fads, and informational cascades. J. Econ. Perspect., 12(3):151–170, 1998. pdf ↗
- [4] J. M. Carlson and J. Doyle. Highly optimized tolerance: A mechanism for power laws in designed systems. Phys. Rev. E, 60(2):1412–1427, 1999. pdf ↗

References IV

- [12] M. Gladwell. The Tipping Point. Little, Brown and Company, New York, 2000.
- [13] J. P. Gleeson. Cascades on correlated and modular random networks. Phys. Rev. E, 77:046117, 2008. pdf ↗
- [14] J. P. Gleeson and D. J. Cahalane. Seed size strongly affects cascades on random networks. Phys. Rev. E, 75:056103, 2007. pdf ↗
- [15] M. Granovetter. Threshold models of collective behavior. Am. J. Sociol., 83(6):1420–1443, 1978. pdf ↗

References VII

- [24] T. C. Schelling. Hockey helmets, concealed weapons, and daylight saving: A study of binary choices with externalities. J. Conflict Resolut., 17:381–428, 1973. pdf ↗
- [25] T. C. Schelling. Micromotives and Macrobehavior. Norton, New York, 1978.
- [26] D. Sornette. Critical Phenomena in Natural Sciences. Springer-Verlag, Berlin, 1st edition, 2003.
- [27] D. J. Watts. A simple model of global cascades on random networks. Proc. Natl. Acad. Sci., 99(9):5766–5771, 2002. pdf ↗

References II

- [5] J. M. Carlson and J. Doyle. Highly Optimized Tolerance: Robustness and design in complex systems. Phys. Rev. Lett., 84(11):2529–2532, 2000. pdf ↗
- [6] N. A. Christakis and J. H. Fowler. The spread of obesity in a large social network over 32 years. New England Journal of Medicine, 357:370–379, 2007. pdf ↗
- [7] N. A. Christakis and J. H. Fowler. The collective dynamics of smoking in a large social network. New England Journal of Medicine, 358:2249–2258, 2008. pdf ↗
- [8] R. B. Cialdini. Influence: Science and Practice. Allyn and Bacon, Boston, MA, 4th edition, 2000.

References V

- [16] M. Granovetter and R. Soong. Threshold models of diversity: Chinese restaurants, residential segregation, and the spiral of silence. Sociological Methodology, 18:69–104, 1988. pdf ↗
- [17] M. S. Granovetter and R. Soong. Threshold models of interpersonal effects in consumer demand. J. Econ. Behav. Organ., 7:83–99, 1986. pdf ↗
- [18] K. D. Harris, C. M. Danforth, and P. S. Dodds. Dynamical influence processes on networks: General theory and applications to social contagion. Phys. Rev. E, 88:022816, 2013. pdf ↗
- [19] E. Katz and P. F. Lazarsfeld. Personal Influence. The Free Press, New York, 1955.

References VIII

- [28] D. J. Watts and P. S. Dodds. Influentials, networks, and public opinion formation. Journal of Consumer Research, 34:441–458, 2007. pdf ↗
- [29] D. J. Watts and P. S. Dodds. Threshold models of social influence. In P. Hedström and P. Bearman, editors, The Oxford Handbook of Analytical Sociology, chapter 20, pages 475–497. Oxford University Press, Oxford, UK, 2009. pdf ↗

References III

- [9] P. S. Dodds, K. D. Harris, and C. M. Danforth. Limited Imitation Contagion on random networks: Chaos, universality, and unpredictability. Phys. Rev. Lett., 110:158701, 2013. pdf ↗
- [10] P. S. Dodds, K. D. Harris, and J. L. Payne. Direct, physically motivated derivation of the contagion condition for spreading processes on generalized random networks. Phys. Rev. E, 83:056122, 2011. pdf ↗
- [11] J. H. Fowler and N. A. Christakis. Dynamic spread of happiness in a large social network: longitudinal analysis over 20 years in the Framingham Heart Study. BMJ, 337:Article #2338, 2008. pdf ↗

References VI

- [20] T. Kuran. Now out of never: The element of surprise in the east european revolution of 1989. World Politics, 44:7–48, 1991. pdf ↗
- [21] T. Kuran. Private Truths, Public Lies: The Social Consequences of Preference Falsification. Harvard University Press, Cambridge, MA, Reprint edition, 1997.
- [22] T. Pratchett. The Truth. HarperCollins, 2000.
- [23] T. C. Schelling. Dynamic models of segregation. J. Math. Sociol., 1:143–186, 1971. pdf ↗

