

Lecture 1/25—Chapter 2

Linear Algebra MATH 124, Fall, 2010

Prof. Peter Dodds

Department of Mathematics & Statistics
Center for Complex Systems
Vermont Advanced Computing Center
University of Vermont



Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References

Outline

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



Basics:

- ▶ **Instructor:** Prof. Peter Dodds
- ▶ **Lecture room and meeting times:**
209 Votey Hall, Tuesday and Thursday, 10:00 am to 11:15 am
- ▶ **Office:** Farrell Hall, second floor, Trinity Campus
- ▶ **E-mail:** peter.dodds@uvm.edu
- ▶ **Course website:** <http://www.uvm.edu/~pdodds/teaching/courses/2010-08UVM-124> (田)
- ▶ **Textbook:** “Introduction to Linear Algebra” (4th edition) by Gilbert Strang (published by Wellesley-Cambridge Press). The 3rd edition is okay too.

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



Admin:

Paper products:

1. Outline

Papers to read:

1. “The Fundamental Theorem of Linear Algebra” [1]
2. “Too Much Calculus” [2]

Office hours:

- ▶ 1:00 pm to 4:00 pm, Wednesday,
Farrell Hall, second floor, Trinity Campus

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



Grading breakdown:

1. Assignments (40%)

- ▶ Ten one-week assignments.
- ▶ Lowest assignment score will be dropped.
- ▶ The last assignment cannot be dropped!
- ▶ Each assignment will have a random bonus point question which has nothing to do with linear algebra.

2. Midterm exams (35%)

- ▶ Three 75 minutes tests distributed throughout the course, all of equal weighting.

3. Final exam (24%)

- ▶ \leq Three hours of joyful celebration.
- ▶ Saturday, December 11, 7:30 am to 10:15 am, 209 Votey

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



Grading breakdown:

1. **Homework (0%)**—Problems assigned online from the textbook. Doing these exercises will be most beneficial and will increase happiness.
2. **General attendance (1%)**—it is extremely desirable that students attend class, and class presence will be taken into account if a grade is borderline.

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



How grading works:

Questions are worth 3 points according to the following scale:

- ▶ 3 = correct or very nearly so.
- ▶ 2 = acceptable but needs some revisions.
- ▶ 1 = needs major revisions.
- ▶ 0 = way off.

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



Schedule:

The course will mainly cover chapters 2 through 6 of the textbook. (You should know all about Chapter 1.)

Week # (dates)	Tuesday	Thursday
1 (8/31, 9/2)	Lecture	Lecture + A1
2 (9/7, 9/9)	Lecture	Lecture + A2
3 (9/14, 9/16)	Lecture	Lecture + A3
4 (9/21, 9/23)	Lecture	<i>Test 1</i>
5 (9/28, 9/30)	Lecture	Lecture + A4
6 (10/5, 10/7)	Lecture	Lecture + A5
7 (10/12, 10/14)	Lecture	Lecture + A6
8 (10/19, 10/21)	Lecture	<i>Test 2</i>
9 (10/26, 10/29)	Lecture	Lecture + A7
10 (11/2, 11/4)	Lecture	Lecture + A8
11 (11/9, 11/11)	Lecture	Lecture + A9
12 (11/16, 11/18)	Lecture	<i>Test 3</i>
13 (11/23, 11/25)	Thanksgiving	Thanksgiving
14 (11/30, 12/2)	Lecture	Lecture + A10
15 (12/7, 12/9)	Lecture	Lecture

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



Important dates:

1. Classes run from Monday, August 31 to Wednesday, December 9.
2. Add/Drop, Audit, Pass/No Pass deadline—Monday, September 14.
3. Last day to withdraw—Friday, November 6.
4. Reading and exam period—Thursday, December 10 to Friday, December 18.

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



More stuff:

Do check your zoo account for updates regarding the course.

Academic assistance: Anyone who requires assistance in any way (as per the ACCESS program or due to athletic endeavors), please see or contact me as soon as possible.

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



More stuff:

Being good people:

1. In class there will be no electronic gadgetry, no cell phones, no beeping, no text messaging, etc. You really just need your brain, some paper, and a writing implement here (okay, and Matlab or similar).
2. Second, I encourage you to email me questions, ideas, comments, etc., about the class but request that you please do so in a respectful fashion.
3. Finally, as in all UVM classes, **Academic honesty** will be expected and departures will be dealt with appropriately. See <http://www.uvm.edu/cses/> for guidelines.

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



More stuff:

Late policy: Unless in the case of an emergency (a real one) or if an absence has been predeclared and a make-up version sorted out, assignments that are not turned in on time or tests that are not attended will be given 0%.

Computing: Students are encouraged to use Matlab or something similar to check their work.

Note: for assignment problems, written details of calculations will be required.

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



Grading:

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References

A+	97–100	B+	87–89	C+	77–79	D+	67–69
A	93–96	B	83–86	C	73–76	D	63–66
A-	90–92	B-	80–82	C-	70–72	D-	60–62



Why are we doing this?

Big deal: **Linear Algebra** is a body of mathematics that deals with **discrete problems**.

Many things are discrete:

- ▶ Information (0's & 1's, letters, words)
- ▶ People (sociology)
- ▶ Networks (the Web, people again, food webs, ...)
- ▶ Sounds (musical notes)

Even more:



If real data is continuous, we almost always discretize it (0's and 1's)



Why are we doing this?

Linear Algebra is used in many fields to solve problems:

- ▶ Engineering
- ▶ Computer Science (Google's Pagerank)
- ▶ Physics
- ▶ Economics
- ▶ Biology
- ▶ Ecology
- ▶ ...

Linear Algebra is **as important** as Calculus...

Calculus \equiv the blue pill...



You are now choosing the red pill:

Ch. 2: Lec. 1

Outline

Importance

Usages

Key problems

Three ways of
looking...

Colbert on
Equations

References



Matrices as gadgets:

A matrix A transforms a vector \vec{x} into a new vector \vec{x}' through matrix multiplication (whatever that is):

$$\vec{x}' = A\vec{x}$$

We can use matrices to:

- ▶ Grow vectors
- ▶ Shrink vectors
- ▶ Rotate vectors
- ▶ Flip vectors
- ▶ Do all these things in different directions
- ▶ Reveal the true **ur-dystopian reality**.



Three key problems of Linear Algebra

1. Given a matrix A and a vector \vec{b} , find \vec{x} such that

$$A\vec{x} = \vec{b}.$$

2. Eigenvalue problem: Given A , find λ and \vec{v} such that

$$A\vec{v} = \lambda\vec{v}.$$

3. Coupled linear differential equations:


$$\frac{d}{dt}y(t) = Ay(t)$$

- ▶ Our focus will be largely on #1, partly on #2.



Major course objective:

To deeply understand the equation $A\vec{x} = \vec{b}$, the Fundamental Theorem of Linear Algebra, and the following picture:



What is going on here? We have 25 lectures to find out...

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



Is this your left nullspace?:

Ch. 2: Lec. 1

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References



Our new BFF: $A\vec{x} = \vec{b}$

Broadly speaking, $A\vec{x} = \vec{b}$ translates as follows:

- ▶ \vec{b} represents reality (e.g., music, structure)
- ▶ A contains building blocks (e.g., notes, shapes)
- ▶ \vec{x} specifies how we combine our building blocks to make \vec{b} (as best we can).

How can we disentangle an orchestra's sound?

What about pictures, waves, signals, ...?



Our friend $A\vec{x} = \vec{b}$

What does knowing \vec{x} give us?

If we can represent **reality** as a **superposition** (or combination or sum) of **simple elements**, we can do many things:

- ▶ Compress information
- ▶ See how we can alter information (filtering)
- ▶ Find a system's simplest representation
- ▶ Find a system's most important elements
- ▶ See how to adjust a system in a principled way



Three ways to understand $A\vec{x} = \vec{b}$:

- ▶ Way 1: The **Row** Picture
- ▶ Way 2: The **Column** Picture
- ▶ Way 3: The **Matrix** Picture

Example:

$$\begin{aligned} -x_1 + x_2 &= 1 \\ 2x_1 + x_2 &= 4 \end{aligned}$$

- ▶ Call this a **2 by 2 system of equations**.
- ▶ 2 equations with 2 unknowns.
- ▶ Standard method of **simultaneous equations**: solve above by adding and subtracting multiples of equations to each other = **Row Picture**.



Three ways to understand $A\vec{x} = \vec{b}$:

Row Picture—what we are doing:

- ▶ (a) Finding intersection of two lines
- ▶ (b) Finding the values of x_1 and x_2 for which both equations are satisfied (true/happy)
- ▶ A splendid and deep connection:
(a) Geometry \Rightarrow (b) Algebra

Three possible kinds of solution:

1. Lines intersect at one point — **One, unique solution**
2. Lines are parallel and disjoint — **No solutions**
3. Lines are the same — **Infinitely many solutions**



Three ways to understand $A\vec{x} = \vec{b}$:

The column picture:

See

$$\begin{aligned} -x_1 + x_2 &= 1 \\ 2x_1 + x_2 &= 4 \end{aligned}$$

as

$$x_1 \begin{bmatrix} -1 \\ 2 \end{bmatrix} + x_2 \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ 4 \end{bmatrix}.$$

General problem

$$x_1 \vec{a}_1 + x_2 \vec{a}_2 = \vec{b}$$

- ▶ Column vectors are our **'building blocks'**
- ▶ **Key idea:** try to 'reach' \vec{b} by combining (summing) multiples of column vectors \vec{a}_1 and \vec{a}_2 .



Three ways to understand $A\vec{x} = \vec{b}$:

We love the column picture:

- ▶ Intuitive.
- ▶ Generalizes easily to many dimensions.

Three possible kinds of solution:

1. $\vec{a}_1 \not\parallel \vec{a}_2$: 1 solution
2. $\vec{a}_1 \parallel \vec{a}_2 \not\parallel \vec{b}$: No solutions
3. $\vec{a}_1 \parallel \vec{a}_2 \parallel \vec{b}$: infinitely many solutions

(assuming neither \vec{a}_1 or \vec{a}_2 are $\vec{0}$)



Three ways to understand $A\vec{x} = \vec{b}$:

Difficulties:

- ▶ Do we give up if $A\vec{x} = \vec{b}$ has no solution?
- ▶ **No!** We can still find the \vec{x} that gets us as close to \vec{b} as possible.
- ▶ Method of approximation—very important!
- ▶ We may not have the right building blocks but we can do our best.



Three ways to understand $A\vec{x} = \vec{b}$:

The Matrix Picture:

Now see

$$x_1 \begin{bmatrix} -1 \\ 2 \end{bmatrix} + x_2 \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ 4 \end{bmatrix}.$$

as

$$A\vec{x} = \vec{b} : \begin{bmatrix} -1 & 1 \\ 2 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 4 \end{bmatrix}$$

A is now an operator:

- ▶ A transforms \vec{x} into \vec{b} .
- ▶ Roughly speaking, A does two things to \vec{x} :
 1. Rotation/Flipping
 2. Dilation (stretching/contraction)



The Matrix Picture

Ch. 2: Lec. 1

Outline

Importance

Usages

Key problems

Three ways of looking

Colbert on
Equations

References

Key idea in linear algebra:

- ▶ **Decomposition** or **factorization** of matrices.
- ▶ Matrices can often be written as products or sums of simpler matrices
- ▶ $A = LU$, $A = QR$, $A = U\Sigma V^T$, $A = \sum_i \lambda_i \vec{v} \vec{v}^T$, ...



The truth about mathematics

Ch. 2: Lec. 1

Outline

Importance

Usages

Key problems

Three ways of
looking...

Colbert on Equations

References

The Colbert Report on Math (田) (February 7, 2006)



References I

- [1] G. Strang.
The fundamental theorem of linear algebra.
[The American Mathematical Monthly](#),
100(9):848–855, 1993. pdf (田)
- [2] G. Strang.
Too much calculus, 2002.
[SIAM Linear Algebra Activity Group Newsletter](#).
pdf (田)

Outline

Importance

Usages

Key problems

Three ways of looking...

Colbert on Equations

References

