More Mechanisms for Generating Power-Law Distributions

Principles of Complex Systems CSYS/MATH 300, Fall, 2010

Prof. Peter Dodds

Department of Mathematics & Statistics
Center for Complex Systems
Vermont Advanced Computing Center
University of Vermont

















Optimization

Minimal Cost

Mandelbrot vs. Simon Assumptions

Model

Analysis

Extra

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness







Outline

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis

Extra

And the winner is...?

Robustness

HOT theory

Self-Organized Criticality

COLD theory

Network robustness

References

Optimization Minimal Cost

Mandelbrot vs. Simon Assumptions Model

Analysis
Extra
And the winner is 2

u trie wiriner is

Robustness


HOT theory
Self-Organized Criticality
COLD theory
Network robustness

,





Benoît Mandelbrot (⊞)



Nassim Taleb's tribute:

Benoit Mandelbrot, 1924-2010

A Greek among Romans

- Mandelbrot = father of fractals
- Mandelbrot = almond bread
- ▶ Bonus Mandelbrot set action: here (⊞).

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Model Analysis

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness









Another approach

Benoît Mandelbrot

- Derived Zipf's law through optimization [14]
- Idea: Language is efficient
- Communicate as much information as possible for as little cost
- Need measures of information (H) and average cost (C)...
- Language evolves to maximize H/C, the amount of information per average cost.
- Equivalently: minimize C/H.
- Recurring theme: what role does optimization play in complex systems?

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis
Extra
And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Not everyone is happy...





Mandelbrot vs. Simon:

- Mandelbrot (1953): "An Informational Theory of the Statistical Structure of Languages" [14]
- ➤ Simon (1955): "On a class of skew distribution functions" [20]
- Mandelbrot (1959): "A note on a class of skew distribution function: analysis and critique of a paper by H.A. Simon" [15]
- ► Simon (1960): "Some further notes on a class of skew distribution functions" [21]

More Power-Law Mechanisms

Optimization

Model

Mandelbrot vs. Simon Assumptions

Analysis Extra

Extra And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Mandelbrot vs. Simon:

- Mandelbrot (1961): "Final note on a class of skew distribution functions: analysis and critique of a model due to H.A. Simon" [17]
- Simon (1961): "Reply to 'final note' by Benoit Mandelbrot" [23]
- Mandelbrot (1961): "Post scriptum to 'final note" [17]
- ➤ Simon (1961): "Reply to Dr. Mandelbrot's post scriptum" [22]

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon Assumptions

Model Analysis

Extra
And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness
References





Not everyone is happy... (cont.)

Mandelbrot:

"We shall restate in detail our 1959 objections to Simon's 1955 model for the Pareto-Yule-Zipf distribution. Our objections are valid quite irrespectively of the sign of p-1, so that most of Simon's (1960) reply was irrelevant." [16]

Simon:

"Dr. Mandelbrot has proposed a new set of objections to my 1955 models of the Yule distribution. Like his earlier objections, these are invalid." [23]

More Power-Law Mechanisms

Optimization

Mandelbrot vs. Simon

Model Analysis

Extra

And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





Mandelbrot's Assumptions

- Language contains *n* words: w_1, w_2, \ldots, w_n .
- ith word appears with probability p_i
- Words appear randomly according to this distribution (obviously not true...)
- Words = composition of letters is important
- Alphabet contains m letters
- Words are ordered by length (shortest first)

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Analysis And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





Word Cost

- Length of word (plus a space)
- Word length was irrelevant for Simon's method

Objection

Real words don't use all letter sequences

Objections to Objection

- Maybe real words roughly follow this pattern (?)
- Words can be encoded this way
- Na na na-na naaaaa...

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Analysis Extra

Model

Extra
And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Binary alphabet plus a space symbol

i	1	2	3	4	5	6	7	8
word	1	10	11	100	101	110	111	1000
length	1	2	2	3	3	3	3	4
1 + In ₂ i	1	2	2.58	3	3.32	3.58	3.81	4

- ► Word length of 2^k th word: $= k + 1 = 1 + \log_2 2^k$
- ▶ Word length of *i*th word $\simeq 1 + \log_2 i$
- For an alphabet with m letters, word length of ith word $\simeq 1 + \log_m i$.

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Analysis Extra

Model

And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Total Cost C

- ▶ Cost of the *i*th word: $C_i \simeq 1 + \log_m i$
- ▶ Cost of the *i*th word plus space: $C_i \simeq 1 + \log_m(i+1)$
- ▶ Subtract fixed cost: $C'_i = C_i 1 \simeq \log_m(i+1)$
- Simplify base of logarithm:

$$C_i' \simeq \log_m(i+1) = \frac{\log_e(i+1)}{\log_a m} \propto \ln(i+1)$$

Total Cost:

$$C \sim \sum_{i=1}^n p_i C_i' \propto \sum_{i=1}^n p_i \ln(i+1)$$

More Power-Law Mechanisms

Optimization

Mandelbrot vs. Simon Assumptions

Model Analysis

Extra
And the winner is...?

Robustness HOT theory Self-Organized Criticality

COLD theory

Network robustness





Information Measure

Use Shannon's Entropy (or Uncertainty):

$$H = -\sum_{i=1}^{n} p_i \log_2 p_i$$

- (allegedly) von Neumann suggested 'entropy'...
- Proportional to average number of bits needed to encode each 'word' based on frequency of occurrence
- ► $-\log_2 p_i = \log_2 1/p_i$ = minimum number of bits needed to distinguish event i from all others
- ▶ If $p_i = 1/2$, need only 1 bit $(log_2 1/p_i = 1)$
- ▶ If $p_i = 1/64$, need 6 bits $(log_2 1/p_i = 6)$

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis
Extra
And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Information Measure

Use a slightly simpler form:

$$H = -\sum_{i=1}^{n} p_i \log_e p_i / \log_e 2 = -g \sum_{i=1}^{n} p_i \ln p_i$$

where $q = 1/\ln 2$

More Power-Law Mechanisms

Optimization Minimal Cost

Mandelbrot vs. Simon Assumptions

Model Analysis

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Minimize

$$F(p_1, p_2, \ldots, p_n) = C/H$$

subject to constraint

$$\sum_{i=1}^{n} p_i =$$

- Tension:
 - (1) Shorter words are cheaper
 - (2) Longer words are more informative (rarer)

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Model Analysis

Extra
And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Minimize

$$\Psi(\rho_1,\rho_2,\ldots,\rho_n)=$$

$$F(p_1,p_2,\ldots,p_n) + \lambda G(p_1,p_2,\ldots,p_n)$$

where

$$F(p_1, p_2, ..., p_n) = \frac{C}{H} = \frac{\sum_{i=1}^{n} p_i \ln(i+1)}{-g \sum_{i=1}^{n} p_i \ln p_i}$$

and the constraint function is

$$G(p_1, p_2, \ldots, p_n) = \sum_{i=1}^n p_i - 1 = 0$$

Insert question from assignment 5 (⊞)

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis Extra

And the winner is...?

Robustness
HOT theory
Self-Organized Criticality
COLD theory
Network robustness





Some mild suffering leads to:

$$p_j = e^{-1-\lambda H^2/gC}(j+1)^{-H/gC} \propto (j+1)^{-H/gC}$$

- A power law appears [applause]: $\alpha = H/gC$
- ▶ Next: sneakily deduce λ in terms of g, C, and H.
- ► Find

$$p_j = (j+1)^{-H/gC}$$

More Power-Law Mechanisms

Optimization

Mandelbrot vs. Simon Assumptions

Model Analysis

Extra
And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





Finding the exponent

Now use the normalization constraint:

$$1 = \sum_{j=1}^{n} p_j = \sum_{j=1}^{n} (j+1)^{-H/gC} = \sum_{j=1}^{n} (j+1)^{-\alpha}$$

- As $n \to \infty$, we end up with $\zeta(H/gC) = 2$ where ζ is the Riemann Zeta Function
- ▶ Gives $\alpha \simeq$ 1.73 (> 1, too high)
- If cost function changes $(j + 1 \rightarrow j + a)$ then exponent is tunable
- ▶ Increase a, decrease α

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Model Analysis

Extra
And the winner is 2

Robustness

HOT theory
Self-Organized Criticality
COLD theory
Network robustness





All told:

- Reasonable approach: Optimization is at work in evolutionary processes
- But optimization can involve many incommensurate elements: monetary cost, robustness, happiness,...
- Mandelbrot's argument is not super convincing
- Exponent depends too much on a loose definition of cost

More Power-Law Mechanisms

Optimization

Mandelbrot vs. Simon Assumptions

Model Analysis

Extra

And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





Reconciling Mandelbrot and Simon

- Mixture of local optimization and randomness
- Numerous efforts...
- Carlson and Doyle, 1999:
 Highly Optimized Tolerance
 (HOT)—Evolved/Engineered Robustness [6, 8]
- Ferrer i Cancho and Solé, 2002: Zipf's Principle of Least Effort^[10]
- 3. D'Souza et al., 2007: Scale-free networks [9]

Optimization

Mandelbrot vs. Simon Assumptions

Model Analysis

Extra
And the winner is ...?

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Other mechanisms:

Much argument about whether or not monkeys typing could produce Zipf's law... (Miller, 1957) [18]

Optimization Minimal Cost

Mandelbrot vs. Simon Assumptions Model

Analysis Extra

And the winner is ...?

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Others are also not happy

Krugman and Simon

- "The Self-Organizing Economy" (Paul Krugman, 1995) [12]
- Krugman touts Zipf's law for cities, Simon's model
- "Déjà vu, Mr. Krugman" (Berry, 1999)
- Substantial work done by Urban Geographers

More Power-Law Mechanisms

Optimization Minimal Cost

Mandelbrot vs. Simon Assumptions Model Analysis

And the winner is...?

Extra

HOT theory
Self-Organized Criticality
COLD theory
Network robustness





Who needs a hug?

From Berry [4]

- Déjà vu, Mr. Krugman. Been there, done that. The Simon-Ijiri model was introduced to geographers in 1958 as an explanation of city size distributions, the first of many such contributions dealing with the steady states of random growth processes, ...
- But then, I suppose, even if Krugman had known about these studies, they would have been discounted because they were not written by professional economists or published in one of the top five journals in economics!

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model Analysis

Extra
And the winner is 2

Robustness

HOT theory
Self-Organized Criticality
COLD theory

Network robustness
References





Who needs a hug?

From Berry [4]

- ... [Krugman] needs to exercise some humility, for his world view is circumscribed by folkways that militate against recognition and acknowledgment of scholarship beyond his disciplinary frontier.
- Urban geographers, thank heavens, are not so afflicted.

More Power-Law Mechanisms

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis

Extra
And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





Empirical Tests of Zipf's Law Mechanism in Open Source Linux Distribution

T. Maillart, D. Sornette, S. Spaeth, and G. von Krogh

1 Chair of Entrepreneurial Risks, Department of Management, Technology and Economics, ETH Zurich, CH-8001 Zurich, Switzerland ²Chair of Strategic Management and Innovation, Department of Management, Technology and Economics, ETH Zurich, CH-8001 Zurich, Switzerland (Received 30 June 2008; published 19 November 2008)

Zipf's power law is a ubiquitous empirical regularity found in many systems, thought to result from proportional growth. Here, we establish empirically the usually assumed ingredients of stochastic growth models that have been previously conjectured to be at the origin of Zipf's law. We use exceptionally detailed data on the evolution of open source software projects in Linux distributions, which offer a remarkable example of a growing complex self-organizing adaptive system, exhibiting Zipf's law over four full decades

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon Assumptions

Model

Analysis

And the winner is ...?

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness








FIG. 1 (color online). (Color Online) Log-log plot of the number of packages in four Debian Linux Distributions with more than C in-directed links. The four Debian Linux Distributions are Woody (19.07.2002) (orange diamonds). Sarge (0.60.62.005) (green crosses). Etch (15.08.2007) (blue circles), Lenny (15.12.2007) (black+'s). The inset shows the maximum likelihood estimate (MLE) of the exponent μ together with two boundaries defining its 95% confidence interval (approximately given by $1 + 2J/\bar{n}$, where n is the number of data points using in the MLE), as function of the lower threshold. The MLE has been modified from the standard Hill estimator to take into account the discreteness of C.

Maillart et al., PRL, 2008: "Empirical Tests of Zipf's Law Mechanism in Open Source Linux Distribution" [13]

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions Model

And the winner is...?

Analysis

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness








FIG. 2. Left panel: Plots of ΔC versus C from the Etch release (15.08.2007) to the latest Lenny version (05.05.2008) in double logarithmic scale. Only positive values are displayed. The linear regression $\Delta C = R \times C + C_0$ is significant at the 95% confidence level, with a small value $C_0 = 0.3$ at the origin and R = 0.09. Right panel: same as left panel for the standard deviation of ΔC .

 Rough, approximately linear relationship between C number of in-links and ΔC. More Power-Law Mechanisms

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model

Analysis Extra

And the winner is...?

Robustness
HOT theory
Self-Organized Criticality
COLD theory
Network robustness

References





√ Q (~ 33 of 72)

- ▶ Show Simon's model fares well.
- ▶ Recall ρ = probability new flavor appears.
- Alta Vista (\boxplus) crawls in approximately 6 month period in 1999 give $\rho \simeq 0.10$
- ▶ Leads to $\gamma = 1 + \frac{1}{1-\rho} \simeq 2.1$ for in-link distribution.
- ► Cite direct measurement of γ at the time: 2.1 \pm 0.1 and 2.09 in two studies.

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model Analysis

Extra

And the winner is...?

Robustness

HOT theory
Self-Organized Criticality
COLD theory
Network robustness





Nutshell:

- Simonish random 'rich-get-richer' models agree in detail with empirical observations.
- Power-lawfulness: Mandelbrot's optimality is still apparent.
- Optimality arises for free in Random Competitive Replication models.

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions Model

Analysis

And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness

. .





- Many complex systems are prone to cascading catastrophic failure: exciting!!!
 - Blackouts
 - Disease outbreaks
 - Wildfires
 - Earthquakes
- But complex systems also show persistent robustness (not as exciting but important...)
- Robustness and Failure may be a power-law story...

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Analysis Extra

Extra And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





- System robustness may result from
 - 1. Evolutionary processes
 - 2. Engineering/Design
- Idea: Explore systems optimized to perform under uncertain conditions.
- ► The handle:

 'Highly Optimized Tolerance' (HOT) [6, 7, 8, 24]
- ▶ The catchphrase: Robust yet Fragile
- ► The people: Jean Carlson and John Doyle (⊞)

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis Extra

Extra
And the winner is...?

Robustness

HOT theory

Self-Organized Criticality
COLD theory

Network robustness





Features of HOT systems: [7, 8]

- High performance and robustness
- Designed/evolved to handle known stochastic environmental variability
- Fragile in the face of unpredicted environmental signals
- Highly specialized, low entropy configurations
- ► Power-law distributions appear (of course...)

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Analysis

Extra
And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness References





HOT combines things we've seen:

- Variable transformation
- Constrained optimization
- Need power law transformation between variables: $(Y = X^{-\alpha})$
- Recall PLIPLO is bad...
- ► MIWO is good: Mild In, Wild Out
- X has a characteristic size but Y does not

Optimization

Mandelbrot vs. Simon Assumptions

Analysis Extra

And the winner is...?
Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness
References





Forest fire example: [7]

- ▶ Square N × N grid
- ▶ Sites contain a tree with probability ρ = density
- ▶ Sites are empty with probability 1 $-\rho$
- Fires start at location (i, j) according to some distribution P_{ij}
- Fires spread from tree to tree (nearest neighbor only)
- Connected clusters of trees burn completely
- Empty sites block fire
- Best case scenario:
 Build firebreaks to maximize average # trees left intact given one spark

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Model Analysis

And the winner is...?

Robustness

HOT theory
Self-Organized Criticality
COLD theory
Network robustness





Forest fire example: [7]

- Build a forest by adding one tree at a time
- Test D ways of adding one tree
- ▶ D = design parameter
- Average over P_{ii} = spark probability
- ▶ D = 1: random addition
- \triangleright D = N²: test all possibilities

Measure average area of forest left untouched

- f(c) = distribution of fire sizes c (= cost)
- ▶ Yield = $Y = \rho \langle c \rangle$

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Model Analysis

And the winner is 2

Robustness

HOT theory

Self-Organized Criticality COLD theory

Network robustness





More Power-Law Mechanisms

Specifics:

$$P_{ij} = P_{i;a_x,b_x}P_{j;a_y,b_y}$$

where

$$P_{i;a,b} \propto e^{-[(i+a)/b]^2}$$

- ▶ In the original work, $b_V > b_X$
- Distribution has more width in y direction.

Minimal Cost Mandelbrot vs. Simon Assumptions

Optimization

Model Analysis


And the winner is ...? Robustness HOT theory

Self-Organized Criticality COLD theory Network robustness





HOT Forests



$$N = 64$$

(a)
$$D = 1$$

(b)
$$D = 2$$

(c)
$$D = N$$

(c)
$$D = N$$

(d) $D = N^2$

(d)
$$D = N^2$$

P_{ii} has a Gaussian decay

- Optimized forests do well on average (robustness)
- But rare extreme events occur (fragility)

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon Assumptions

Model Analysis

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





HOT Forests




FIG. 2. Yield vs density $Y(\rho)$: (a) for design parameters D =1 (dotted curve), 2 (dot-dashed), N (long dashed), and N^2 (solid) with N = 64, and (b) for D = 2 and $N = 2, 2^2, ..., 2^7$ running from the bottom to top curve. The results have been averaged over 100 runs. The inset to (a) illustrates corresponding loss functions $L = \log[\langle f \rangle/(1 - \langle f \rangle)]$, on a scale which more clearly differentiates between the curves.

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Model Analysis

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





HOT Forests




FIG. 3. Cumulative distributions of events F(c): (a) at peak yield for D=1, 2, N, and N^2 with N=64, and (b) for $D=N^2$, and N=64 at equal density increments of 0.1, ranging at $\rho=0.1$ (bottom curve) to $\rho=0.9$ (top curve).

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions Model Analysis

And the winner is...?
Robustness

HOT theory
Self-Organized Criticality
COLD theory

Network robustness
References





Random Forests

D = 1: Random forests = Percolation [25]

- Randomly add trees
- ▶ Below critical density ρ_c , no fires take off
- Above critical density ρ_c , percolating cluster of trees burns
- ▶ Only at ρ_c , the critical density, is there a power-law distribution of tree cluster sizes
- Forest is random and featureless

More Power-Law Mechanisms

Optimization

Mandelbrot vs. Simon Assumptions

Model Analysis

Extra
And the winner is 2

Robustness

Robustness HOT theory

Self-Organized Criticality COLD theory

Network robustness





HOT forests

HOT forests nutshell:

- Highly structured
- ▶ Power law distribution of tree cluster sizes for $\rho > \rho_c$
- ▶ No specialness of ρ_c
- Forest states are tolerant
- Uncertainty is okay if well characterized
- If P_{ii} is characterized poorly, failure becomes highly likely

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Model

Analysis

And the winner is 2

Robustness

HOT theory Self-Organized Criticality

COLD theory Network robustness







HOT forests—Real data: [8]




Fig. 1. Log-log (base 10) comparison of DC, WWW, CF, and FF data (symbols) with PLR models (solid lines) (for $\beta=0$, 0.9, 0.9, 1.85, or $\alpha=1/\beta=\infty$, 1.1, 1.1, 0.054, respectively) and the SOC FF model ($\alpha=0.15$, dashed). Reference lines of $\alpha=0.5$, 1 (dashed) are included. The cumulative distributions of frequencies $\Re(l\ge l)$ vs. l_l describe the areas burned in the largest 4,284 fires from 1986 to 1995 on all of the U.S. Fish and Wildlife Service Lands (FF) (17), the >10,000 largest California brushfires from 1878 to 1999 (CF) (18), 130,000 web file transfers at Boston University during 1994 and 1995 (WWW) (19), and code words from DC. The size units [1,000 km² (FF and CF), megabytes (WWW), and bytes (DC)] and the logarithmic decimation of the data are chosen for visualization.

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model

Analysis
Extra
And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





HOT theory

The abstract story:

- Given $y_i = x_i^{-\alpha}$, $i = 1, ..., N_{\text{sites}}$
- Design system to minimize \(\frac{y}{y}\) subject to a constraint on the x_i
- Minimize cost:

$$C = \sum_{i=1}^{N_{\text{sites}}} Pr(y_i) y_i$$

Subject to $\sum_{i=1}^{N_{\text{sites}}} x_i = \text{constant}$

Drag out the Lagrange Multipliers, battle away and find:

$$p_i \propto y_i^{-\gamma}$$

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions Model

Analysis And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





HOT theory

More Power-Law Mechanisms

Optimization Minimal Cost Mandelbrot vs. Simon

Assumptions Model

Analysis Extra And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness







HOT Theory—Two costs:

1. Expected size of fire

$$C_{\text{fire}} \propto \sum_{i=1}^{N_{\text{sites}}} (p_i a_i) a_i = \sum_{i=1}^{N_{\text{sites}}} p_i a_i^2$$

- \rightarrow a_i = area of *i*th site's region
- p_i = avg. prob. of fire at site in *i*th site's region
- N_{sites} = total number of sites
- 2. Cost of building and maintaining firewalls

$$C_{ ext{firewalls}} \propto \sum_{i=1}^{N_{ ext{sites}}} a_i^{1/2} a_i^{-1}$$

- We are assuming isometry.
- ▶ In d dimensions, 1/2 is replaced by (d-1)/d

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Analysis Extra

Model

Extra And the winner is...?

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





Extra constraint:

Total area is constrained:

$$\sum_{i=1}^{N_{\text{sites}}} a_i = N^2.$$

$$\sum_{i=1}^{N_{\text{sites}}} \frac{1}{a_i} = N_{\text{regions}}$$

where N_{regions} = number of cells.

Can ignore in calculation...

Optimization Minimal Cost

Mandelbrot vs. Simon Assumptions Model

Analysis

And the winner is 2

Robustness

HOT theory

Self-Organized Criticality COLD theory

Network robustness





HOT theory

More Power-Law Mechanisms

▶ Minimize C_{fire} given $C_{\text{firewalls}} = \text{constant.}$

$$0 = \frac{\partial}{\partial a_j} (C_{\text{fire}} - \lambda C_{\text{firewalls}})$$

$$\propto \frac{\partial}{\partial a_j} \left(\sum_{i=1}^N p_i a_i^2 - \lambda' a_i^{(d-1)/d} a_i^{-1} \right)$$

$$p_i \propto a_i^{-\gamma} = a_i^{-(2+1/d)}$$



For
$$d = 2, \gamma = 5/2$$

Optimization Minimal Cost

Mandelbrot vs. Simon Assumptions Model

Analysis
Extra
And the winner is...?

Robustness

HOT theory

Self-Organized Criticality

COLD theory

Network robustness





HOT theory

Summary of designed tolerance [8]

- Build more firewalls in areas where sparks are likely
- Small connected regions in high-danger areas
- Large connected regions in low-danger areas
- Routinely see many small outbreaks (robust)
- ► Rarely see large outbreaks (fragile)
- ► Sensitive to changes in the environment (Pij)

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model Analysis

Extra
And the winner is 2

Robustness


HOT theory Self-Organized Criticality COLD theory

Network robustness





Avalanches of Sand and Rice...



More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon Assumptions

Model Analysis

Extra
And the winner is...?

Robustness

HOT theory Self-Organized Criticality

COLD theory
Network robustness





SOC = Self-Organized Criticality

- Idea: natural dissipative systems exist at 'critical states'
- Analogy: Ising model with temperature somehow self-tuning
- Power-law distributions of sizes and frequencies arise 'for free'
- Introduced in 1987 by Bak, Tang, and Weisenfeld ^[3, 2, 11]:
 "Self-organized criticality an explanation of 1/f noise" (PRL, 1987).
- Problem: Critical state is a very specific point
- Self-tuning not always possible
- Much criticism and arguing...

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Analysis Extra

Model

And the winner is...?

HOT theory
Self-Organized Criticality
COLD theory
Network robustness





Robustness

HOT versus SOC

- Both produce power laws
- Optimization versus self-tuning
- HOT systems viable over a wide range of high densities
- SOC systems have one special density
- HOT systems produce specialized structures
- SOC systems produce generic structures

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon

Assumptions

Model Analysis

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness







HOT theory—Summary of designed tolerance [8]

Table 1. Characteristics of SOC, HOT, and data

	Property	soc	HOT and Data
1	Internal	Generic,	Structured,
	configuration	homogeneous,	heterogeneous,
		self-similar	self-dissimilar
2	Robustness	Generic	Robust, yet fragile
3	Density and yield	Low	High
4	Max event size	Infinitesimal	Large
5	Large event shape	Fractal	Compact
6	Mechanism for	Critical internal	Robust
	power laws	fluctuations	performance
7	Exponent α	Small	Large
8	lpha vs. dimension d	$\alpha \approx (d-1)/10$	$\alpha \approx 1/d$
9	DDOFs	Small (1)	Large (∞)
10	Increase model	No change	New structures,
	resolution		new sensitivitie
11	Response to forcing	Homogeneous	Variable

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon Assumptions

Model

Analysis

And the winner is...?

Robustness

HOT theory Self-Organized Criticality

COLD theory

Network robustness





COLD forests

Avoidance of large-scale failures

- ► Constrained Optimization with Limited Deviations [19]
- Weight cost of larges losses more strongly
- Increases average cluster size of burned trees...
- ... but reduces chances of catastrophe
- Power law distribution of fire sizes is truncated.

More Power-Law Mechanisms

Optimization

Minimal Cost Mandelbrot vs. Simon Assumptions

Model Analysis

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness





Aside:

Power law distributions often have an exponential cutoff

$$P(x) \sim x^{-\gamma} e^{-x/x_c}$$

where x_c is the approximate cutoff scale.

May be Weibull distributions:

$$P(x) \sim x^{-\gamma} e^{-ax^{-\gamma+1}}$$

Optimization

Mandelbrot vs. Simon Assumptions Model Analysis

And the winner is...?

Robustness

HOT theory
Self-Organized Criticality
COLD theory
Network robustness





Robustness

And we've already seen this...

- network robustness.
- ► Albert et al., Nature, 2000:

 "Error and attack tolerance of complex networks" [1]
- ► Similar robust-yet-fragile story...
- See Networks Overview, Frame 67ish (⊞)

More Power-Law Mechanisms

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions Model Analysis Extra

And the winner is...?
Robustness

HOT theory
Self-Organized Criticality
COLD theory

Network robustness





- [1] R. Albert, H. Jeong, and A.-L. Barabási. Error and attack tolerance of complex networks. Nature, 406:378–382, 2000. pdf (⊞)
- [2] P. Bak.

 How Nature Works: the Science of Self-Organized

 Criticality.

 Springer-Verlag, New York, 1996.
- [3] P. Bak, C. Tang, and K. Wiesenfeld.

 Self-organized criticality an explanation of 1/f noise.

Phys. Rev. Lett., 59(4):381–384, 1987. pdf (⊞)

[4] B. J. L. Berry.
Déjà vu, Mr. Krugman.
Urban Geography, 20:1–2, 1999. pdf (⊞)

Optimization

Mandelbrot vs. Simon Assumptions

Model Analysis

xtra

And the winner is...?

Robustness

HOT theory

Self-Organized Criticality
COLD theory

Network robustness
References





World Wide Web scaling exponent from Simon's 1955 model.

Phys. Rev. E, 64:035104(R), 2001. pdf (⊞)

[6] J. M. Carlson and J. Doyle. Highly optimized tolerance: A mechanism for power laws in design systems.

Phys. Rev. E, 60(2):1412-1427, 1999. pdf (⊞)

[7] J. M. Carlson and J. Doyle.

Highly optimized tolerance: Robustness and design in complex systems.

Phys. Rev. Lett., 84(11):2529–2532, 2000. pdf (⊞)

[8] J. M. Carlson and J. Doyle.

Complexity and robustness.

Proc. Natl. Acad. Sci., 99:2538–2545, 2002. pdf (⊞)

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model Analysis

Extra
And the winner is 2

Robustness

HOT theory

Self-Organized Criticality COLD theory Network robustness





References III

More Power-Law Mechanisms

[9] R. M. D'Souza, C. Borgs, J. T. Chayes, N. Berger, and R. D. Kleinberg.

Emergence of tempered preferential attachment from optimization.

Proc. Natl. Acad. Sci., 104:6112-6117, 2007. pdf (⊞)

[10] R. Ferrer i Cancho and R. V. Solé. Zipf's law and random texts.

Advances in Complex Systems, 5(1):1–6, 2002.

[11] H. J. Jensen.

Self-Organized Criticality: Emergent Complex
Behavior in Physical and Biological Systems.
Cambridge Lecture Notes in Physics. Cambridge
University Press, Cambridge, UK, 1998.

Optimization

Mandelbrot vs. Simon Assumptions Model Analysis

Extra

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





References IV

More Power-Law Mechanisms

[12] P. Krugman.

The self-organizing economy. Blackwell Publishers, Cambridge, Massachusetts, 1995.

[13] T. Maillart, D. Sornette, S. Spaeth, and G. von Krogh.

Empirical tests of Zipf's law mechanism in open source Linux distribution.

Phys. Rev. Lett., 101(21):218701, 2008. pdf (⊞)

[14] B. B. Mandelbrot.

An informational theory of the statistical structure of languages.

In W. Jackson, editor, Communication Theory, pages 486-502. Butterworth, Woburn, MA, 1953. pdf (⊞)

Optimization Minimal Cost

Mandelbrot vs. Simon Assumptions

Model Analysis

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory

Network robustness References





[15] B. B. Mandelbrot.

A note on a class of skew distribution function. analysis and critique of a paper by H. A. Simon. Information and Control, 2:90–99, 1959.

[16] B. B. Mandelbrot.

Final note on a class of skew distribution functions: analysis and critique of a model due to H. A. Simon. Information and Control, 4:198–216, 1961.

[17] B. B. Mandelbrot.
Post scriptum to 'final note'.
Information and Control, 4:300–304, 1961.

[18] G. A. Miller.

Some effects of intermittent silence.

American Journal of Psychology, 70:311–314, 1957.

pdf (⊞)

Optimization

Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
Extra
And the winner is 2

Robustness HOT theory

Self-Organized Criticality
COLD theory
Network robustness





[20] H. A. Simon.

On a class of skew distribution functions.

Biometrika, 42:425–440, 1955. pdf (⊞)

[21] H. A. Simon.

Some further notes on a class of skew distribution functions.

Information and Control, 3:80–88, 1960.

[22] H. A. Simon.
Reply to Dr. Mandelbrot's post scriptum.
Information and Control, 4:305–308, 1961.

Optimization

Mandelbrot vs. Simon Assumptions Model Analysis

Extra

And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness





References VII

More Power-Law Mechanisms

[23] H. A. Simon.
Reply to 'final note' by Benoît Mandelbrot.
Information and Control, 4:217–223, 1961.

[24] D. Sornette.Critical Phenomena in Natural Sciences.Springer-Verlag, Berlin, 2nd edition, 2003.

[25] D. Stauffer and A. Aharony.
 Introduction to Percolation Theory.
 Taylor & Francis, Washington, D.C., Second edition, 1992.

Optimization

Minimal Cost

Mandelbrot vs. Simon

Assumptions

Model
Analysis
Extra
And the winner is 2

Robustness

HOT theory Self-Organized Criticality COLD theory Network robustness



