

**Principles of Complex Systems, CSYS/MATH 300**  
**University of Vermont, Fall 2013**  
**Assignment 7 • code name: “These go to eleven.” (田)**

**Dispersed:** Thursday, October 24, 2013.

**Due:** By start of lecture, 1:00 pm, Thursday, October 31, 2013.

*Some useful reminders:*

**Instructor:** Peter Dodds

**Office:** Farrell Hall, second floor, Trinity Campus

**E-mail:** peter.dodds@uvm.edu

**Office hours:** 10:30 am to 11:30 am, Monday, and 1:00 pm to 3:00 pm, Wednesday

**Course website:** <http://www.uvm.edu/~pdodds/teaching/courses/2013-08UVM-300>

---

All parts are worth 3 points unless marked otherwise. Please show all your working clearly and list the names of others with whom you collaborated.

Graduate students are requested to use L<sup>A</sup>T<sub>E</sub>X (or related T<sub>E</sub>X variant).

---

1. (3 + 3):

Consider a modified version of the Barabási-Albert (BA) model [1] where two possible mechanisms are now in play. As in the original model, start with  $m_0$  nodes at time  $t = 0$ . Let's make these initial guys connected such that each has degree 1. The two mechanisms are:

M1: With probability  $p$ , a new node of degree 1 is added to the network. At time  $t + 1$ , a node connects to an existing node  $j$  with probability

$$P(\text{connect to node } j) = \frac{k_j}{\sum_{i=1}^{N(t)} k_i} \quad (1)$$

where  $k_j$  is the degree of node  $j$  and  $N(t)$  is the number of nodes in the system at time  $t$ .

M2: With probability  $q = 1 - p$ , a randomly chosen node adds a new edge, connecting to node  $j$  with the same preferential attachment probability as above.

Note that in the limit  $q = 0$ , we retrieve the original BA model (with the difference that we are adding one link at a time rather than  $m$  here).

In the long time limit  $t \rightarrow \infty$ , what is the expected form of the degree distribution  $P_k$ ?

Do we move out of the original model's universality class?

Different analytic approaches are possible including a modification of the BA paper, or a Simon-like one (see also Krapivsky and Redner [2]).

(3 points for set up, 3 for solving.)

## References

- [1] A.-L. Barabási and R. Albert. Emergence of scaling in random networks. Science, 286:509–511, 1999.
- [2] P. L. Krapivsky and S. Redner. Organization of growing random networks. Phys. Rev. E, 63:066123, 2001.